



CLINICAL GUIDELINES

Pediatric Pelvis Imaging Policy

Version 1.0.2019

Effective February 15, 2019



eviCore healthcare Clinical Decision Support Tool Diagnostic Strategies: This tool addresses common symptoms and symptom complexes. Imaging requests for individuals with atypical symptoms or clinical presentations that are not specifically addressed will require physician review. Consultation with the referring physician, specialist and/or individual's Primary Care Physician (PCP) may provide additional insight.

CPT® (Current Procedural Terminology) is a registered trademark of the American Medical Association (AMA). CPT® five digit codes, nomenclature and other data are copyright 2017 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in the CPT® book. AMA does not directly or indirectly practice medicine or dispense medical services. AMA assumes no liability for the data contained herein or not contained herein.

Pediatric Pelvis Imaging Guidelines	
Procedure Codes Associated with Pelvis Imaging	3
PEDPV-1: General Guidelines	5
Pelvic Signs and Symptoms – Female	
PEDPV-2: Abnormal Uterine Bleeding	9
PEDPV-3: Pelvic Inflammatory Disease (PID)	10
PEDPV-4: Amenorrhea	11
PEDPV-5: Endometriosis	12
PEDPV-6: Suspected Adnexal Mass	13
PEDPV-7: Pelvic Pain/Dyspareunia, Female	14
PEDPV-8: Polycystic Ovary Syndrome	15
PEDPV-9: Periurethral Cysts and Urethral Diverticula	16
PEDPV-10: Fetal MRI	17
Pelvic Signs and Symptoms – Male	
PEDPV-11: Undescended Testis	18
PEDPV-12: Scrotal Pathology	19
PEDPV-13: Penis-Soft Tissue Mass	20
Pediatric Pelvis Imaging Guidelines (Not Otherwise Covered)	
PEDPV-14: Incontinence	21
PEDPV-15: Patent Urachus	22

PEDPV-1: General Guidelines

PEDPV-1.1: Age Considerations	6
PEDPV-1.2: Appropriate Clinical Evaluation	6
PEDPV-1.3: Modality General Considerations	6

