

Evidence Discussion –

Perirectal/Perianal Disease (AB-23.3)

Cross-sectional imaging methods such as magnetic resonance imaging and computed tomography are utilized to evaluate Crohn's related complications like perirectal and/or perianal fistulae or abscess. Magnetic resonance imaging (MRI) is superior to CT imaging and should be used preferentially.

References

1. Expert Panel on Gastrointestinal Imaging. ACR Appropriateness Criteria® Crohn's disease. American College of Radiology (ACR); Reviewed 2021.
2. Lichtenstein GR, Loftus EV, Isaacs KL, Regueiro MD, Gerson LB, Sands BE. ACG Clinical Guideline: Management of Crohn's Disease in Adults. *American Journal of Gastroenterology*. 2018;113(4):481-517.
3. Evenson AR, Fischer JE. Current management of enterocutaneous fistula. *J Gastrointest Surg*. 2006;10:455-464.
4. Reed MF, Mathisen DJ. Tracheoesophageal fistula. *Chest Surg Clin N Am*. 2003;13:271-289.
5. Golabek T, Szymanska A, Szopinski T, Bukowczan J, Furmanek M, Powroznik J, Piotr C. Enterovesical fistulae: aetiology, imaging, and management. *Gastroenterol Res Pract*. 2013;6:617967.
6. Dolejs SC, Penning AJ, Guzman MJ, et al. Perioperative Management of Patients with Colovesical Fistula. *J Gastrointest Surg*. 2019;23:1867-1873.
7. Hyde BJ, Byrnes JN, Occhino JA, Sheedy SP, VanBuren WM. MRI review of female pelvic fistulizing disease. *J Magn Reson Imaging*. 2018;48:1172.
8. Vogel JD, Johnson EK, Morris AM, et al. Clinical Practice Guideline for the Management of Anorectal Abscess, Fistula-in-Ano, and Rectovaginal fistula. *Dis Colon Rectum*. 2016;59:1117-1133.
9. Gribovskaja-Rupp I, Melton GB. Enterocutaneous Fistula: Proven Strategies and Updates. *Clin Colon Rectal Surg*. 2016;29(2):130.
10. Qiu Y, Mao R, Chen L, Li H, He Y, Zeng R, Li P, Chen H. Systematic review with meta-analysis: magnetic resonance enterography vs. computed tomography enterography for evaluating disease activity in small bowel Crohn's disease. *Aliment Pharmacol Ther*. 2014 Jul;40(2):134-46. doi: 10.1111/apt.12815.
11. Panes J, Bouhnik Y, Reinisch W, et al. Imaging techniques for assessment of inflammatory bowel disease: joint ECCO and ESGAR evidence-based consensus guidelines. *J Crohns Colitis*. 2013; 7: 556-585
12. Jensen, Kjeldsen J, Rafaelsen S.R, Nathan T. Diagnostic accuracies of MR enterography and CT enterography in symptomatic Crohn's disease. *Scand J Gastroenterol*. 2011; 46: 1449-1457

13. Mary-Louise C Greer, Stuart A Taylor. Perianal Imaging in Crohn Disease: Current Status With a Focus on MRI, From the *AJR* Special Series on Imaging of Inflammation. *AJR Am J Roentgenol*. 2022 May;218(5):781-792. doi: 10.2214/AJR.21.26615.
14. Martina Scharitzer, Bernd Koizar, Harald Vogelsang, Michael Bergmann, Christian Primas, Michael Weber, Wolfgang Schima, Thomas Mang. Crohn's disease: prevalence, MR features, and clinical significance of enteric and colonic sinus tracts. *Eur Radiol*. 2020 Oct;30(10):5358-5366. doi: 10.1007/s00330-020-06935-1. Epub 2020 May 26.
15. Luís S Guimarães, Mary-Louise C Greer, Jonathan R Dillman, Joel G Fletcher. Magnetic Resonance in Crohn's Disease: Diagnosis, Disease Burden, and Classification. *Magn Reson Imaging Clin N Am*. 2020 Feb;28(1):31-44. doi: 10.1016/j.mric.2019.08.003.
16. Tang YZ, Booth TC, Swallow D, Shahabuddin K, Thomas M, Hanbury D, Chang S, King C. Imaging features of colovesical fistulae on MRI. *Br J Radiol*. 2012 Oct;85(1018):1371-5. doi: 10.1259/bjr/55871151. Epub 2012