

Cigna Medical Coverage Policies – Musculoskeletal Discography

Effective November 1, 2024



Instructions for use

The following coverage policy applies to health benefit plans administered by Cigna. Coverage policies are intended to provide guidance in interpreting certain standard Cigna benefit plans and are used by medical directors and other health care professionals in making medical necessity and other coverage determinations. Please note the terms of a customer's particular benefit plan document may differ significantly from the standard benefit plans upon which these coverage policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a coverage policy.

In the event of a conflict, a customer's benefit plan document always supersedes the information in the coverage policy. In the absence of federal or state coverage mandates, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of:

1. The terms of the applicable benefit plan document in effect on the date of service
2. Any applicable laws and regulations
3. Any relevant collateral source materials including coverage policies
4. The specific facts of the particular situation

Coverage policies relate exclusively to the administration of health benefit plans. Coverage policies are not recommendations for treatment and should never be used as treatment guidelines.

This evidence-based medical coverage policy has been developed by eviCore, Inc. Some information in this coverage policy may not apply to all benefit plans administered by Cigna.

CPT[®] (Current Procedural Terminology) is a registered trademark of the American Medical Association (AMA). CPT[®] five digit codes, nomenclature and other data are copyright 2024 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in the CPT[®] book. AMA does not directly or indirectly practice medicine or dispense medical services. AMA assumes no liability for the data contained herein or not contained herein.

©Copyright 2024 eviCore healthcare

CMM 401: Discography

Definitions

General Guidelines

Indications

Non-Indications

Procedure (CPT®) Codes (CMM-401)

References (CMM-401)

Definitions

- **Clinically Meaningful Improvement:** a global assessment showing at least 50% improvement, or pain relief with a two (2) point drop in VAS pain scale (where 10 is the worst pain imaginable and 0 is no pain at all).
- **Discography:** a diagnostic procedure in which a contrast material (dye) with or without saline is injected into the nucleus pulposus of a disc. It has been used to justify the need for surgical intervention to treat back or neck pain. The general intent is to determine whether the disc is the source of pain (i.e., a diagnosis of discogenic pain) in individuals with predominantly axial back or neck pain. Discography is presumed to yield two results:
 - ◆ **Pain provocation (provocative discography):** whether the individual's typical pain was reproduced by the injection of the contrast material (dye) with or without saline
 - ◆ **Morphology:** whether the contrast material (dye) images an abnormal pattern of the disc (e.g., annular tears, disc herniation) often based on a computed tomography (CT) scan.
- **Red Flags:** comorbidities that require urgent/emergent diagnostic imaging and/or referral for definitive therapy. **ANY** of the following are considered to be red flag conditions:
 - ◆ Suspected unstable fractures of the spine which may be evidenced by a history of a recent fall or injury, and major motor weakness of a limb, or progressive neurological deficits, or bladder or bowel dysfunction.
 - ◆ History of cancer with suspicion of metastatic spread which may be evidenced by major motor weakness of a limb, or pain which increases at night or at rest, or progressive neurological deficits, or bladder or bowel dysfunction, or unexplained weight loss of more than 10 pounds in 6 weeks.
 - ◆ Infection with suspicion of an epidural abscess/discitis which may be evidenced by progressive neurological deficits, or fever of 100.4 for more than 48 hours, and C-reactive protein >10 mg/L, or recent (within 2 weeks) interventional spine procedures, or ESR >20 mm/hr, or immunocompromised (either immunodeficiency from any cause or IV drug abuse).
 - ◆ Cauda equina syndrome which may be evidenced by bladder or bowel dysfunction, or saddle anesthesia, or progressive neurological deficits.

General Guidelines

Application of Guideline

- The determination of medical necessity for the performance of a discography is always made on a case-by-case basis.
- Discography results will not be used as a determining factor of medical necessity for any requested procedure.
- A post-discography CT scan is automatically approved as an add-on.

Injectates

- Lumbar discography must be performed with contrast agent (with or without saline)
 - ◆ See **Non-Indications** for other injectates (e.g., steroid, biologics [platelet rich plasma, stem cells, amniotic fluid])

Indications

Lumbar discography as a provocative diagnostic test for axial pain is considered **medically necessary** when **ALL** of the following criteria have been met:

- Absence of red flag conditions
- Less than clinically meaningful improvement (as defined in **Definitions**) for at least 6 weeks which includes **BOTH** of the following:
 - ◆ NSAIDS and/or muscle relaxants
 - ◆ Conservative self-care (muscle stretching, regular exercise) or prescribed physical therapy core strengthening program
- Pain pattern and physical examination suggesting disc disease as evidenced by **ALL** of the following:
 - ◆ Subacute axial pain >12 weeks
 - ◆ Axial pain worsening with upright posture
 - ◆ Absence of signs and symptoms of radiculopathy
 - ◆ Absence of trigger points in affected area
 - ◆ Absence of signs and symptoms of sacroiliac joint dysfunction
- Advanced imaging rules out other causes of pain such as facet joint disease
- Advanced imaging suggestive of disc damage as evidenced by **ANY** of the following:
 - ◆ Annular tears
 - ◆ Contained disc herniation
 - ◆ High intensity zones
- Absence of centralized pain syndromes, (e.g., fibromyalgia, multicentric pain syndromes)
- Performed by **EITHER** the interventional pain physician or a supervising radiologist

Non-Indications

Not Medically Necessary

- A diagnostic lumbar discography performed without meeting the criteria listed in the **Definitions**, the **General Guidelines**, and the **Indications** sections is considered **not medically necessary**.
- The performance of a lumbar discography procedure in the presence of **ANY** red flag condition (as noted in **Definitions**) is considered **not medically necessary**.
- Lumbar discography performed with the use of injectates other than contrast (dye) with or without saline is considered **not medically necessary**.
- Cervical discography is considered **not medically necessary**.
- Thoracic discography is considered **not medically necessary**.

Experimental, Investigational, or Unproven (EIU)

- Functional anesthetic discography is considered **experimental investigational, or unproven (EIU)**.

Procedure (CPT®) Codes (CMM-401)

This guideline relates to the CPT® code set below. Codes are displayed for informational purposes only. Any given code's inclusion on this list does not necessarily indicate prior authorization is required.

| CPT® | Code Description/Definition |
|--------------|--|
| 62290 | Injection procedure for discography, each level; lumbar |
| 62291 | Injection procedure for discography, each level; cervical or thoracic |
| 72285 | Discography, cervical or thoracic, radiological supervision and interpretation |
| 72295 | Discography, lumbar, radiological supervision and interpretation |

This list may not be all-inclusive and is not intended to be used for coding/billing purposes. The final determination of reimbursement for services is the decision of the health plan and is based on the individual's policy or benefit entitlement structure as well as claims processing rules.

References (CMM-401)

1. Boswell MV, Trescot AM, Datta S, et al. Interventional techniques: evidence-based practice guidelines in the management of chronic spinal pain. *Pain Physician*. 2007;10(1):7-111.
2. Boswell MV, Shah RV, Everett CR, et al. Interventional techniques in the management of chronic spinal pain: evidence-based practice guidelines. *Pain Physician*. 2005;8(1):1-47.
3. Buenaventura RM, Shah RV, Patel V, Benyamin R, Singh V. Systematic review of discography as a diagnostic test for spinal pain: an update. *Pain Physician*. 2007;10(1):147-164.
4. Carragee EJ, Alamin TF, Carragee JM. Low-pressure positive Discography in subjects asymptomatic of significant low back pain illness. *Spine (Phila Pa 1976)*. 2006;31(5):505-509.
5. Chou R, Atlas SJ, Stanos SP, et al. Nonsurgical interventional therapies for low back pain: a review of the evidence for an American Pain Society clinical practice guideline. *Spine (Phila Pa 1976)*. 2009;34(10):1078-1093.
6. Chou R, Qaseem A., Snow V, et al. Diagnosis and treatment of low back pain: a joint clinical practice guideline from the American College of Physicians and the American Pain Society. *Ann Intern Med*. 2007;147(7):478-491.
7. Cohen SP, Larkin TM, Barna SA, Palmer WE, Hecht AC, Stojanovic MP. Lumbar discography: a comprehensive review of outcome studies, diagnostic accuracy, and principles. *Reg Anesth Pain Med*. 2005;30(2):163-183. doi:10.1016/j.rapm.2004.10.006.
8. Derby R, Lee SH, Kim BJ, Chen Y, Aprill C, Bogduk N. Pressure-controlled lumbar discography in volunteers without low back symptoms. *Pain Med*. 2005;6(3):213-221; discussion 222-214. doi:10.1111/j.1526-4637.2005.05034.x.
9. Dubois MY, Livovich J, Fletwood J, et al. Incompetence, drug diversion or pain management? Trying to draw the line. *Pain Med*. 2002;3(1):73-77.
10. Endresen GK. Fibromyalgia: a rheumatologic diagnosis? *Rheumatol Int*. 2007;27(11):999-1004.
11. Ewing JA. Detecting alcoholism. The CAGE questionnaire. *JAMA*. 1984;252(14):1905-1907.
12. Fishbain DA, Cutler RB, Rosomoff HL, et al. Is there a relationship between nonorganic physical findings (Waddell signs) and secondary gain/malingering? *Clin J Pain*. 2004;20(6):399-408.
13. Freeman BJ, Mehdian, R. Intradiscal electrothermal therapy, percutaneous discectomy, and nucleoplasty: what is the current evidence? *Curr Pain Headache Rep*. 2008;12(1):14-21.
14. Giordano J, Schatman ME. A crisis in chronic pain care: an ethical analysis. Part three: Toward an integrative, multi-disciplinary pain medicine built around the needs of the patient. *Pain Physician*. 2008;11(6):775-784.
15. Haig AJ, Colwell M. *Back Pain: A Guide for the Primary Care Physician*. American College of Physicians (ACP Press). 2005.
16. Institute for Clinical Systems Improvement (ICSI). *Health Care Guideline: Adult Acute and Subacute Low Back Pain*. 15th ed. Bloomington (MN): Institute for Clinical Systems Improvement; 2012.
17. Institute for Clinical Systems Improvement (ICSI). *Guidelines for Low back Pain*. 13th ed. Bloomington (MN): Institute for Clinical Systems Improvement; 2008.
18. Kahan M, Srivastava A, Wilson L, et al. Misuse of and dependence on opioids: study of chronic pain patients. *Can Fam Physician*. 2006;52(9):1081-1087.
19. Kang CH, Kim YH, Lee SH, et al. Can magnetic resonance imaging accurately predict concordant pain provocation during provocative disc injection? *Skeletal Radiol*. 2009;38(9):877-885.
20. Kloth DS, Fenton DS, Andersson GB, et al. Intradiscal electrothermal therapy (IDET) for the treatment of discogenic low back pain: patient selection and indications for use. *Pain Physician*. 2008;11(5):659-668.
21. Madigan L, Vaccaro AR, Spector LR, et al. Management of symptomatic lumbar degenerative disk disease. *J Am Acad Orthop Surg*. 2009;17(2):102-111.
22. Manchikanti L, Soin A, Benyamin RM, et al. An Update of the Systematic Appraisal of the Accuracy and Utility of Discography in Chronic Spinal Pain. *Pain Physician*. 2018;21(2):91-110.
23. McCutcheon ME, Thompson WC 3rd. CT scanning of lumbar discography. A useful diagnostic adjunct. *Spine (Phila Pa 1976)*. 1986;11(3):257-259.
24. Nordin M, Carragee EJ, Hogg-Johnson S, et al. Assessment of Neck Pain and Its Associated Disorders: Results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine (Phila Pa 1976)*. 2008;33(4 Suppl):S101-S122.
25. Official Disability Guidelines (ODG). *Discography, IDET, Percutaneous Disk Surgery*. October 24, 2012.
26. Pauza K. Educational guidelines for the performance of spinal injection procedures. *PASSOR*. 2001. Updated April 2004.
27. Rathmell JP, Saal JS. Discography, IDET, Percutaneous Discectomy, and Nucleoplasty: Complications and Their Preventions. *Pain Med*. 2008;9(Issue S1):S79-S81. doi:10.1111/J.1526-4637.2008.00442.X.
28. Rigamonti D, Liem L, Sampath P, et al. Spinal epidural abscess: contemporary trends in etiology, evaluation, and management. *Surg Neurol*. 1999;52(2):189-196; discussion 197.

29. Tacci JA, Webster BS, Hashemi L, et al. Healthcare utilization and referral patterns in the initial management of new-onset, uncomplicated, low back workers' compensation disability claims. *J Occup Environ Med.* 1998;40(11):958-963.
30. The American College of Rheumatology. Guideline for Diagnosis of Fibromyalgia Arthritis and Rheumatism. 1990;33(2).
31. Wasan AD, Jamison RN, Pham L, et al. Psychopathology predicts the outcome of medial branch blocks with corticosteroid for chronic axial low back or cervical pain: a prospective cohort study. *BMC Musculoskelet Disord.* 2009;10:22.
32. Willems PC, Elmans L, Anderson PG, van der Schaaf DB, de Kleuver M.. Provocative discography and lumbar fusion: is preoperative assessment of adjacent discs useful? *Spine (Phila Pa 1976).* 2007;32(10):1094-1099; discussion 1100.
33. Wolfe F, Smythe, H, Yunus M, et al. Guideline for the Diagnosis of Fibromyalgia Arthritis and Rheumatism. The American College of Rheumatology *Arthritis & Rheumatism.* 1990;33(2):160-172.