

Hyaluronic Acid Intra-articular Products

When requesting hyaluronic acid intra-articular products, the individual requiring treatment must be diagnosed with the following FDA-approved indication and meet the specific coverage guidelines and applicable safety criteria for the covered indication.

The following hyaluronic acid intra-articular products are included in this policy: Hyalgan[®] (sodium hyaluronate), Supartz FX[®] (sodium hyaluronate), Hymovis[®] (hyaluronan), Euflexxa[®] (sodium hyaluronate), Orthovisc[®] (hyaluronan), Synvisc[®] (hylan G-F 20), Synvisc-One[®] (hylan G-F 20), Gel-One[®] (sodium hyaluronate), Monovisc[®] (hyaluronan), Gel-Syn[®]-3 (sodium hyaluronate), Genvisc[®] 850 (sodium hyaluronate), Durolane[®] (sodium hyaluronate), TriVisc[®] (sodium hyaluronate), Triluron[®] (sodium hyaluronate), Sodium hyaluronate 1% injection, Synjoyn[®]t (sodium hyaluronate 1% injection), and Visco-3[®] (sodium hyaluronate).

FDA-Approved Indication

Indicated for the treatment of pain in osteoarthritis of the knee in patients who have failed to respond adequately to conservative non-pharmacologic therapy and analgesics (e.g., non-steroidal anti-inflammatory drugs and acetaminophen).

Coverage Guidelines

Osteoarthritis (OA) of the Knee

The patient must meet **all** the following criteria for initial authorization:

- Diagnosis of the knee to be treated is confirmed by radiological evidence of knee OA (e.g., x-ray, magnetic resonance imaging [MRI], computed tomography [CT] scan, ultrasound);
- Has tried at least TWO of the following three modalities of therapy for OA:
 - At least one course of physical therapy (PT) for knee OA;
 - At least TWO of the following pharmacological therapies:
 - Nonsteroidal anti-inflammatory drug(s) (NSAIDs), oral or topical (examples of oral agents include: naproxen, ibuprofen, Celebrex; examples of topical NSAIDs include: diclofenac solution or gel);
(Note: a trial of two or more NSAIDs [oral and/or topical] counts as one pharmacological therapy.)
 - Acetaminophen;
 - Tramadol (Ultram);
 - Duloxetine (Cymbalta);
 - At least TWO injections of intra-articular corticosteroids to the affected knee;
- The product is administered by or under the supervision of a physician specializing in rheumatology, orthopedic surgery, or physical medicine and rehabilitation (physiatrist).

The patient must meet **all** of the following criteria for reauthorization

- Has already received one or more courses of hyaluronic acid derivative in the same knee
- At least 6 months have elapsed since the last injection with any hyaluronic acid derivative;
- Had a response to the previous course of hyaluronic acid derivative therapy for osteoarthritis of the knee (e.g., reduced joint pain, tenderness, or morning stiffness, improved mobility) and now requires additional therapy for osteoarthritis symptoms;
- The product is administered by or under the supervision of a physician specializing in rheumatology, orthopedic surgery, or physical medicine and rehabilitation (physiatrist).

Approval duration (initial and renewal): 6 months

Dosing Recommendations

Product	Number of injections per course
Durolane	One injection given one time
Euflexxa	Three injections given 1 week apart
Gel-One	One injection given one time
Gelsyn-3	Three injections given 1 week apart
GenVisc 850	Five injections given 1 week apart
Hyalgan	Five injections given 1 week apart
Hymovisc	Two injections given 1 week apart
Monovisc	One injection given one time
Orthovisc	Three or four injections given 1 week apart
Sodium hyaluronate 1%	Three injections given 1 week apart
Synjoynt	Three injections given 1 week apart
Synvisc	Three injections given 1 week apart
Synvisc-One	One injection given one time
Supartz FX	Five injections given 1 week apart
Triluron	Three injections given 1 week apart
TriVisc	Three injections given 1 week apart
Visco-3	Three injections given 1 week apart

References

1. Durolane [prescribing information]. Durham, NC: Bioventus; not dated. Accessed on July 18, 2024.
2. Euflexxa® injection [prescribing information]. Parsippany, NJ: Ferring; July 2016.
3. Gel-One® injection [prescribing information]. Warsaw, IN: Zimmer; May 2011.
4. Gelsyn-3 [prescribing information]. Durham, NC: Bioventus; 2016.
5. GenVisc® 850 [prescribing information]. Doylestown, PA: OrthogenRx; not dated. Accessed on July 18, 2024.
6. Hyalgan® injection [prescribing information]. Parsippany, NJ: Fidia Pharma; August 2017.
7. Hymovis® [prescribing information]. Parsippany, NJ: Fidia Pharma; October 2015.
8. Monovisc® [prescribing information]. Bedford, MA: DePuy Synthes; not dated. Accessed on July 18, 2024.
9. Orthovisc® injection [prescribing information]. Raynham, MA: DePuy Synthes; September 2014. Accessed on July 18, 2024.
10. Sodium hyaluronate 1% injection [prescribing information]. North Wales, PA: Teva; March 2019.

11. Supartz® FX™ [prescribing information]. Durham, NC: Bioventus; April 2015.
12. Synvisc® injection [prescribing information]. Ridgefield, NJ: Genzyme Biosurgery; September 2014.
13. Synvisc-One® injection [prescribing information]. Ridgefield, NJ: Genzyme Biosurgery; May 2023.
14. Triluron [prescribing information]. Florham Park, NJ: Fidia Pharma; July 2019.
15. Trivisc [prescribing information]. Doylestown, PA: OrthogenRx; not dated. Accessed on July 18, 2024.
16. Visco-3 [prescribing information]. Warsaw, IN: Zimmer; not dated. Accessed on July 18, 2024.
17. Kolasinski SH, Neogi T, Hochberg MC, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis Care Res.* 2019;72(2):149-162.
18. American Academy of Orthopaedic Surgeons Management of Osteoarthritis of the Knee (Non-Arthroplasty) Evidence-Based Clinical Practice Guideline. Published August 31, 2021. Available at: [Osteoarthritis of the Knee - Clinical Practice Guideline \(CPG\) | American Academy of Orthopaedic Surgeons \(aaos.org\)](https://www.aaos.org/clinical-practice-guidelines/osteoarthritis-of-the-knee). Accessed on September 15, 2022.
19. Bannuru RR, Osani MC, Vaysbrot EE, et al. OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. *Osteoarthritis Cartilage.* 2019;27(11):1578-1589.
20. Petrella RJ, Petrella MJ, Coglianò A. Periarticular hyaluronic acid in acute ankle sprain. *Clin J Sport Med.* 2007;17(4):251-257.
21. Petrella MJ, Coglianò A, Petrella RJ. Original research: long-term efficacy and safety of periarticular hyaluronic acid in acute ankle sprain. *Phys Sportsmed.* 2009;37(1):64-70.
22. Izquierdo R, Voloshin I, Edwards S, et al. Treatment of glenohumeral osteoarthritis. *J Am Acad Orthop Surg.* 2010;18(6):375-382.
23. Sun SF, Chou YJ, Hsu CW, et al. Efficacy of intra-articular hyaluronic acid in patients with osteoarthritis of the ankle: a prospective study. *Osteoarthritis Cartilage.* 2006;14(9):867-874.
24. Salk RS, Chang TJ, D'Costa WF, et al. Sodium hyaluronate in the treatment of osteoarthritis of the ankle: a controlled, randomized, double-blind, pilot study. *J Bone Joint Surg Am.* 2006;88(2):295-302.
25. Karatosun V, Unver B, Ozden A, et al. Intra-articular hyaluronic acid compared to exercise therapy in osteoarthritis of the ankle. A prospective randomized trial with long-term follow-up. *Clin Exp Rheumatol.* 2008;26(2):288-294.
26. Sun SF, Chou YJ, Hsu CW, Chen WL. Hyaluronic acid as a treatment for ankle osteoarthritis. *Curr Rev Musculoskelet Med.* 2009;2(2):78-82.
27. Cohen MM, Altman RD, Hollstrom R, et al. Safety and efficacy of intra-articular sodium hyaluronate (Hyalgan) in a randomized, double-blind study for osteoarthritis of the ankle. *Foot Ankle Int.* 2008;29(7):657-663.
28. Abate M, Pulcini D, Di Iorio A, Schiavone C. Viscosupplementation with intra-articular hyaluronic acid for treatment of osteoarthritis in the elderly. *Curr Pharm Des.* 2010;16(6):631-640.
29. DeGroot H 3rd, Uzunishvili S, Weir R, et al. Intra-articular injection of hyaluronic acid is not superior to saline solution injection for ankle arthritis: a randomized, double-blind, placebo-controlled study. *J Bone Joint Surg Am.* 2012;94(1):2-8.
30. Sun SF, Hsu CW, Sun HP, et al. The effect of three weekly intra-articular injections of hyaluronate on pain, function, and balance in patients with unilateral ankle arthritis. *J Bone Joint Surg Am.* 2011;93(18):1720-1726.
31. Tikiz C, Unlu Z, Sener A, et al. Comparison of the efficacy of lower and higher molecular weight viscosupplementation in the treatment of hip osteoarthritis. *Clin Rheumatol.* 2005;24:244-250.
32. Migliore A, Tormenta S, Severino L, et al. The symptomatic effects of intra-articular administration of hylan G-F 20 on osteoarthritis of the hip: clinical data of 6 months follow-up. *Clin Rheumatol.* 2006;25(3):389-393.
33. Qvistgaard E, Christensen R, Torp-Pedersen S, Bliddal H. Intra-articular treatment of hip osteoarthritis: a randomized trial of hyaluronic acid, corticosteroid, and isotonic saline. *Osteoarthritis Cartilage.* 2006;14(2):163-170.
34. Caglar-Yagci H, Unsal S, Yagci I, et al. Safety and efficacy of ultra-sound guided intra-articular hylan G-F 20 injection in osteoarthritis of the hip: a pilot study. *Rheumatol Int.* 2005;25(5):341-344.
35. Conrozier T, Vignon E. Is there evidence to support the inclusion of viscosupplementation in the treatment paradigm for patients with hip osteoarthritis? *Clin Exp Rheumatol.* 2005;23(5):711-716.
36. Van Den Bekerom MPJ. Viscosupplementation in symptomatic severe hip osteoarthritis: a review of the literature and report on 60 patients. *Acta Orthop Belg.* 2006;72:560-568.
37. Fernandez Lopez JC, Ruano-Ravina A. Efficacy and safety of intraarticular hyaluronic acid in the treatment of hip osteoarthritis: a systematic review. *Osteoarthritis Cartilage.* 2006;14(12):1306-1311.
38. Richette P, Ravaud P, Conrozier T, et al. Effect of hyaluronic acid in symptomatic hip osteoarthritis: a multicenter, randomized, placebo-controlled trial. *Arthritis Rheum.* 2009;60(3):824-830.
39. Hsieh LF, Hsu WC, Lin YJ, et al. Addition of intra-articular hyaluronate injection to physical therapy program produces no extra benefits in patients with adhesive capsulitis of the shoulder: a randomized controlled trial. *Arch Phys Med Rehabil.* 2012;93(6):957-964.
40. Penning LI, de Bie RA, Walenkamp GH. The effectiveness of injections of hyaluronic acid or corticosteroid in patients with subacromial impingement: a three-arm randomised controlled trial. *J Bone Joint Surg Br.* 2012;94(9):1246-1252.

41. Tang X, Pei FX, Zhou ZK, et al. A randomized, single-blind comparison of the efficacy and tolerability of hyaluronate acid and meloxicam in adult patients with Kashin-Beck disease of the knee. *Clin Rheumatol*. 2012;31(7):1079-1086.
42. Chau JY, Chan WL, Woo SB, et al. Hyaluronic acid instillation following arthroscopic anterior cruciate ligament reconstruction: a double-blinded, randomised controlled study. *J Orthop Surg (Hong Kong)*. 2012;20(2):162-165.
43. SynoJoynt™ injection [prescribing information]. Naples, FL: Arthrex; 2022.