



## Aetna Better Health - Florida Health Plan

### Prior Authorization Procedure List: Interventional Pain Management

CPT® Code	CPT® Code Description
<b>20552</b>	Injection(s); single or multiple trigger point(s), one or two muscle(s)
<b>20553</b>	Injection(s); single or multiple trigger point(s), three or more muscle(s)
<b>22510</b>	Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; cervicothoracic
<b>22511</b>	Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; lumbosacral
<b>22512</b>	Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; each additional cervicothoracic or lumbosacral vertebral body (List separately in addition to code for primary procedure)
<b>22513</b>	Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic
<b>22514</b>	Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; lumbar
<b>22515</b>	Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; each additional thoracic or lumbar vertebral body (List separately in addition to code for primary procedure)
<b>27096</b>	Injection procedure for sacroiliac joint, arthrography and/or anesthetic/steroid
<b>62264</b>	Percutaneous lysis of epidural adhesion using solution injection (eg, hypertonic saline, enzyme) or mechanical means (eg, catheter) including radiologic localization (includes contrast when administered)
<b>62280</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; subarachnoid
<b>62281</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; epidural, cervical or thoracic
<b>62282</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; epidural, lumbar, sacral (caudal)
<b>62287</b>	Aspiration or decompression procedure, percutaneous, of nucleus pulposus of intervertebral disk, any method, single or multiple levels, lumbar (eg, manual or
<b>62290</b>	Injection procedure for discography, each level; lumbar
<b>62291</b>	Injection procedure for discography, each level; cervical/thoracic

CPT® Code	CPT® Code Description
62292	Injection procedure for chemonucleolysis, including diskography, intervertebral disc, single or multiple levels, lumbar
62320	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance
62321	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)
62322	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance
62323	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)
62324	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance
62325	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)
62326	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance
62327	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)
62350	Implantation, revision or repositioning of tunneled intrathecal or epidural catheter, for long-term medication administration via an external pump or implantable reservoir/infusion pump; without lamina
62351	Implantation, revision or repositioning of tunneled intrathecal or epidural catheter, for long-term medication administration via an external pump or implantable reservoir/infusion pump; with laminectomy
62360	Implantation of device for intrathecal or epidural drug infusion; subcutaneous reservoir
62361	Implantation of device for intrathecal or epidural drug infusion; non-programmable pump
62362	Implantation of device for intrathecal or epidural drug infusion; programmable pump, including preparation of pump, with or without programming
62368	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming
62370	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill (requiring skill of a physician or other qualified health care professional)
63650	Percutaneous implantation of neurostimulator electrode array, epidural

CPT® Code	CPT® Code Description
63655	Laminectomy for implantation of neurostimulator electrodes, plate/paddle, epidural
63663	Revision, including replacement, of spinal neurostimulator electrode percutaneous array(s)
63664	Revision, including replacement, of spinal neurostimulator electrode plate/paddle(s)
64405	Injection(s), anesthetic agent(s) and/or steroid; greater occipital nerve
64451	Injection(s), anesthetic agent(s) and/or steroid; nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
64451	Injection(s), anesthetic agent(s) and/or steroid; nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
64479	Injection, anesthetic agent and/or steroid, transforaminal epidural; cervical or thoracic, single level
64480	Injection, anesthetic agent and/or steroid, transforaminal epidural;cervical or thoracic, each additional level (List separately in addition to code for primary procedure)
64483	Injection, anesthetic agent and/or steroid, transforaminal epidural;lumbar or sacral, single level
64484	Injection, anesthetic agent and/or steroid, transforaminal epidural;lumbar or sacral, each additional level (List separately in addition to code for primary procedure)
64490	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level
64491	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; second level (
64492	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; third and any
64493	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; single level
64494	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; second level (List separately in addition to code for primary procedure)
64495	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; third and any addi
64510	Injection, anesthetic agent; stellate ganglion (cervical sympathetic)
64520	Injection, anesthetic agent;lumbar or thoracic (paravertebral sympathetic)
64625	Radiofrequency ablation, nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
64625	Radiofrequency ablation, nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
64633	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; cervical or thoracic, single facet joint for the first level performed
64634	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; cervical or thoracic, each additional level

CPT® Code	CPT® Code Description
64635	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; lumbar or sacral, single facet joint for the first level performed
64636	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; lumbar or sacral, each additional level
64640	Destruction by neurolytic agent; other peripheral nerve or branch
72275	Epidurography, radiological supervision and interpretation
72285	Diskography Cervical/Thoracic RS&I
72295	Diskography Lumbar RS&I
95971	Electronic analysis of implanted neurostimulator pulse generator system; simple spinal cord, or peripheral, with intraoperative or subsequent programming
95972	Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex spinal cord, or peripheral (ie, peripheral nerve, sacral nerve, neuromuscular) (except cranial nerve) neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming
0200T	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical device, when used, 1 or more needles, includes imaging guidance and bone biopsy, when performed
0201T	Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical device, when used, 2 or more needles, includes imaging guidance and bone biopsy, when performed
0213T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; single level
0214T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; second level (List separately in addition to code for primary procedure)
0215T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; third and any additional level(s) (List separately)
0216T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; single level
0217T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; second level (List separately in addition to code for primary procedure)
0218T	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; third and any additional level(s) (List separately)
0228T	Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with ultrasound guidance, cervical or thoracic; single level
0231T	Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with ultrasound guidance, lumbar or sacral; each additional level (List separately in addition to code for primary procedure)
0627T	Percutaneous injection of allogeneic cellular and/or tissue- based product, intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance, lumbar; first level
0628T	Percutaneous injection of allogeneic cellular and/or tissue- based product, intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance, lumbar; each additional level (List separately in addition to code for primary procedure)

CPT® Code	CPT® Code Description
<b>0629T</b>	Percutaneous injection of allogeneic cellular and/or tissue- based product, intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar; first level
<b>0630T</b>	Percutaneous injection of allogeneic cellular and/or tissue- based product, intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar; each additional level (List separately in addition to code for primary procedure)
<b>C1767</b>	Generator, neurostimulator (implantable), nonrechargeable
<b>C1787</b>	Patient programmer, neurostimulator
<b>C1816</b>	Receiver and/or transmitter, neurostimulator (implantable)
<b>C1820</b>	Generator, neurostimulator (implantable), with rechargeable battery and charging system
<b>G0260</b>	Injection procedure for sacroiliac joint; provision of anesthetic, steroid and/or other therapeutic agent, with or without arthrography (when performed in ASC)

CPT® copyright 2024 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.