

**Vaya Health**  
**Prior Authorization Procedure List: DME**

Program	CPT Code	CPT Code Description
DME	A4253	Blood glucose test or reagent strips for home blood glucose monitor, per 50 strips
DME	A4256	Normal, low and high calibrator solution / chips
DME	A4258	Spring-powered device for lancet, each
DME	A4259	Lancets, per box of 100
DME	A4271	Integrated lancing and blood sample testing cartridges for home blood glucose monitor, per month
DME	A4335	Incontinence supply; miscellaneous
DME	A4421	Ostomy supply; miscellaneous
DME	A4543	Supplies for transcutaneous electrical nerve stimulator, for nerves in the auricular region, per month
DME	A4544	Electrode for external lower extremity nerve stimulator for restless legs syndrome
DME	A4545	Supplies and accessories for external tibial nerve stimulator (e.g., socks, gel pads, electrodes, etc.), needed for one month
DME	A4593	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime
DME	A4594	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime, mouthpiece each
DME	A4604	Tubing with integrated heating element for use with positive airway pressure device
DME	A4649	Surgical supply; miscellaneous
DME	A5500	For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe
DME	A5501	For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe
DME	A5503	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe
DME	A5504	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe
DME	A5505	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe

Program	CPT Code	CPT Code Description
DME	A5506	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe
DME	A5507	For diabetics only, not otherwise specified modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe
DME	A5512	For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer (or higher), prefabricated, each
DME	A5513	For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer (or higher), includes arch filler and other shaping material, custom fabricated, each
DME	A6261	Wound filler, gel/paste, per fluid ounce, not otherwise specified
DME	A6262	Wound filler, dry form, per gram, not otherwise specified
DME	A6512	Compression burn garment, not otherwise classified
DME	A6549	Gradient compression garment, not otherwise specified, for daytime use, each
DME	A7021	Supplies and accessories for lung expansion airway clearance, continuous high frequency oscillation, and nebulization device (e.g., handset, nebulizer kit, biofilter)
DME	A7025	High frequency chest wall oscillation system vest, replacement for use with patient owned equipment, each
DME	A7026	High frequency chest wall oscillation system hose, replacement for use with patient owned equipment, each
DME	A7027	Combination oral/nasal mask, used with continuous positive airway pressure device, each
DME	A7030	Full face mask used with positive airway pressure device, each
DME	A7034	Nasal interface (mask or cannula type) used with positive airway pressure device, with or without head strap
DME	A7037	Tubing used with positive airway pressure device
DME	A7038	Filter, disposable, used with positive airway pressure device
DME	A7039	Filter, non disposable, used with positive airway pressure device
DME	A7044	PAP Oral Interface
DME	A8002	Helmet, protective, soft, custom fabricated, includes all components and accessories
DME	A8003	Helmet, protective, hard, custom fabricated, includes all components and accessories
DME	A8004	Soft interface for helmet, replacement only
DME	A9279	Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, not otherwise classified
DME	A9900	Miscellaneous dme supply, accessory, and/or service component of another hcpcs code
DME	A9999	Miscellaneous dme supply or accessory, not otherwise specified

Program	CPT Code	CPT Code Description
DME	E0118	Crutch substitute, lower leg platform, with or without wheels, each
DME	E0152	Walker, battery powered, wheeled, folding, adjustable or fixed height
DME	E0193	Powered air flotation bed (low air loss therapy)
DME	E0194	Air fluidized bed
DME	E0202	Phototherapy (bilirubin) light with photometer
DME	E0250	Hospital bed, fixed height, with any type side rails, with mattress
DME	E0255	Hospital bed, variable height, hi-lo, with any type side rails, with mattress
DME	E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress
DME	E0265	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress
DME	E0277	Powered pressure-reducing air mattress
DME	E0300	Pediatric crib, hospital grade, fully enclosed, with or without top enclosure
DME	E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress
DME	E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress
DME	E0316	Safety enclosure frame/canopy for use with hospital bed, any type
DME	E0328	Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress
DME	E0329	Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress
DME	E0371	Nonpowered advanced pressure reducing overlay for mattress, standard mattress length and width
DME	E0372	Powered air overlay for mattress, standard mattress length and width
DME	E0373	Nonpowered advanced pressure reducing mattress
DME	E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
DME	E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing
DME	E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge
DME	E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing
DME	E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing
DME	E0445	Oximeter device for measuring blood oxygen levels non-invasively
DME	E0446	Topical oxygen delivery system, not otherwise specified, includes all supplies and accessories

Program	CPT Code	CPT Code Description
DME	E0465	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube)
DME	E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)
DME	E0468	Home ventilator, dual-function respiratory device, also performs additional function of cough stimulation, includes all accessories, components and supplies for all functions
DME	E0469	Lung expansion airway clearance, continuous high frequency oscillation, and nebulization device
DME	E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)
DME	E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)
DME	E0480	Percussor, electric or pneumatic, home model
DME	E0482	Cough stimulating device, alternating positive and negative airway pressure
DME	E0483	High frequency chest wall oscillation system, with full anterior and/or posterior thoracic region receiving simultaneous external oscillation, includes all accessories and supplies, each
DME	E0500	Ippb machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source
DME	E0561	Humidifier, non-heated, used with positive airway pressure device
DME	E0562	Humidifier, heated, used with positive airway pressure device
DME	E0565	Compressor, air power source for equipment which is not self-contained or cylinder driven
DME	E0601	Continuous positive airway pressure (cpap) device
DME	E0603	Breast pump, electric (ac and/or dc), any type
DME	E0604	Breast pump, hospital grade, electric (ac and / or dc), any type
DME	E0619	Apnea monitor, with recording feature
DME	E0625	Patient lift, bathroom or toilet, not otherwise classified
DME	E0630	Patient lift, hydraulic or mechanical, includes any seat, sling, strap(s) or pad(s)
DME	E0637	Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels
DME	E0638	Standing frame/table system, one position (e.g., upright, supine or prone stander), any size including pediatric, with or without wheels
DME	E0641	Standing frame/table system, multi-position (e.g., three-way stander), any size including pediatric, with or without wheels
DME	E0642	Standing frame/table system, mobile (dynamic stander), any size including pediatric
DME	E0650	Pneumatic compressor, non-segmental home model
DME	E0651	Pneumatic compressor, segmental home model without calibrated gradient pressure
DME	E0652	Pneumatic compressor, segmental home model with calibrated gradient pressure

Program	CPT Code	CPT Code Description
DME	E0655	Non-segmental pneumatic appliance for use with pneumatic compressor, half arm
DME	E0660	Non-segmental pneumatic appliance for use with pneumatic compressor, full leg
DME	E0665	Non-segmental pneumatic appliance for use with pneumatic compressor, full arm
DME	E0666	Non-segmental pneumatic appliance for use with pneumatic compressor, half leg
DME	E0667	Segmental pneumatic appliance for use with pneumatic compressor, full leg
DME	E0668	Segmental pneumatic appliance for use with pneumatic compressor, full arm
DME	E0669	Segmental pneumatic appliance for use with pneumatic compressor, half leg
DME	E0670	Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk
DME	E0671	Segmental gradient pressure pneumatic appliance, full leg
DME	E0672	Segmental gradient pressure pneumatic appliance, full arm
DME	E0673	Segmental gradient pressure pneumatic appliance, half leg
DME	E0676	Intermittent limb compression device (includes all accessories), not otherwise specified
DME	E0683	Non-pneumatic, non-sequential, peristaltic wave compression pump
DME	E0691	Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area 2 square feet or less
DME	E0692	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, 4 foot panel
DME	E0700	Safety equipment, device or accessory, any type
DME	E0705	Transfer device, any type, each
DME	E0720	Transcutaneous electrical nerve stimulation (tens) device, two lead, localized stimulation
DME	E0721	Transcutaneous electrical nerve stimulatory, stimulates nerves in the auricular region
DME	E0730	Transcutaneous electrical nerve stimulation (tens) device, four or more leads, for multiple nerve stimulation
DME	E0736	Transcutaneous tibial nerve stimulator
DME	E0738	Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all components and accessories
DME	E0739	Rehab system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories, motors, microprocessors, sensors
DME	E0743	External lower extremity nerve stimulator for restless legs syndrome, each
DME	E0747	Osteogenesis stimulator, electrical, non-invasive, other than spinal applications
DME	E0748	Osteogenesis stimulator, electrical, non-invasive, spinal applications
DME	E0760	Osteogenesis stimulator, low intensity ultrasound, non-invasive
DME	E0767	Intrabuccal, systemic delivery of amplitude-modulated, radiofrequency electromagnetic field device, for cancer treatment, includes all accessories
DME	E0769	Electrical stimulation or electromagnetic wound treatment device, not otherwise classified
DME	E0770	Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any type, complete system, not otherwise specified

Program	CPT Code	CPT Code Description
DME	E0784	External ambulatory infusion pump, insulin
DME	E0911	Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, attached to bed, with grab bar
DME	E0912	Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, free standing, complete with grab bar
DME	E0956	Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each
DME	E0957	Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each
DME	E0960	Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware
DME	E0973	Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each
DME	E1002	Wheelchair accessory, power seating system, tilt only
DME	E1003	Wheelchair accessory, power seating system, recline only, without shear reduction
DME	E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear reduction
DME	E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction
DME	E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction
DME	E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction
DME	E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction
DME	E1037	Transport chair, pediatric size
DME	E1038	Transport chair, adult size, patient weight capacity up to and including 300 pounds
DME	E1039	Transport chair, adult size, heavy duty, patient weight capacity greater than 300 pounds
DME	E1161	Manual adult size wheelchair, includes tilt in space
DME	E1226	Wheelchair accessory, manual fully reclining back, (recline greater than 80 degrees), each
DME	E1229	Wheelchair, pediatric size, not otherwise specified
DME	E1231	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seating system
DME	E1232	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seating system
DME	E1233	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system
DME	E1234	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system
DME	E1235	Wheelchair, pediatric size, rigid, adjustable, with seating system
DME	E1236	Wheelchair, pediatric size, folding, adjustable, with seating system
DME	E1237	Wheelchair, pediatric size, rigid, adjustable, without seating system
DME	E1238	Wheelchair, pediatric size, folding, adjustable, without seating system
DME	E1239	Power wheelchair, pediatric size, not otherwise specified
DME	E1354	Oxygen accessory, wheeled cart for portable cylinder or portable concentrator, any type, replacement only, each
DME	E1356	Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each
DME	E1357	Oxygen accessory, battery charger for portable concentrator, any type, replacement only, each

Program	CPT Code	CPT Code Description
DME	E1358	Oxygen accessory, dc power adapter for portable concentrator, any type, replacement only, each
DME	E1390	Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate
DME	E1392	Portable oxygen concentrator, rental
DME	E1399	Durable medical equipment, miscellaneous
DME	E1699	Dialysis equipment, not otherwise specified
DME	E1803	Dynamic adjustable elbow extension only device, includes soft interface material
DME	E1804	Dynamic adjustable elbow flexion only device, includes soft interface material
DME	E1807	Dynamic adjustable wrist extension only device, includes soft interface material
DME	E1808	Dynamic adjustable wrist flexion only device, includes soft interface material
DME	E1813	Dynamic adjustable knee extension only device, includes soft interface material
DME	E1814	Dynamic adjustable knee flexion only device, includes soft interface material
DME	E1822	Dynamic adjustable ankle extension only device, includes soft interface material
DME	E1823	Dynamic adjustable ankle flexion only device, includes soft interface material
DME	E1826	Dynamic adjustable finger extension only device, includes soft interface material
DME	E1827	Dynamic adjustable finger flexion only device, includes soft interface material
DME	E1828	Dynamic adjustable toe extension only device, includes soft interface material
DME	E1829	Dynamic adjustable toe flexion only device, includes soft interface material
DME	E2104	Home blood glucose monitor for use with integrated lancing/blood sample testing cartridge
DME	E2201	Manual wheelchair accessory, nonstandard seat frame, width greater than or equal to 20 inches and less than 24 inches
DME	E2202	Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches
DME	E2203	Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches
DME	E2204	Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches
DME	E2227	Manual wheelchair accessory, gear reduction drive wheel, each
DME	E2228	Manual wheelchair accessory, wheel braking system and lock, complete, each
DME	E2231	Manual wheelchair accessory, solid seat support base (replaces sling seat), includes any type mounting hardware
DME	E2291	Back, planar, for pediatric size wheelchair including fixed attaching hardware
DME	E2292	Seat, planar, for pediatric size wheelchair including fixed attaching hardware
DME	E2293	Back, contoured, for pediatric size wheelchair including fixed attaching hardware
DME	E2294	Seat, contoured, for pediatric size wheelchair including fixed attaching hardware
DME	E2295	Manual wheelchair accessory, for pediatric size wheelchair, dynamic seating frame, allows coordinated movement of multiple positioning features
DME	E2298	Complex rehabilitative power wheelchair accessory, power seat elevation system, any type



Program	CPT Code	CPT Code Description
DME	E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
DME	E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
DME	E2312	Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including fixed mounting hardware
DME	E2313	Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounting hardware, each
DME	E2321	Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware
DME	E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware
DME	E2325	Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware
DME	E2327	Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware
DME	E2328	Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware
DME	E2329	Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware
DME	E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware
DME	E2340	Power wheelchair accessory, nonstandard seat frame width, 20-23 inches
DME	E2341	Power wheelchair accessory, nonstandard seat frame width, 24-27 inches
DME	E2342	Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches
DME	E2343	Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches
DME	E2366	Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or non-sealed, each
DME	E2367	Power wheelchair accessory, battery charger, dual mode, for use with either battery type, sealed or non-sealed, each
DME	E2368	Power wheelchair component, drive wheel motor, replacement only
DME	E2369	Power wheelchair component, drive wheel gear box, replacement only



Program	CPT Code	CPT Code Description
DME	E2370	Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only
DME	E2371	Power wheelchair accessory, group 27 sealed lead acid battery, (e.g., gel cell, absorbed glassmat), each
DME	E2372	Power wheelchair accessory, group 27 non-sealed lead acid battery, each
DME	E2373	Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware
DME	E2374	Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only
DME	E2375	Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only
DME	E2376	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only
DME	E2377	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue
DME	E2378	Power wheelchair component, actuator, replacement only
DME	E2402	Negative pressure wound therapy electrical pump, stationary or portable
DME	E2508	Speech generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device
DME	E2510	Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access
DME	E2511	Speech generating software program, for personal computer or personal digital assistant
DME	E2512	Accessory for speech generating device, mounting system
DME	E2513	Accessory for speech generating device, electromyographic sensor
DME	E2599	Accessory for speech generating device, not otherwise classified
DME	E2603	Skin protection wheelchair seat cushion, width less than 22 inches, any depth
DME	E2604	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth
DME	E2605	Positioning wheelchair seat cushion, width less than 22 inches, any depth
DME	E2606	Positioning wheelchair seat cushion, width 22 inches or greater, any depth
DME	E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth
DME	E2608	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth
DME	E2609	Custom fabricated wheelchair seat cushion, any size
DME	E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware
DME	E2614	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware

Program	CPT Code	CPT Code Description
DME	E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware
DME	E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware
DME	E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware
DME	E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware
DME	E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware
DME	E2626	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable
DME	E2627	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type
DME	E2628	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, reclining
DME	E2629	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints)
DME	E2630	Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support
DME	E2631	Wheelchair accessory, addition to mobile arm support, elevating proximal arm
DME	E2632	Wheelchair accessory, addition to mobile arm support, offset or lateral rocker arm with elastic balance control
DME	E2633	Wheelchair accessory, addition to mobile arm support, supinator
DME	E3200	Gait modulation system, rhythmic auditory stimulation, including restricted therapy software, all components and accessories, prescription only
DME	E8000	Gait trainer, pediatric size, posterior support, includes all accessories and components
DME	E8001	Gait trainer, pediatric size, upright support, includes all accessories and components
DME	E8002	Gait trainer, pediatric size, anterior support, includes all accessories and components
DME	K0001	Standard wheelchair
DME	K0002	Standard hemi (low seat) wheelchair
DME	K0003	Lightweight wheelchair
DME	K0004	High strength, lightweight wheelchair
DME	K0005	Ultralightweight wheelchair
DME	K0006	Heavy duty wheelchair
DME	K0007	Extra heavy duty wheelchair
DME	K0015	Detachable, non-adjustable height armrest, replacement only, each
DME	K0017	Detachable, adjustable height armrest, base, replacement only, each

Program	CPT Code	CPT Code Description
DME	K0018	Detachable, adjustable height armrest, upper portion, replacement only, each
DME	K0020	Fixed, adjustable height armrest, pair
DME	K0037	High mount flip-up footrest, each
DME	K0053	Elevating footrests, articulating (telescoping), each
DME	K0108	Wheelchair component or accessory, not otherwise specified
DME	K0195	Elevating leg rests, pair (for use with capped rental wheelchair base)
DME	K0606	Automatic external defibrillator, with integrated electrocardiogram analysis, garment type
DME	K0733	Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
DME	K0738	Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing
DME	K0739	Repair or nonroutine service for durable medical equipment other than oxygen equipment requiring the skill of a technician, labor component, per 15 minutes
DME	K0812	Power operated vehicle, not otherwise classified
DME	K0813	Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds
DME	K0814	Power wheelchair, group 1 standard, portable, captains chair, patient weight capacity up to and including 300 pounds
DME	K0815	Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds
DME	K0816	Power wheelchair, group 1 standard, captains chair, patient weight capacity up to and including 300 pounds
DME	K0820	Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0821	Power wheelchair, group 2 standard, portable, captains chair, patient weight capacity up to and including 300 pounds
DME	K0822	Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0823	Power wheelchair, group 2 standard, captains chair, patient weight capacity up to and including 300 pounds
DME	K0824	Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0825	Power wheelchair, group 2 heavy duty, captains chair, patient weight capacity 301 to 450 pounds
DME	K0826	Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0827	Power wheelchair, group 2 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds

Program	CPT Code	CPT Code Description
DME	K0828	Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more
DME	K0829	Power wheelchair, group 2 extra heavy duty, captains chair, patient weight 601 pounds or more
DME	K0830	Power wheelchair, group 2 standard, seat elevator, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0831	Power wheelchair, group 2 standard, seat elevator, captains chair, patient weight capacity up to and including 300 pounds
DME	K0835	Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0836	Power wheelchair, group 2 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds
DME	K0837	Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0838	Power wheelchair, group 2 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds
DME	K0839	Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0840	Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more
DME	K0841	Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0842	Power wheelchair, group 2 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds
DME	K0843	Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0848	Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0849	Power wheelchair, group 3 standard, captains chair, patient weight capacity up to and including 300 pounds
DME	K0850	Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0851	Power wheelchair, group 3 heavy duty, captains chair, patient weight capacity 301 to 450 pounds
DME	K0852	Power wheelchair, group 3 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0853	Power wheelchair, group 3 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds
DME	K0854	Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more

Program	CPT Code	CPT Code Description
DME	K0855	Power wheelchair, group 3 extra heavy duty, captains chair, patient weight capacity 601 pounds or more
DME	K0856	Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0857	Power wheelchair, group 3 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds
DME	K0858	Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds
DME	K0859	Power wheelchair, group 3 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds
DME	K0860	Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0861	Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0862	Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0863	Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0864	Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more
DME	K0868	Power wheelchair, group 4 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0869	Power wheelchair, group 4 standard, captains chair, patient weight capacity up to and including 300 pounds
DME	K0870	Power wheelchair, group 4 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0871	Power wheelchair, group 4 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
DME	K0877	Power wheelchair, group 4 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0878	Power wheelchair, group 4 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds
DME	K0879	Power wheelchair, group 4 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0880	Power wheelchair, group 4 very heavy duty, single power option, sling/solid seat/back, patient weight 451 to 600 pounds

Program	CPT Code	CPT Code Description
DME	K0884	Power wheelchair, group 4 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
DME	K0885	Power wheelchair, group 4 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds
DME	K0886	Power wheelchair, group 4 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
DME	K0890	Power wheelchair, group 5 pediatric, single power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds
DME	K0891	Power wheelchair, group 5 pediatric, multiple power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds
DME	K0898	Power wheelchair, not otherwise classified
DME	L0112	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated
DME	L0113	Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment
DME	L0170	Cervical, collar, molded to patient model
DME	L0456	Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L0457	Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf
DME	L0458	Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
DME	L0460	Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise

Program	CPT Code	CPT Code Description
DME	L0462	Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
DME	L0464	Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
DME	L0470	Tlso, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
DME	L0480	Tlso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
DME	L0482	Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
DME	L0484	Tlso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
DME	L0486	Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated



Program	CPT Code	CPT Code Description
DME	L0488	Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment
DME	L0631	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L0632	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
DME	L0635	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment
DME	L0636	Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated
DME	L0637	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L0638	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated

Program	CPT Code	CPT Code Description
DME	L0639	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L0640	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated
DME	L0648	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
DME	L0650	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
DME	L0651	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf
DME	L0700	Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model, (minerva type)
DME	L0710	Ctlso, anterior-posterior-lateral-control, molded to patient model, with interface material, (minerva type)
DME	L0810	Halo procedure, cervical halo incorporated into jacket vest
DME	L0820	Halo procedure, cervical halo incorporated into plaster body jacket
DME	L0830	Halo procedure, cervical halo incorporated into milwaukee type orthosis
DME	L0859	Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material
DME	L0999	Addition to spinal orthosis, not otherwise specified

Program	CPT Code	CPT Code Description
DME	L1000	Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model
DME	L1001	Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment
DME	L1005	Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment
DME	L1006	Scoliosis orthosis, sagittal-coronal control provided by a rigid lateral frame, extends from axilla to trochanter, includes all accessory pads, straps and interface, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1200	Thoracic-lumbar-sacral-orthosis (tlso), inclusive of furnishing initial orthosis only
DME	L1300	Other scoliosis procedure, body jacket molded to patient model
DME	L1310	Other scoliosis procedure, post-operative body jacket
DME	L1320	Thoracic, pectus carinatum orthosis, sternal compression, rigid circumferential frame with anterior and posterior rigid pads, custom fabricated
DME	L1499	Spinal orthosis, not otherwise specified
DME	L1653	Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, off the shelf
DME	L1680	Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated
DME	L1685	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated
DME	L1686	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment
DME	L1690	Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment
DME	L1700	Legg perthes orthosis, (toronto type), custom fabricated
DME	L1710	Legg perthes orthosis, (newington type), custom fabricated
DME	L1720	Legg perthes orthosis, trilateral, (tachdijan type), custom fabricated
DME	L1730	Legg perthes orthosis, (scottish rite type), custom fabricated
DME	L1755	Legg perthes orthosis, (patten bottom type), custom fabricated
DME	L1821	Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, off the shelf
DME	L1832	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1833	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the shelf

Program	CPT Code	CPT Code Description
DME	L1834	Knee orthosis, without knee joint, rigid, custom fabricated
DME	L1840	Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated
DME	L1843	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1844	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
DME	L1845	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1846	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
DME	L1860	Knee orthosis, modification of supracondylar prosthetic socket, custom fabricated (sk)
DME	L1932	Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1945	Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated
DME	L1950	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic, custom fabricated
DME	L1951	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L1970	Ankle foot orthosis, plastic with ankle joint, custom fabricated
DME	L2000	Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), custom fabricated
DME	L2005	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated
DME	L2010	Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), without knee joint, custom fabricated
DME	L2020	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'ak' orthosis), custom fabricated
DME	L2030	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar 'ak' orthosis), without knee joint, custom fabricated

Program	CPT Code	CPT Code Description
DME	L2034	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated
DME	L2036	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated
DME	L2037	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated
DME	L2038	Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated
DME	L2106	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated
DME	L2108	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated
DME	L2116	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment
DME	L2126	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated
DME	L2128	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated
DME	L2132	Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment
DME	L2134	Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment
DME	L2136	Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment
DME	L2350	Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for 'ptb' 'afo' orthoses)
DME	L2510	Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, molded to patient model
DME	L2525	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim molded to patient model
DME	L2526	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted
DME	L2627	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables
DME	L2628	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables
DME	L2999	Lower extremity orthoses, not otherwise specified
DME	L3000	Foot, insert, removable, molded to patient model, 'ucb' type, berkeley shell, each
DME	L3001	Foot, insert, removable, molded to patient model, spenco, each
DME	L3002	Foot, insert, removable, molded to patient model, plastazote or equal, each
DME	L3003	Foot, insert, removable, molded to patient model, silicone gel, each

Program	CPT Code	CPT Code Description
DME	L3010	Foot, insert, removable, molded to patient model, longitudinal arch support, each
DME	L3020	Foot, insert, removable, molded to patient model, longitudinal/ metatarsal support, each
DME	L3030	Foot, insert, removable, formed to patient foot, each
DME	L3040	Foot, arch support, removable, premolded, longitudinal, each
DME	L3050	Foot, arch support, removable, premolded, metatarsal, each
DME	L3060	Foot, arch support, removable, premolded, longitudinal/ metatarsal, each
DME	L3070	Foot, arch support, non-removable attached to shoe, longitudinal, each
DME	L3080	Foot, arch support, non-removable attached to shoe, metatarsal, each
DME	L3090	Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each
DME	L3100	Hallus-valgus night dynamic splint, prefabricated, off-the-shelf
DME	L3140	Foot, abduction rotation bar, including shoes
DME	L3150	Foot, abduction rotation bar, without shoes
DME	L3160	Foot, adjustable shoe-styled positioning device
DME	L3215	Orthopedic footwear, ladies shoe, oxford, each
DME	L3216	Orthopedic footwear, ladies shoe, depth inlay, each
DME	L3217	Orthopedic footwear, ladies shoe, hightop, depth inlay, each
DME	L3219	Orthopedic footwear, mens shoe, oxford, each
DME	L3221	Orthopedic footwear, mens shoe, depth inlay, each
DME	L3222	Orthopedic footwear, mens shoe, hightop, depth inlay, each
DME	L3224	Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis)
DME	L3225	Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis)
DME	L3250	Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each
DME	L3251	Foot, shoe molded to patient model, silicone shoe, each
DME	L3252	Foot, shoe molded to patient model, plastazote (or similar), custom fabricated, each
DME	L3253	Foot, molded shoe plastazote (or similar) custom fitted, each
DME	L3254	Non-standard size or width
DME	L3255	Non-standard size or length
DME	L3257	Orthopedic footwear, additional charge for split size
DME	L3260	Surgical boot/shoe, each
DME	L3265	Plastazote sandal, each
DME	L3300	Lift, elevation, heel, tapered to metatarsals, per inch
DME	L3310	Lift, elevation, heel and sole, neoprene, per inch
DME	L3320	Lift, elevation, heel and sole, cork, per inch
DME	L3330	Lift, elevation, metal extension (skate)
DME	L3332	Lift, elevation, inside shoe, tapered, up to one-half inch
DME	L3334	Lift, elevation, heel, per inch

Program	CPT Code	CPT Code Description
DME	L3340	Heel wedge, sach
DME	L3350	Heel wedge
DME	L3360	Sole wedge, outside sole
DME	L3370	Sole wedge, between sole
DME	L3380	Clubfoot wedge
DME	L3390	Outflare wedge
DME	L3400	Metatarsal bar wedge, rocker
DME	L3410	Metatarsal bar wedge, between sole
DME	L3420	Full sole and heel wedge, between sole
DME	L3430	Heel, counter, plastic reinforced
DME	L3440	Heel, counter, leather reinforced
DME	L3450	Heel, sach cushion type
DME	L3455	Heel, new leather, standard
DME	L3460	Heel, new rubber, standard
DME	L3465	Heel, thomas with wedge
DME	L3470	Heel, thomas extended to ball
DME	L3480	Heel, pad and depression for spur
DME	L3485	Heel, pad, removable for spur
DME	L3500	Orthopedic shoe addition, insole, leather
DME	L3510	Orthopedic shoe addition, insole, rubber
DME	L3520	Orthopedic shoe addition, insole, felt covered with leather
DME	L3530	Orthopedic shoe addition, sole, half
DME	L3540	Orthopedic shoe addition, sole, full
DME	L3550	Orthopedic shoe addition, toe tap standard
DME	L3560	Orthopedic shoe addition, toe tap, horseshoe
DME	L3570	Orthopedic shoe addition, special extension to instep (leather with eyelets)
DME	L3580	Orthopedic shoe addition, convert instep to velcro closure
DME	L3590	Orthopedic shoe addition, convert firm shoe counter to soft counter
DME	L3595	Orthopedic shoe addition, march bar
DME	L3600	Transfer of an orthosis from one shoe to another, caliper plate, existing
DME	L3610	Transfer of an orthosis from one shoe to another, caliper plate, new
DME	L3620	Transfer of an orthosis from one shoe to another, solid stirrup, existing
DME	L3630	Transfer of an orthosis from one shoe to another, solid stirrup, new
DME	L3649	Orthopedic shoe, modification, addition or transfer, not otherwise specified
DME	L3671	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment



Program	CPT Code	CPT Code Description
DME	L3674	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3677	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
DME	L3720	Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated
DME	L3730	Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom fabricated
DME	L3740	Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated
DME	L3763	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3764	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3765	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3766	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3900	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, wrist or finger driven, custom fabricated
DME	L3901	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, cable driven, custom fabricated
DME	L3904	Wrist hand finger orthosis, external powered, electric, custom fabricated
DME	L3905	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3927	Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g., static or ring type), may include soft interface material, prefabricated, off-the-shelf
DME	L3956	Addition of joint to upper extremity orthosis, any material; per joint
DME	L3960	Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment
DME	L3961	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3962	Shoulder elbow wrist hand orthosis, abduction positioning, erb's palsey design, prefabricated, includes fitting and adjustment

Program	CPT Code	CPT Code Description
DME	L3967	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3971	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3973	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
DME	L3999	Upper limb orthosis, not otherwise specified
DME	L4000	Replace girdle for spinal orthosis (ctiso or so)
DME	L4002	Replacement strap, any orthosis, includes all components, any length, any type
DME	L4010	Replace trilateral socket brim
DME	L4020	Replace quadrilateral socket brim, molded to patient model
DME	L4205	Repair of orthotic device, labor component, per 15 minutes
DME	L4210	Repair of orthotic device, repair or replace minor parts
DME	L4631	Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated
DME	L5010	Partial foot, molded socket, ankle height, with toe filler
DME	L5020	Partial foot, molded socket, tibial tubercle height, with toe filler
DME	L5050	Ankle, symes, molded socket, sach foot
DME	L5060	Ankle, symes, metal frame, molded leather socket, articulated ankle/foot
DME	L5100	Below knee, molded socket, shin, sach foot
DME	L5105	Below knee, plastic socket, joints and thigh lacer, sach foot

Program	CPT Code	CPT Code Description
DME	L5150	Knee disarticulation (or through knee), molded socket, external knee joints, shin, sach foot
DME	L5160	Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, sach foot
DME	L5200	Above knee, molded socket, single axis constant friction knee, shin, sach foot
DME	L5210	Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks, no ankle joints, each
DME	L5220	Above knee, short prosthesis, no knee joint ('stubbies'), with articulated ankle/foot, dynamically aligned, each
DME	L5230	Above knee, for proximal femoral focal deficiency, constant friction knee, shin, sach foot
DME	L5250	Hip disarticulation, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot
DME	L5270	Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, sach foot
DME	L5280	Hemipelvectomy, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot
DME	L5301	Below knee, molded socket, shin, sach foot, endoskeletal system
DME	L5312	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, sach foot, endoskeletal system
DME	L5321	Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee
DME	L5331	Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot
DME	L5341	Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot
DME	L5400	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee
DME	L5420	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change 'ak' or knee disarticulation
DME	L5500	Initial, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed
DME	L5505	Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed
DME	L5510	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model
DME	L5520	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed
DME	L5530	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model

Program	CPT Code	CPT Code Description
DME	L5535	Preparatory, below knee 'ptb' type socket, non-alignable system, no cover, sach foot, prefabricated, adjustable open end socket
DME	L5540	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, laminated socket, molded to model
DME	L5560	Preparatory, above knee- knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model
DME	L5570	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed
DME	L5580	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model
DME	L5585	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, prefabricated adjustable open end socket
DME	L5590	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, sach foot, laminated socket, molded to model
DME	L5595	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, thermoplastic or equal, molded to patient model
DME	L5600	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, laminated socket, molded to patient model
DME	L5610	Addition to lower extremity, endoskeletal system, above knee, hydracadence system
DME	L5611	Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4 bar linkage, with friction swing phase control
DME	L5613	Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control
DME	L5614	Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control
DME	L5616	Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control
DME	L5639	Addition to lower extremity, below knee, wood socket
DME	L5640	Addition to lower extremity, knee disarticulation, leather socket
DME	L5642	Addition to lower extremity, above knee, leather socket
DME	L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
DME	L5645	Addition to lower extremity, below knee, flexible inner socket, external frame
DME	L5647	Addition to lower extremity, below knee suction socket
DME	L5648	Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket
DME	L5649	Addition to lower extremity, ischial containment/narrow m-l socket
DME	L5651	Addition to lower extremity, above knee, flexible inner socket, external frame

Program	CPT Code	CPT Code Description
DME	L5652	Addition to lower extremity, suction suspension, above knee or knee disarticulation socket
DME	L5673	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
DME	L5681	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
DME	L5682	Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded
DME	L5683	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
DME	L5700	Replacement, socket, below knee, molded to patient model
DME	L5701	Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model
DME	L5702	Replacement, socket, hip disarticulation, including hip joint, molded to patient model
DME	L5703	Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only
DME	L5705	Custom shaped protective cover, above knee
DME	L5706	Custom shaped protective cover, knee disarticulation
DME	L5707	Custom shaped protective cover, hip disarticulation
DME	L5716	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock
DME	L5718	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control
DME	L5722	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
DME	L5724	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control
DME	L5726	Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control
DME	L5728	Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control
DME	L5780	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control
DME	L5781	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system
DME	L5782	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty
DME	L5783	Addition to lower extremity, user adjustable, mechanical, residual limb volume management system
DME	L5785	Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)
DME	L5790	Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)
DME	L5795	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
DME	L5811	Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material

Program	CPT Code	CPT Code Description
DME	L5814	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock
DME	L5816	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock
DME	L5818	Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control
DME	L5822	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
DME	L5824	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control
DME	L5826	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame
DME	L5828	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control
DME	L5830	Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control
DME	L5840	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control
DME	L5841	Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control
DME	L5845	Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable
DME	L5848	Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability
DME	L5930	Addition, endoskeletal system, high activity knee control frame
DME	L5950	Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)
DME	L5960	Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
DME	L5961	Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control
DME	L5962	Addition, endoskeletal system, below knee, flexible protective outer surface covering system
DME	L5964	Addition, endoskeletal system, above knee, flexible protective outer surface covering system
DME	L5966	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system
DME	L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature
DME	L5979	All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system
DME	L5980	All lower extremity prostheses, flex foot system
DME	L5981	All lower extremity prostheses, flex-walk system or equal
DME	L5986	All lower extremity prostheses, multi-axial rotation unit ('mcp' or equal)
DME	L5987	All lower extremity prosthesis, shank foot system with vertical loading pylon
DME	L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature
DME	L5999	Lower extremity prosthesis, not otherwise specified
DME	L6000	Partial hand, thumb remaining
DME	L6010	Partial hand, little and/or ring finger remaining
DME	L6020	Partial hand, no finger remaining
DME	L6050	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad
DME	L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad

Program	CPT Code	CPT Code Description
DME	L6100	Below elbow, molded socket, flexible elbow hinge, triceps pad
DME	L6110	Below elbow, molded socket, (muenster or northwestern suspension types)
DME	L6120	Below elbow, molded double wall split socket, step-up hinges, half cuff
DME	L6130	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff
DME	L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm
DME	L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm
DME	L6250	Above elbow, molded double wall socket, internal locking elbow, forearm
DME	L6300	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
DME	L6310	Shoulder disarticulation, passive restoration (complete prosthesis)
DME	L6320	Shoulder disarticulation, passive restoration (shoulder cap only)
DME	L6350	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
DME	L6360	Interscapular thoracic, passive restoration (complete prosthesis)
DME	L6370	Interscapular thoracic, passive restoration (shoulder cap only)
DME	L6380	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow
DME	L6382	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow
DME	L6384	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
DME	L6388	Immediate post surgical or early fitting, application of rigid dressing only
DME	L6400	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
DME	L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
DME	L6500	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
DME	L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
DME	L6570	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping
DME	L6580	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, molded to patient model
DME	L6582	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, direct formed
DME	L6584	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, molded to patient model



Program	CPT Code	CPT Code Description
DME	L6586	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, direct formed
DME	L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, molded to patient model
DME	L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, direct formed
DME	L6623	Upper extremity addition, spring assisted rotational wrist unit with latch release
DME	L6624	Upper extremity addition, flexion/extension and rotation wrist unit
DME	L6638	Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow
DME	L6646	Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system
DME	L6686	Upper extremity addition, suction socket
DME	L6689	Upper extremity addition, frame type socket, shoulder disarticulation
DME	L6690	Upper extremity addition, frame type socket, interscapular-thoracic
DME	L6693	Upper extremity addition, locking elbow, forearm counterbalance
DME	L6694	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
DME	L6695	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
DME	L6696	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
DME	L6697	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
DME	L6698	Addition to upper extremity prosthesis, lock mechanism, excludes socket insert
DME	L6707	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined
DME	L6708	Terminal device, hand, mechanical, voluntary opening, any material, any size
DME	L6709	Terminal device, hand, mechanical, voluntary closing, any material, any size
DME	L6711	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric
DME	L6712	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric

Program	CPT Code	CPT Code Description
DME	L6713	Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric
DME	L6714	Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric
DME	L6721	Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any material, any size, lined or unlined
DME	L6722	Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any material, any size, lined or unlined
DME	L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power
DME	L6884	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power
DME	L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power
DME	L6900	Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining
DME	L6905	Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining
DME	L6910	Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining
DME	L6915	Hand restoration (shading, and measurements included), replacement glove for above
DME	L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
DME	L7499	Upper extremity prosthesis, not otherwise specified
DME	L7510	Repair of prosthetic device, repair or replace minor parts
DME	L7520	Repair prosthetic device, labor component, per 15 minutes
DME	L8039	Breast prosthesis, not otherwise specified
DME	L8499	Unlisted procedure for miscellaneous prosthetic services
DME	L8720	External lower extremity sensory prosthesis, cutaneous stimulation of mechanoreceptors proximal to the ankle, per leg
DME	L8721	Receptor sole for use with l8720, replacement, each

CPT copyright 2025 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.