

**Aetna Better Health of Virginia**  
**Prior Authorization Procedure List: Interventional Pain Management**

Category	CPT® Code	CPT® Code Description
Interventional Pain	<b>20552</b>	Injection(s); single or multiple trigger point(s), one or two muscle(s)
Interventional Pain	<b>20553</b>	Injection(s); single or multiple trigger point(s), three or more muscle(s)
Interventional Pain	<b>22526</b>	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; single level
Interventional Pain	<b>22527</b>	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; one or more additional levels (List separately in addition to code for primary procedure)
Interventional Pain	<b>27096</b>	Injection procedure for sacroiliac joint, arthrography and/or anesthetic/steroid
Interventional Pain	<b>62263</b>	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (eg, catheter) including radiologic localization (includes contrast when administered)
Interventional Pain	<b>62264</b>	Percutaneous lysis of epidural adhesion using solution injection (eg, hypertonic saline, enzyme) or mechanical means (eg, catheter) including radiologic localization (includes contrast when administered)
Interventional Pain	<b>62280</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; subarachnoid
Interventional Pain	<b>62281</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; epidural, cervical or thoracic
Interventional Pain	<b>62282</b>	Injection/infusion of neurolytic substance (eg, alcohol, phenol, iced saline solutions), with or without other therapeutic substance; epidural, lumbar, sacral (caudal)
Interventional Pain	<b>62287</b>	Decompression procedure, percutaneous, of nucleus pulposus of intervertebral disc, any method utilizing needle based technique to remove disc material under fluoroscopic imaging or other form of indirect visualization, with the use of an endoscope, with discography and/or epidural injection(s) at the treated level(s), when performed, single or multiple levels, lumbar
Interventional Pain	<b>62290</b>	Injection procedure for discography, each level; lumbar
Interventional Pain	<b>62291</b>	Injection procedure for discography, each level; cervical/thoracic
Interventional Pain Mgmt	<b>62320</b>	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance
Interventional Pain Mgmt	<b>62321</b>	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)
Interventional Pain Mgmt	<b>62322</b>	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance
Interventional Pain Mgmt	<b>62323</b>	Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)

Category	CPT® Code	CPT® Code Description
Interventional Pain Mgmt	<b>62324</b>	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance
Interventional Pain Mgmt	<b>62325</b>	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)
Interventional Pain Mgmt	<b>62326</b>	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance
Interventional Pain Mgmt	<b>62327</b>	Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)
Interventional Pain	<b>62350</b>	Implantation, revision or repositioning of tunneled intrathecal or epidural catheter, for long-term medication administration via an external pump or implantable reservoir/infusion pump; without lamine
Interventional Pain	<b>62351</b>	Implantation, revision or repositioning of tunneled intrathecal or epidural catheter, for long-term medication administration via an external pump or implantable reservoir/infusion pump; with laminectomy
Interventional Pain	<b>62360</b>	Implantation of device for intrathecal or epidural drug infusion; subcutaneous reservoir
Interventional Pain	<b>62361</b>	Implantation of device for intrathecal or epidural drug infusion; non-programmable pump
Interventional Pain	<b>62362</b>	Implantation of device for intrathecal or epidural drug infusion; programmable pump, including preparation of pump, with or without programming
Interventional Pain	<b>62367</b>	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); without reprogramming
Interventional Pain	<b>62368</b>	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming
Interventional Pain	<b>62370</b>	Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill (requiring skill of a physician or other qualified health care professional)
Interventional Pain	<b>63650</b>	Percutaneous implantation of neurostimulator electrode array, epidural
Interventional Pain	<b>63655</b>	Laminectomy for implantation of neurostimulator electrodes, plate/paddle, epidural
Interventional Pain	<b>63663</b>	Revision, including replacement, of spinal neurostimulator electrode percutaneous array(s)
Interventional Pain	<b>63664</b>	Revision, including replacement, of spinal neurostimulator electrode plate/paddle(s)
Interventional Pain	<b>63685</b>	Insertion or replacement of spinal neurostimulator pulse generator or receiver, requiring pocket creation and connection between electrode array and pulse generator or receiver
Interventional Pain	<b>63688</b>	Revision or removal of implanted spinal neurostimulator pulse generator or receiver, with detachable connection to electrode array
Interventional Pain	<b>64405</b>	Injection, anesthetic agent; greater occipital nerve
Interventional Pain	<b>64451</b>	Injection(s), anesthetic agent(s) and/or steroid; nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
Interventional Pain	<b>64479</b>	Injection, anesthetic agent and/or steroid, transforaminal epidural; cervical or thoracic, single level
Interventional Pain	<b>64480</b>	Injection, anesthetic agent and/or steroid, transforaminal epidural; cervical or thoracic, each additional level (List separately in addition to code for primary procedure)

Category	CPT® Code	CPT® Code Description
Interventional Pain	<b>64483</b>	Injection, anesthetic agent and/or steroid, transforaminal epidural;lumbar or sacral, single level
Interventional Pain	<b>64484</b>	Injection, anesthetic agent and/or steroid, transforaminal epidural;lumbar or sacral, each additional level (List separately in addition to code for primary procedure)
Interventional Pain	<b>64490</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level
Interventional Pain	<b>64491</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; second level (
Interventional Pain	<b>64492</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; third and any
Interventional Pain	<b>64493</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; single level
Interventional Pain	<b>64494</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; second level (List
Interventional Pain	<b>64495</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; third and any addi
Interventional Pain	<b>64510</b>	Injection, anesthetic agent; stellate ganglion (cervical sympathetic)
Interventional Pain	<b>64520</b>	Injection, anesthetic agent;lumbar or thoracic (paravertebral sympathetic)
Spine	<b>64625</b>	Radiofrequency ablation, nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed tomography)
Interventional Pain	<b>64633</b>	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; cervical or thoracic, single facet joint for the first level performed
Interventional Pain	<b>64634</b>	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; cervical or thoracic, each additional level
Interventional Pain	<b>64635</b>	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; lumbar or sacral, single facet joint for the first level performed
Interventional Pain	<b>64636</b>	Destruction of paravertebral facet joint nerve(s) by neurolytic agent with fluoroscopy or CT image guidance; lumbar or sacral, each additional level
Interventional Pain	<b>64640</b>	Destruction by neurolytic agent; other peripheral nerve or branch
Interventional Pain	<b>72285</b>	Diskography Cervical/Thoracic RS&I
Interventional Pain	<b>72295</b>	Diskography Lumbar RS&I
Interventional Pain	<b>0213T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; single level
Interventional Pain	<b>0214T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; second level (List separately in addition to code for primary procedure)
Interventional Pain	<b>0215T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, cervical or thoracic; third and any additional level(s) (List separately in addition to code for primary procedure)
Interventional Pain	<b>0216T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; single level
Interventional Pain	<b>0217T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; second level (List separately in addition to code for primary procedure)
Interventional Pain	<b>0218T</b>	Injection(s), diagnostic or therapeutic agent, paravertebral facet joint with ultrasound guidance, lumbar or sacral; third and any additional level(s) (List separately in addition to code for primary procedure)
Interventional Pain	<b>0627T</b>	Percutaneous injection of allogeneic cellular and/or tissue- based product, intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance, lumbar; first level

Category	CPT® Code	CPT® Code Description
Interventional Pain	<b>0628T</b>	Percutaneous injection of allogeneic cellular and/or tissue-based product, intervertebral disc, unilateral or bilateral injection, with fluoroscopic guidance, lumbar; each additional level (List separately in addition to code for primary procedure)
Interventional Pain	<b>0629T</b>	Percutaneous injection of allogeneic cellular and/or tissue-based product, intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar; first level
Interventional Pain	<b>0630T</b>	Percutaneous injection of allogeneic cellular and/or tissue-based product, intervertebral disc, unilateral or bilateral injection, with CT guidance, lumbar; each additional level (List separately in addition to code for primary procedure)
Interventional Pain	<b>0784T</b>	Insertion or replacement of percutaneous electrode array, spinal, with integrated neurostimulator, including imaging guidance, when performed
Interventional Pain	<b>0785T</b>	Revision or removal of neurostimulator electrode array, spinal, with integrated neurostimulator
Interventional Pain	<b>C1767</b>	Generator, neurostimulator (implantable), nonrechargeable
Interventional Pain	<b>C1787</b>	Patient programmer, neurostimulator
Interventional Pain	<b>C1816</b>	Receiver and/or transmitter, neurostimulator (implantable)
Interventional Pain	<b>C1820</b>	Generator, neurostimulator (implantable), with rechargeable battery and charging system
Interventional Pain	<b>G0260</b>	Injection procedure for sacroiliac joint; provision of anesthetic, steroid and/or other therapeutic agent, with or without arthrography (when performed in ASC)
Interventional Pain	<b>L8680</b>	Implantable neurostimulator electrode, each
Interventional Pain	<b>L8681</b>	Patient programmer (external) for use with implantable neurostimulator pulse generator, replacement
Interventional Pain	<b>L8682</b>	Implantable neurostimulator radiofrequency receiver
Interventional Pain	<b>L8683</b>	Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver
Interventional Pain	<b>L8685</b>	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension
Interventional Pain	<b>L8686</b>	Implantable neurostimulator pulse generator, single array, nonrechargeable, includes extension
Interventional Pain	<b>L8687</b>	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension
Interventional Pain	<b>L8688</b>	Implantable neurostimulator pulse generator, dual array, nonrechargeable, includes extension

CPT® copyright 2025 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.