

**Arkansas Blue Cross and Blue Shield**  
**Durable Medical Equipment (DME) Covered Services Code List**

CPT® Code	CPT® Code Description	Requires PA
A2036	Cohealyx collagen dermal matrix, per square centimeter	N
A2037	G4derm plus, per milliliter	N
A2038	Marigen pacto, per square centimeter	N
A2039	Innovamatrix fd, per square centimeter	N
A4206	Syringe with needle, sterile, 1 cc or less, each	N
A4207	Syringe with needle, sterile 2 cc, each	N
A4208	Syringe with needle, sterile 3 cc, each	N
A4209	Syringe with needle, sterile 5 cc or greater, each	N
A4210	Needle-free injection device, each	Y
A4211	Supplies for self-administered injections	N
A4212	Non-coring needle or stylet with or without catheter	N
A4213	Syringe, sterile, 20 cc or greater, each	N
A4215	Needle, sterile, any size, each	N
A4216	Sterile water, saline and/or dextrose, diluent/flush, 10 ml	N
A4217	Sterile water/saline, 500 ml	N
A4218	Sterile saline or water, metered dose dispenser, 10 ml	N
A4221	Supplies for maintenance of non-insulin drug infusion catheter, per week (list drugs separately)	N
A4222	Infusion supplies for external drug infusion pump, per cassette or bag (list drugs separately)	N
A4223	Infusion supplies not used with external infusion pump, per cassette or bag (list drugs separately)	N
A4224	Supplies for maintenance of insulin infusion catheter, per week	N
A4225	Supplies for external insulin infusion pump, syringe type cartridge, sterile, each	N
A4230	Infusion set for external insulin pump, non needle cannula type	Y
A4231	Infusion set for external insulin pump, needle type	N
A4232	Syringe with needle for external insulin pump, sterile, 3 cc	Y
A4233	Replacement battery, alkaline (other than j cell), for use with medically necessary home blood glucose monitor owned by patient, each	N
A4234	Replacement battery, alkaline, j cell, for use with medically necessary home blood glucose monitor owned by patient, each	N
A4235	Replacement battery, lithium, for use with medically necessary home blood glucose monitor owned by patient, each	N
A4236	Replacement battery, silver oxide, for use with medically necessary home blood glucose monitor owned by patient, each	N
A4238	Supply allowance for adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month supply = 1 unit of service	Y
A4239	Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month supply = 1 unit of service	Y
A4244	Alcohol or peroxide, per pint	Y
A4245	Alcohol wipes, per box	Y
A4246	Betadine or phisohex solution, per pint	Y
A4247	Betadine or iodine swabs/wipes, per box	Y

CPT® Code	CPT® Code Description	Requires PA
A4248	Chlorhexidine containing antiseptic, 1 ml	N
A4250	Urine test or reagent strips or tablets (100 tablets or strips)	Y
A4252	Blood ketone test or reagent strip, each	N
A4253	Blood glucose test or reagent strips for home blood glucose monitor, per 50 strips	N
A4255	Platforms for home blood glucose monitor, 50 per box	N
A4256	Normal, low and high calibrator solution / chips	N
A4257	Replacement lens shield cartridge for use with laser skin piercing device, each	Y
A4258	Spring-powered device for lancet, each	Y
A4259	Lancets, per box of 100	Y
A4261	Cervical cap for contraceptive use	N
A4262	Temporary, absorbable lacrimal duct implant, each	N
A4263	Permanent, long term, non-dissolvable lacrimal duct implant, each	N
A4265	Paraffin, per pound	N
A4266	Diaphragm for contraceptive use	N
A4267	Contraceptive supply, condom, male, each	N
A4268	Contraceptive supply, condom, female, each	N
A4269	Contraceptive supply, spermicide (e.g., foam, gel), each	N
A4270	Disposable endoscope sheath, each	N
A4271	Integrated lancing and blood sample testing cartridges for home blood glucose monitor, per month	Y
A4280	Adhesive skin support attachment for use with external breast prosthesis, each	N
A4281	Tubing for breast pump, replacement	N
A4282	Adapter for breast pump, replacement	N
A4283	Cap for breast pump bottle, replacement	N
A4284	Breast shield and splash protector for use with breast pump, replacement	N
A4285	Polycarbonate bottle for use with breast pump, replacement	N
A4286	Locking ring for breast pump, replacement	N
A4287	Disposable collection and storage bag for breast milk, any size, any type, each	N
A4288	Valve for breast pump, replacement	N
A4305	Disposable drug delivery system, flow rate of 50 ml or greater per hour	Y
A4306	Disposable drug delivery system, flow rate of less than 50 ml per hour	Y
A4310	Insertion tray without drainage bag and without catheter (accessories only)	N
A4311	Insertion tray without drainage bag with indwelling catheter, foley type, two-way latex with coating (teflon, silicone, silicone elastomer or hydrophilic, etc.)	N
A4312	Insertion tray without drainage bag with indwelling catheter, foley type, two-way, all silicone	N
A4313	Insertion tray without drainage bag with indwelling catheter, foley type, three-way, for continuous irrigation	N
A4314	Insertion tray with drainage bag with indwelling catheter, foley type, two-way latex with coating (teflon, silicone, silicone elastomer or hydrophilic, etc.)	N
A4315	Insertion tray with drainage bag with indwelling catheter, foley type, two-way, all silicone	N
A4316	Insertion tray with drainage bag with indwelling catheter, foley type, three-way, for continuous irrigation	N
A4320	Irrigation tray with bulb or piston syringe, any purpose	N
A4321	Therapeutic agent for urinary catheter irrigation	Y
A4322	Irrigation syringe, bulb or piston, each	N
A4326	Male external catheter with integral collection chamber, any type, each	N
A4327	Female external urinary collection device; meatal cup, each	N
A4328	Female external urinary collection device; pouch, each	N
A4330	Perianal fecal collection pouch with adhesive, each	N
A4331	Extension drainage tubing, any type, any length, with connector/adaptor, for use with urinary leg bag or urostomy pouch, each	N

CPT® Code	CPT® Code Description	Requires PA
A4332	Lubricant, individual sterile packet, each	N
A4333	Urinary catheter anchoring device, adhesive skin attachment, each	N
A4334	Urinary catheter anchoring device, leg strap, each	N
A4335	Incontinence supply; miscellaneous	Y
A4336	Incontinence supply, urethral insert, any type, each	N
A4337	Incontinence supply, rectal insert, any type, each	N
A4338	Indwelling catheter; foley type, two-way latex with coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	N
A4340	Indwelling catheter; specialty type, (e.g., coude, mushroom, wing, etc.), each	N
A4341	Indwelling intraurethral drainage device with valve, patient inserted, replacement only, each	Y
A4342	Accessories for patient inserted indwelling intraurethral drainage device with valve, replacement only, each	Y
A4344	Indwelling catheter, foley type, two-way, all silicone or polyurethane, each.	N
A4346	Indwelling catheter; foley type, three way for continuous irrigation, each	N
A4349	Male external catheter, with or without adhesive, disposable, each	N
A4351	Intermittent urinary catheter; straight tip, with or without coating (Teflon, silicone, or silicone elastomer, etc.), each	Y
A4352	Intermittent urinary catheter; Coude (curved) tip, with or without coating (Teflon, silicone, or silicone elastomeric, etc.), each	Y
A4353	Intermittent urinary catheter, with insertion supplies	Y
A4354	Insertion tray with drainage bag but without catheter	N
A4355	Irrigation tubing set for continuous bladder irrigation through a three-way indwelling foley catheter, each	N
A4356	External urethral clamp or compression device (not to be used for catheter clamp), each	N
A4357	Bedside drainage bag, day or night, with or without anti-reflux device, with or without tube, each	N
A4358	Urinary drainage bag, leg or abdomen, vinyl, with or without tube, with straps, each	N
A4360	Disposable external urethral clamp or compression device, with pad and/or pouch, each	Y
A4361	Ostomy faceplate, each	N
A4362	Skin barrier; solid, 4 x 4 or equivalent; each	N
A4363	Ostomy clamp, any type, replacement only, each	N
A4364	Adhesive, liquid or equal, any type, per oz	N
A4366	Ostomy vent, any type, each	N
A4367	Ostomy belt, each	N
A4368	Ostomy filter, any type, each	N
A4369	Ostomy skin barrier, liquid (spray, brush, etc.), per oz	N
A4371	Ostomy skin barrier, powder, per oz	N
A4372	Ostomy skin barrier, solid 4 x 4 or equivalent, standard wear, with built-in convexity, each	N
A4373	Ostomy skin barrier, with flange (solid, flexible or accordian), with built-in convexity, any size, each	N
A4375	Ostomy pouch, drainable, with faceplate attached, plastic, each	N
A4376	Ostomy pouch, drainable, with faceplate attached, rubber, each	N
A4377	Ostomy pouch, drainable, for use on faceplate, plastic, each	N
A4378	Ostomy pouch, drainable, for use on faceplate, rubber, each	N
A4379	Ostomy pouch, urinary, with faceplate attached, plastic, each	N
A4380	Ostomy pouch, urinary, with faceplate attached, rubber, each	N
A4381	Ostomy pouch, urinary, for use on faceplate, plastic, each	N
A4382	Ostomy pouch, urinary, for use on faceplate, heavy plastic, each	N
A4383	Ostomy pouch, urinary, for use on faceplate, rubber, each	N
A4384	Ostomy faceplate equivalent, silicone ring, each	N
A4385	Ostomy skin barrier, solid 4 x 4 or equivalent, extended wear, without built-in convexity, each	N
A4387	Ostomy pouch, closed, with barrier attached, with built-in convexity (1 piece), each	N
A4388	Ostomy pouch, drainable, with extended wear barrier attached, (1 piece), each	N
A4389	Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	N

CPT® Code	CPT® Code Description	Requires PA
A4390	Ostomy pouch, drainable, with extended wear barrier attached, with built-in convexity (1 piece), each	N
A4391	Ostomy pouch, urinary, with extended wear barrier attached (1 piece), each	N
A4392	Ostomy pouch, urinary, with standard wear barrier attached, with built-in convexity (1 piece), each	N
A4393	Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity (1 piece), each	N
A4394	Ostomy deodorant, with or without lubricant, for use in ostomy pouch, per fluid ounce	N
A4395	Ostomy deodorant for use in ostomy pouch, solid, per tablet	N
A4396	Ostomy belt with peristomal hernia support	N
A4398	Ostomy irrigation supply; bag, each	N
A4399	Ostomy irrigation supply; cone/catheter, with or without brush	N
A4400	Ostomy irrigation set	N
A4402	Lubricant, per ounce	N
A4404	Ostomy ring, each	N
A4405	Ostomy skin barrier, non-pectin based, paste, per ounce	N
A4406	Ostomy skin barrier, pectin-based, paste, per ounce	N
A4407	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, 4 x 4 inches or smaller, each	N
A4408	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, with built-in convexity, larger than 4 x 4 inches, each	N
A4409	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, 4 x 4 inches or smaller, each	Y
A4410	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, larger than 4 x 4 inches, each	N
A4411	Ostomy skin barrier, solid 4 x 4 or equivalent, extended wear, with built-in convexity, each	N
A4412	Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), without filter, each	N
A4413	Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), with filter, each	N
A4414	Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, 4 x 4 inches or smaller, each	N
A4415	Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, larger than 4 x 4 inches, each	N
A4416	Ostomy pouch, closed, with barrier attached, with filter (1 piece), each	N
A4417	Ostomy pouch, closed, with barrier attached, with built-in convexity, with filter (1 piece), each	N
A4418	Ostomy pouch, closed; without barrier attached, with filter (1 piece), each	N
A4419	Ostomy pouch, closed; for use on barrier with non-locking flange, with filter (2 piece), each	N
A4420	Ostomy pouch, closed; for use on barrier with locking flange (2 piece), each	N
A4421	Ostomy supply; miscellaneous	Y
A4422	Ostomy absorbent material (sheet/pad/crystal packet) for use in ostomy pouch to thicken liquid stomal output, each	N
A4423	Ostomy pouch, closed; for use on barrier with locking flange, with filter (2 piece), each	N
A4424	Ostomy pouch, drainable, with barrier attached, with filter (1 piece), each	N
A4425	Ostomy pouch, drainable; for use on barrier with non-locking flange, with filter (2 piece system), each	N
A4426	Ostomy pouch, drainable; for use on barrier with locking flange (2 piece system), each	N
A4427	Ostomy pouch, drainable; for use on barrier with locking flange, with filter (2 piece system), each	N
A4428	Ostomy pouch, urinary, with extended wear barrier attached, with faucet-type tap with valve (1 piece), each	N
A4429	Ostomy pouch, urinary, with barrier attached, with built-in convexity, with faucet-type tap with valve (1 piece), each	N
A4430	Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity, with faucet-type tap with valve (1 piece), each	N
A4431	Ostomy pouch, urinary; with barrier attached, with faucet-type tap with valve (1 piece), each	N
A4432	Ostomy pouch, urinary; for use on barrier with non-locking flange, with faucet-type tap with valve (2 piece), each	N
A4433	Ostomy pouch, urinary; for use on barrier with locking flange (2 piece), each	N
A4434	Ostomy pouch, urinary; for use on barrier with locking flange, with faucet-type tap with valve (2 piece), each	N
A4435	Ostomy pouch, drainable, high output, with extended wear barrier (one-piece system), with or without filter, each	N
A4436	Irrigation supply; sleeve, reusable, per month	N
A4437	Irrigation supply; sleeve, disposable, per month	N
A4450	Tape, non-waterproof, per 18 square inches	N
A4452	Tape, waterproof, per 18 square inches	N

CPT® Code	CPT® Code Description	Requires PA
A4453	Rectal catheter with or without balloon, for use with any type transanal irrigation system, each	N
A4455	Adhesive remover or solvent (for tape, cement or other adhesive), per ounce	N
A4456	Adhesive remover, wipes, any type, each	N
A4457	Enema tube, with or without adapter, any type, replacement only, each	Y
A4458	Enema bag with tubing, reusable	Y
A4459	Manual transanal irrigation system, includes water reservoir, pump, tubing, and accessories, without catheter, any type	Y
A4461	Surgical dressing holder, non-reusable, each	N
A4463	Surgical dressing holder, reusable, each	N
A4465	Non-elastic binder for extremity	Y
A4467	Belt, strap, sleeve, garment, or covering, any type	N
A4468	Exsufflation belt, includes all supplies and accessories	Y
A4470	Gravlee jet washer	Y
A4480	Vabra aspirator	Y
A4481	Tracheostoma filter, any type, any size, each	N
A4483	Moisture exchanger, disposable, for use with invasive mechanical ventilation	N
A4490	Surgical stockings above knee length, each	N
A4495	Surgical stockings thigh length, each	N
A4500	Surgical stockings below knee length, each	N
A4510	Surgical stockings full length, each	N
A4520	Incontinence garment, any type, (e.g., brief, diaper), each	Y
A4540	Distal transcutaneous electrical nerve stimulator, stimulates peripheral nerves of the upper arm	Y
A4541	Monthly supplies for use of device coded at e0733	Y
A4542	Supplies and accessories for external upper limb tremor stimulator of the peripheral nerves of the wrist	Y
A4550	Surgical trays	N
A4553	Non-disposable underpads, all sizes	Y
A4554	Disposable underpads, all sizes	Y
A4555	Electrode/transducer for use with electrical stimulation device used for cancer treatment, replacement only	Y
A4556	Electrodes, (e.g., apnea monitor), per pair	N
A4557	Lead wires, (e.g., apnea monitor), per pair	N
A4558	Conductive gel or paste, for use with electrical device (e.g., tens, nmes), per oz	N
A4559	Coupling gel or paste, for use with ultrasound device, per oz	N
A4560	Neuromuscular electrical stimulator (nmes), disposable, replacement only	Y
A4561	Pessary, rubber, any type	N
A4562	Pessary, non rubber, any type	N
A4563	Rectal control system for vaginal insertion, for long term use, includes pump and all supplies and accessories, any type each	Y
A4565	Slings	N
A4566	Shoulder sling or vest design, abduction restrainer, with or without swathe control, prefabricated, includes fitting and adjustment	N
A4570	Splint	N
A4575	Topical hyperbaric oxygen chamber, disposable	Y
A4580	Cast supplies (e.g., plaster)	N
A4590	Special casting material (e.g., fiberglass)	N
A4593	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime	Y
A4594	Neuromodulation stimulator system, adjunct to rehabilitation therapy regime, mouthpiece each	Y
A4595	Electrical stimulator supplies, 2 lead, per month, (e.g., tens, nmes)	N
A4596	Cranial electrotherapy stimulation (ces) system supplies and accessories, per month	Y
A4600	Sleeve for intermittent limb compression device, replacement only, each	N
A4601	Lithium ion battery, rechargeable, for non-prosthetic use, replacement	N

CPT® Code	CPT® Code Description	Requires PA
A4602	Replacement battery for external infusion pump owned by patient, lithium, 1.5 volt, each	N
A4604	Tubing with integrated heating element for use with positive airway pressure device	Y
A4605	Tracheal suction catheter, closed system, each	N
A4606	Oxygen probe for use with oximeter device, replacement	Y
A4608	Transtracheal oxygen catheter, each	Y
A4611	Battery, heavy duty; replacement for patient owned ventilator	N
A4612	Battery cables; replacement for patient-owned ventilator	N
A4613	Battery charger; replacement for patient-owned ventilator	N
A4614	Peak expiratory flow rate meter, hand held	N
A4615	Cannula, nasal	Y
A4616	Tubing (oxygen), per foot	Y
A4617	Mouth piece	Y
A4618	Breathing circuits	N
A4619	Face tent	N
A4620	Variable concentration mask	Y
A4623	Tracheostomy, inner cannula	N
A4624	Tracheal suction catheter, any type other than closed system, each	N
A4625	Tracheostomy care kit for new tracheostomy	N
A4626	Tracheostomy cleaning brush, each	Y
A4627	Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	N
A4628	Oral and/or oropharyngeal suction catheter, each	N
A4629	Tracheostomy care kit for established tracheostomy	N
A4630	Replacement batteries, medically necessary, transcutaneous electrical stimulator, owned by patient	N
A4633	Replacement bulb/lamp for ultraviolet light therapy system, each	N
A4634	Replacement bulb for therapeutic light box, tabletop model	N
A4635	Underarm pad, crutch, replacement, each	N
A4636	Replacement, handgrip, cane, crutch, or walker, each	N
A4637	Replacement, tip, cane, crutch, walker, each.	N
A4638	Replacement battery for patient-owned ear pulse generator, each	N
A4639	Replacement pad for infrared heating pad system, each	N
A4640	Replacement pad for use with medically necessary alternating pressure pad owned by patient	N
A4649	Surgical supply; miscellaneous	Y
A4651	Calibrated microcapillary tube, each	N
A4652	Microcapillary tube sealant	N
A4653	Peritoneal dialysis catheter anchoring device, belt, each	N
A4657	Syringe, with or without needle, each	N
A4660	Sphygmomanometer/blood pressure apparatus with cuff and stethoscope	N
A4663	Blood pressure cuff only	N
A4670	Automatic blood pressure monitor	N
A4671	Disposable cycler set used with cycler dialysis machine, each	N
A4672	Drainage extension line, sterile, for dialysis, each	N
A4673	Extension line with easy lock connectors, used with dialysis	N
A4674	Chemicals/antiseptics solution used to clean/sterilize dialysis equipment, per 8 oz	N
A4680	Activated carbon filter for hemodialysis, each	N
A4690	Dialyzer (artificial kidneys), all types, all sizes, for hemodialysis, each	N
A4706	Bicarbonate concentrate, solution, for hemodialysis, per gallon	N
A4707	Bicarbonate concentrate, powder, for hemodialysis, per packet	N

CPT® Code	CPT® Code Description	Requires PA
A4708	Acetate concentrate solution, for hemodialysis, per gallon	N
A4709	Acid concentrate, solution, for hemodialysis, per gallon	N
A4714	Treated water (deionized, distilled, or reverse osmosis) for peritoneal dialysis, per gallon	N
A4719	"y set" tubing for peritoneal dialysis	N
A4720	Dialysate solution, any concentration of dextrose, fluid volume greater than 249 cc, but less than or equal to 999 cc, for peritoneal dialysis	N
A4721	Dialysate solution, any concentration of dextrose, fluid volume greater than 999 cc but less than or equal to 1999 cc, for peritoneal dialysis	N
A4722	Dialysate solution, any concentration of dextrose, fluid volume greater than 1999 cc but less than or equal to 2999 cc, for peritoneal dialysis	N
A4723	Dialysate solution, any concentration of dextrose, fluid volume greater than 2999 cc but less than or equal to 3999 cc, for peritoneal dialysis	N
A4724	Dialysate solution, any concentration of dextrose, fluid volume greater than 3999 cc but less than or equal to 4999 cc, for peritoneal dialysis	N
A4725	Dialysate solution, any concentration of dextrose, fluid volume greater than 4999 cc but less than or equal to 5999 cc, for peritoneal dialysis	N
A4726	Dialysate solution, any concentration of dextrose, fluid volume greater than 5999 cc, for peritoneal dialysis	N
A4728	Dialysate solution, non-dextrose containing, 500 ml	N
A4730	Fistula cannulation set for hemodialysis, each	N
A4736	Topical anesthetic, for dialysis, per gram	N
A4740	Shunt accessory, for hemodialysis, any type, each	N
A4750	Blood tubing, arterial or venous, for hemodialysis, each	N
A4755	Blood tubing, arterial and venous combined, for hemodialysis, each	N
A4760	Dialysate solution test kit, for peritoneal dialysis, any type, each	N
A4765	Dialysate concentrate, powder, additive for peritoneal dialysis, per packet	N
A4766	Dialysate concentrate, solution, additive for peritoneal dialysis, per 10 ml	N
A4770	Blood collection tube, vacuum, for dialysis, per 50	N
A4771	Serum clotting time tube, for dialysis, per 50	N
A4772	Blood glucose test strips, for dialysis, per 50	N
A4773	Occult blood test strips, for dialysis, per 50	N
A4774	Ammonia test strips, for dialysis, per 50	N
A4802	Protamine sulfate, for hemodialysis, per 50 mg	N
A4860	Disposable catheter tips for peritoneal dialysis, per 10	N
A4870	Plumbing and/or electrical work for home hemodialysis equipment	N
A4890	Contracts, repair and maintenance, for hemodialysis equipment	N
A4911	Drain bag/bottle, for dialysis, each	N
A4918	Venous pressure clamp, for hemodialysis, each	N
A4927	Gloves, non-sterile, per 100	N
A4928	Surgical mask, per 20	Y
A4929	Tourniquet for dialysis, each	N
A4930	Gloves, sterile, per pair	N
A4931	Oral thermometer, reusable, any type, each	N
A4932	Rectal thermometer, reusable, any type, each	N
A5051	Ostomy pouch, closed; with barrier attached (1 piece), each	N
A5052	Ostomy pouch, closed; without barrier attached (1 piece), each	N
A5053	Ostomy pouch, closed; for use on faceplate, each	N
A5054	Ostomy pouch, closed; for use on barrier with flange (2 piece), each	N



CPT® Code	CPT® Code Description	Requires PA
A5055	Stoma cap	N
A5056	Ostomy pouch, drainable, with extended wear barrier attached, with filter, (1 piece), each	N
A5057	Ostomy pouch, drainable, with extended wear barrier attached, with built in convexity, with filter, (1 piece), each	N
A5061	Ostomy pouch, drainable; with barrier attached, (1 piece), each	N
A5062	Ostomy pouch, drainable; without barrier attached (1 piece), each	N
A5063	Ostomy pouch, drainable; for use on barrier with flange (2 piece system), each	N
A5071	Ostomy pouch, urinary; with barrier attached (1 piece), each	N
A5072	Ostomy pouch, urinary; without barrier attached (1 piece), each	N
A5073	Ostomy pouch, urinary; for use on barrier with flange (2 piece), each	N
A5081	Stoma plug or seal, any type	N
A5082	Continent device; catheter for continent stoma	N
A5083	Continent device, stoma absorptive cover for continent stoma	N
A5093	Ostomy accessory; convex insert	N
A5102	Bedside drainage bottle with or without tubing, rigid or expandable, each	N
A5105	Urinary suspensory with leg bag, with or without tube, each	N
A5112	Urinary drainage bag, leg or abdomen, latex, with or without tube, with straps, each	N
A5113	Leg strap; latex, replacement only, per set	N
A5114	Leg strap; foam or fabric, replacement only, per set	N
A5120	Skin barrier, wipes or swabs, each	N
A5121	Skin barrier; solid, 6 x 6 or equivalent, each	N
A5122	Skin barrier; solid, 8 x 8 or equivalent, each	N
A5126	Adhesive or non-adhesive; disk or foam pad	N
A5131	Appliance cleaner, incontinence and ostomy appliances, per 16 oz.	N
A5200	Percutaneous catheter/tube anchoring device, adhesive skin attachment	N
A5500	For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe	Y
A5501	For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe	Y
A5503	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe	Y
A5504	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe	Y
A5505	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe	Y
A5506	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe	Y
A5507	For diabetics only, not otherwise specified modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe	Y
A5508	For diabetics only, deluxe feature of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe	Y
A5510	For diabetics only, direct formed, compression molded to patient's foot without external heat source, multiple-density insert(s) prefabricated, per shoe	Y
A5512	For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer (or higher), prefabricated, each	Y
A5513	For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer (or higher), includes arch filler and other shaping material, custom fabricated, each	Y



CPT® Code	CPT® Code Description	Requires PA
A5514	For diabetics only, multiple density insert, made by direct carving with cam technology from a rectified cad model created from a digitized scan of the patient, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer (or higher), includes arch filler and other shaping material, custom fabricated, each	Y
A6000	Non-contact wound warming wound cover for use with the non-contact wound warming device and warming card	Y
A6010	Collagen based wound filler, dry form, sterile, per gram of collagen	N
A6011	Collagen based wound filler, gel/paste, per gram of collagen	N
A6021	Collagen dressing, sterile, size 16 sq. in. or less, each	N
A6022	Collagen dressing, sterile, size more than 16 sq. in. but less than or equal to 48 sq. in., each	N
A6023	Collagen dressing, sterile, size more than 48 sq. in., each	N
A6024	Collagen dressing wound filler, sterile, per 6 inches	N
A6025	Gel sheet for dermal or epidermal application, (e.g., silicone, hydrogel, other), each	Y
A6154	Wound pouch, each	N
A6196	Alginate or other fiber gelling dressing, wound cover, sterile, pad size 16 sq. in. or less, each dressing	N
A6197	Alginate or other fiber gelling dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	Y
A6198	Alginate or other fiber gelling dressing, wound cover, sterile, pad size more than 48 sq. in., each dressing	N
A6199	Alginate or other fiber gelling dressing, wound filler, sterile, per 6 inches	N
A6203	Composite dressing, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6204	Composite dressing, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6205	Composite dressing, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	Y
A6206	Contact layer, sterile, 16 sq. in. or less, each dressing	N
A6207	Contact layer, sterile, more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	N
A6208	Contact layer, sterile, more than 48 sq. in., each dressing	N
A6209	Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6210	Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6211	Foam dressing, wound cover, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6212	Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6213	Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6214	Foam dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	N
A6215	Foam dressing, wound filler, sterile, per gram	N
A6216	Gauze, non-impregnated, non-sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6217	Gauze, non-impregnated, non-sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6218	Gauze, non-impregnated, non-sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6219	Gauze, non-impregnated, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6220	Gauze, non-impregnated, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6221	Gauze, non-impregnated, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	N
A6222	Gauze, impregnated with other than water, normal saline, or hydrogel, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6223	Gauze, impregnated with other than water, normal saline, or hydrogel, sterile, pad size more than 16 sq. in., but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6224	Gauze, impregnated with other than water, normal saline, or hydrogel, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N

CPT® Code	CPT® Code Description	Requires PA
A6228	Gauze, impregnated, water or normal saline, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6229	Gauze, impregnated, water or normal saline, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6230	Gauze, impregnated, water or normal saline, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6231	Gauze, impregnated, hydrogel, for direct wound contact, sterile, pad size 16 sq. in. or less, each dressing	N
A6232	Gauze, impregnated, hydrogel, for direct wound contact, sterile, pad size greater than 16 sq. in., but less than or equal to 48 sq. in., each dressing	N
A6233	Gauze, impregnated, hydrogel, for direct wound contact, sterile, pad size more than 48 sq. in., each dressing	N
A6234	Hydrocolloid dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6235	Hydrocolloid dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6236	Hydrocolloid dressing, wound cover, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6237	Hydrocolloid dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6238	Hydrocolloid dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6239	Hydrocolloid dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	N
A6240	Hydrocolloid dressing, wound filler, paste, sterile, per ounce	N
A6241	Hydrocolloid dressing, wound filler, dry form, sterile, per gram	N
A6242	Hydrogel dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6243	Hydrogel dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6244	Hydrogel dressing, wound cover, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6245	Hydrogel dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6246	Hydrogel dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6247	Hydrogel dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	N
A6248	Hydrogel dressing, wound filler, gel, per fluid ounce	N
A6250	Skin sealants, protectants, moisturizers, ointments, any type, any size	Y
A6251	Specialty absorptive dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6252	Specialty absorptive dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6253	Specialty absorptive dressing, wound cover, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N
A6254	Specialty absorptive dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	N
A6255	Specialty absorptive dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	N
A6256	Specialty absorptive dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	N
A6257	Transparent film, sterile, 16 sq. in. or less, each dressing	N
A6258	Transparent film, sterile, more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	N
A6259	Transparent film, sterile, more than 48 sq. in., each dressing	N
A6260	Wound cleansers, any type, any size	Y
A6261	Wound filler, gel/paste, per fluid ounce, not otherwise specified	Y
A6262	Wound filler, dry form, per gram, not otherwise specified	Y
A6266	Gauze, impregnated, other than water, normal saline, or zinc paste, sterile, any width, per linear yard	N
A6402	Gauze, non-impregnated, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6403	Gauze, non-impregnated, sterile, pad size more than 16 sq. in. less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6404	Gauze, non-impregnated, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	N

CPT® Code	CPT® Code Description	Requires PA
A6407	Packing strips, non-impregnated, sterile, up to 2 inches in width, per linear yard	N
A6410	Eye pad, sterile, each	N
A6411	Eye pad, non-sterile, each	N
A6412	Eye patch, occlusive, each	N
A6413	Adhesive bandage, first-aid type, any size, each	Y
A6441	Padding bandage, non-elastic, non-woven/non-knitted, width greater than or equal to three inches and less than five inches, per yard	N
A6442	Conforming bandage, non-elastic, knitted/woven, non-sterile, width less than three inches, per yard	N
A6443	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to three inches and less than five inches, per yard	N
A6444	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to 5 inches, per yard	N
A6445	Conforming bandage, non-elastic, knitted/woven, sterile, width less than three inches, per yard	N
A6446	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to three inches and less than five inches, per yard	N
A6447	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to five inches, per yard	N
A6448	Light compression bandage, elastic, knitted/woven, width less than three inches, per yard	N
A6449	Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	N
A6450	Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	N
A6451	Moderate compression bandage, elastic, knitted/woven, load resistance of 1.25 to 1.34 foot pounds at 50% maximum stretch, width greater than or equal to three inches and less than five inches, per yard	N
A6452	High compression bandage, elastic, knitted/woven, load resistance greater than or equal to 1.35 foot pounds at 50% maximum stretch, width greater than or equal to three inches and less than five inches, per yard	N
A6453	Self-adherent bandage, elastic, non-knitted/non-woven, width less than three inches, per yard	N
A6454	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to three inches and less than five inches, per yard	N
A6455	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to five inches, per yard	N
A6456	Zinc paste impregnated bandage, non-elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	N
A6457	Tubular dressing with or without elastic, any width, per linear yard	N
A6460	Synthetic resorbable wound dressing, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	N
A6461	Synthetic resorbable wound dressing, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	N
A6501	Compression burn garment, bodysuit (head to foot), custom fabricated	N
A6502	Compression burn garment, chin strap, custom fabricated	N
A6503	Compression burn garment, facial hood, custom fabricated	N
A6504	Compression burn garment, glove to wrist, custom fabricated	N
A6505	Compression burn garment, glove to elbow, custom fabricated	N
A6506	Compression burn garment, glove to axilla, custom fabricated	N
A6507	Compression burn garment, foot to knee length, custom fabricated	N
A6508	Compression burn garment, foot to thigh length, custom fabricated	N
A6509	Compression burn garment, upper trunk to waist including arm openings (vest), custom fabricated	N
A6510	Compression burn garment, trunk, including arms down to leg openings (leotard), custom fabricated	N
A6511	Compression burn garment, lower trunk including leg openings (panty), custom fabricated	N
A6512	Compression burn garment, not otherwise classified	Y
A6513	Compression burn mask, face and/or neck, plastic or equal, custom fabricated	N
A6515	Gradient compression wrap with adjustable straps, full leg, each, custom	Y
A6516	Gradient compression wrap with adjustable straps, foot, each, custom	Y

CPT® Code	CPT® Code Description	Requires PA
A6517	Gradient compression wrap with adjustable straps, below knee, each, custom	Y
A6518	Gradient compression wrap with adjustable straps, arm, each, custom	Y
A6519	Gradient compression garment, not otherwise specified, for nighttime use, each	Y
A6520	Gradient compression garment, glove, padded, for nighttime use, each	Y
A6521	Gradient compression garment, glove, padded, for nighttime use, custom, each	Y
A6522	Gradient compression garment, arm, padded, for nighttime use, each	Y
A6523	Gradient compression garment, arm, padded, for nighttime use, custom, each	Y
A6524	Gradient compression garment, lower leg and foot, padded, for nighttime use, each	Y
A6525	Gradient compression garment, lower leg and foot, padded, for nighttime use, custom, each	Y
A6526	Gradient compression garment, full leg and foot, padded, for nighttime use, each	Y
A6527	Gradient compression garment, full leg and foot, padded, for nighttime use, custom, each	Y
A6528	Gradient compression garment, bra, for nighttime use, each	Y
A6529	Gradient compression garment, bra, for nighttime use, custom, each	Y
A6530	Gradient compression stocking, below knee, 18-30 mmhg, each	N
A6531	Gradient compression stocking, below knee, 30-40 mmhg, used as a surgical dressing, each	N
A6532	Gradient compression stocking, below knee, 40-50 mmhg, used as a surgical dressing, each	N
A6533	Gradient compression stocking, thigh length, 18-30 mmhg, each	N
A6534	Gradient compression stocking, thigh length, 30-40 mmhg, each	N
A6535	Gradient compression stocking, thigh length, 40 mmhg or greater, each	N
A6536	Gradient compression stocking, full length/chap style, 18-30 mmhg, each	N
A6537	Gradient compression stocking, full length/chap style, 30-40 mmhg, each	N
A6538	Gradient compression stocking, full length/chap style, 40 mmhg or greater, each	N
A6539	Gradient compression stocking, waist length, 18-30 mmhg, each	N
A6540	Gradient compression stocking, waist length, 30-40 mmhg, each	N
A6541	Gradient compression wrap, non-elastic, below knee, 30-50 mmhg, used as a surgical dressing, each	N
A6544	Gradient compression stocking, garter belt	N
A6545	Gradient compression wrap, non-elastic, below knee, 30-50 mmhg, used as a surgical dressing, each	N
A6549	Gradient compression garment, not otherwise specified, for daytime use, each	Y
A6550	Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	Y
A6552	Gradient compression stocking, below knee, 30-40 mmhg, each	Y
A6553	Gradient compression stocking, below knee, 30-40 mmhg, custom, each	Y
A6554	Gradient compression stocking, below knee, 40 mmhg or greater, each	Y
A6555	Gradient compression stocking, below knee, 40 mmhg or greater, custom, each	Y
A6556	Gradient compression stocking, thigh length, 18-30 mmhg, custom, each	Y
A6557	Gradient compression stocking, thigh length, 30-40 mmhg, custom, each	Y
A6558	Gradient compression stocking, thigh length, 40 mmhg or greater, custom, each	Y
A6559	Gradient compression stocking, full length/chap style, 18-30 mmhg, custom, each	Y
A6560	Gradient compression stocking, full length/chap style, 30-40 mmhg, custom, each	Y
A6561	Gradient compression stocking, full length/chap style, 40 mmhg or greater, custom, each	Y
A6562	Gradient compression stocking, waist length, 18-30 mmhg, custom, each	Y
A6563	Gradient compression stocking, waist length, 30-40 mmhg, custom, each	Y
A6564	Gradient compression stocking, waist length, 40 mmhg or greater, custom, each	Y
A6565	Gradient compression gauntlet, custom, each	Y
A6566	Gradient compression garment, neck/head, each	Y
A6567	Gradient compression garment, neck/head, custom, each	Y
A6568	Gradient compression garment, torso and shoulder, each	Y
A6569	Gradient compression garment, torso/shoulder, custom, each	Y

CPT® Code	CPT® Code Description	Requires PA
A6570	Gradient compression garment, genital region, each	Y
A6571	Gradient compression garment, genital region, custom, each	Y
A6572	Gradient compression garment, toe caps, each	Y
A6573	Gradient compression garment, toe caps, custom, each	Y
A6574	Gradient compression arm sleeve and glove combination, custom, each	Y
A6575	Gradient compression arm sleeve and glove combination, each	Y
A6576	Gradient compression arm sleeve, custom, medium weight, each	Y
A6577	Gradient compression arm sleeve, custom, heavy weight, each	Y
A6578	Gradient compression arm sleeve, each	Y
A6579	Gradient compression glove, custom, medium weight, each	Y
A6580	Gradient compression glove, custom, heavy weight, each	Y
A6581	Gradient compression glove, each	Y
A6582	Gradient compression gauntlet, each	Y
A6583	Gradient compression wrap with adjustable straps, below knee, each	Y
A6584	Gradient compression wrap with adjustable straps, not otherwise specified	Y
A6585	Gradient compression wrap with adjustable straps, above knee, each	Y
A6586	Gradient compression wrap with adjustable straps, full leg, each	Y
A6587	Gradient compression wrap with adjustable straps, foot, each	Y
A6588	Gradient compression wrap with adjustable straps, arm, each	Y
A6589	Gradient pressure wrap with adjustable straps, bra, each	Y
A6590	External urinary catheters; disposable, with wicking material, for use with suction pump, per month	Y
A6591	External urinary catheter; non-disposable, for use with suction pump, per month	Y
A6593	Accessory for gradient compression garment or wrap with adjustable straps, non-otherwise specified	Y
A6594	Gradient compression bandaging supply, bandage liner, lower extremity, any size or length, each	Y
A6595	Gradient compression bandaging supply, bandage liner, upper extremity, any size or length, each	Y
A6596	Gradient compression bandaging supply, conforming gauze, per linear yard, any width, each	Y
A6597	Gradient compression bandage roll, elastic long stretch, linear yard, any width, each	Y
A6598	Gradient compression bandage roll, elastic medium stretch, per linear yard, any width, each	Y
A6599	Gradient compression bandage roll, inelastic short stretch, per linear yard, any width, each	Y
A6600	Gradient compression bandaging supply, high density foam sheet, per 250 square centimeters, each	Y
A6601	Gradient compression bandaging supply, high density foam pad, any size or shape, each	Y
A6602	Gradient compression bandaging supply, high density foam roll for bandage, per linear yard, any width, each	Y
A6603	Gradient compression bandaging supply, low density channel foam sheet, per 250 square centimeters, each	Y
A6604	Gradient compression bandaging supply, low density flat foam sheet, per 250 square centimeters, each	Y
A6605	Gradient compression bandaging supply, padded foam, per linear yard, any width, each	Y
A6606	Gradient compression bandaging supply, padded textile, per linear yard, any width, each	Y
A6607	Gradient compression bandaging supply, tubular protective absorption layer, per linear yard, any width, each	Y
A6608	Gradient compression bandaging supply, tubular protective absorption padded layer, per linear yard, any width, each	Y
A6609	Gradient compression bandaging supply, not otherwise specified	Y
A6610	Gradient compression stocking, below knee, 18-30 mmhg, custom, each	Y
A6611	Gradient compression wrap with adjustable straps, above knee, each, custom	Y
A7000	Canister, disposable, used with suction pump, each	N
A7001	Canister, non-disposable, used with suction pump, each	N
A7002	Tubing, used with suction pump, each	N
A7003	Administration set, with small volume nonfiltered pneumatic nebulizer, disposable	N
A7004	Small volume nonfiltered pneumatic nebulizer, disposable	N
A7005	Administration set, with small volume nonfiltered pneumatic nebulizer, non-disposable	N

CPT® Code	CPT® Code Description	Requires PA
A7006	Administration set, with small volume filtered pneumatic nebulizer	N
A7007	Large volume nebulizer, disposable, unfilled, used with aerosol compressor	N
A7008	Large volume nebulizer, disposable, prefilled, used with aerosol compressor	Y
A7009	Reservoir bottle, non-disposable, used with large volume ultrasonic nebulizer	N
A7010	Corrugated tubing, disposable, used with large volume nebulizer, 100 feet	N
A7012	Water collection device, used with large volume nebulizer	N
A7013	Filter, disposable, used with aerosol compressor or ultrasonic generator	N
A7014	Filter, nondisposable, used with aerosol compressor or ultrasonic generator	N
A7015	Aerosol mask, used with dme nebulizer	N
A7016	Dome and mouthpiece, used with small volume ultrasonic nebulizer	N
A7017	Nebulizer, durable, glass or autoclavable plastic, bottle type, not used with oxygen	N
A7018	Water, distilled, used with large volume nebulizer, 1000 ml	N
A7020	Interface for cough stimulating device, includes all components, replacement only	N
A7025	High frequency chest wall oscillation system vest, replacement for use with patient owned equipment, each	Y
A7026	High frequency chest wall oscillation system hose, replacement for use with patient owned equipment, each	Y
A7027	Combination oral/nasal mask, used with continuous positive airway pressure device, each	Y
A7028	Oral cushion for combination oral/nasal mask, replacement only, each	Y
A7029	Nasal pillows for combination oral/nasal mask, replacement only, pair	Y
A7030	Full face mask used with positive airway pressure device, each	Y
A7031	Face mask interface, replacement for full face mask, each	Y
A7032	Cushion for use on nasal mask interface, replacement only, each	Y
A7033	Pillow for use on nasal cannula type interface, replacement only, pair	Y
A7034	Nasal interface (mask or cannula type) used with positive airway pressure device, with or without head strap	Y
A7035	Headgear used with positive airway pressure device	Y
A7036	Chinstrap used with positive airway pressure device	Y
A7037	Tubing used with positive airway pressure device	Y
A7038	Filter, disposable, used with positive airway pressure device	Y
A7039	Filter, non disposable, used with positive airway pressure device	Y
A7040	One way chest drain valve	N
A7041	Water seal drainage container and tubing for use with implanted chest tube	N
A7044	Oral interface used with positive airway pressure device, each	Y
A7045	Exhalation port with or without swivel used with accessories for positive airway devices, replacement only	Y
A7046	Water chamber for humidifier, used with positive airway pressure device, replacement, each	Y
A7047	Oral interface used with respiratory suction pump, each	N
A7048	Vacuum drainage collection unit and tubing kit, including all supplies needed for collection unit change, for use with implanted catheter, each	N
A7501	Tracheostoma valve, including diaphragm, each	N
A7502	Replacement diaphragm/faceplate for tracheostoma valve, each	N
A7503	Filter holder or filter cap, reusable, for use in a tracheostoma heat and moisture exchange system, each	N
A7504	Filter for use in a tracheostoma heat and moisture exchange system, each	N
A7505	Housing, reusable without adhesive, for use in a heat and moisture exchange system and/or with a tracheostoma valve, each	N
A7506	Adhesive disc for use in a heat and moisture exchange system and/or with tracheostoma valve, any type each	N
A7507	Filter holder and integrated filter without adhesive, for use in a tracheostoma heat and moisture exchange system, each	N
A7508	Housing and integrated adhesive, for use in a tracheostoma heat and moisture exchange system and/or with a tracheostoma valve, each	N
A7509	Filter holder and integrated filter housing, and adhesive, for use as a tracheostoma heat and moisture exchange system, each	N
A7520	Tracheostomy/laryngectomy tube, non-cuffed, polyvinylchloride (pvc), silicone or equal, each	N



CPT® Code	CPT® Code Description	Requires PA
A7521	Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	N
A7522	Tracheostomy/laryngectomy tube, stainless steel or equal (sterilizable and reusable), each	N
A7523	Tracheostomy shower protector, each	Y
A7524	Tracheostoma stent/stud/button, each	N
A7525	Tracheostomy mask, each	N
A7526	Tracheostomy tube collar/holder, each	N
A7527	Tracheostomy/laryngectomy tube plug/stop, each	N
A8000	Helmet, protective, soft, prefabricated, includes all components and accessories	N
A8001	Helmet, protective, hard, prefabricated, includes all components and accessories	N
A8002	Helmet, protective, soft, custom fabricated, includes all components and accessories	N
A8003	Helmet, protective, hard, custom fabricated, includes all components and accessories	N
A8004	Soft interface for helmet, replacement only	N
A9272	Wound suction, disposable, includes dressing, all accessories and components, any type, each	N
A9273	Cold or hot fluid bottle, ice cap or collar, heat and/or cold wrap, any type	N
A9274	External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories	Y
A9275	Home glucose disposable monitor, includes test strips	Y
A9276	Sensor; invasive (e.g., subcutaneous), disposable, for use with non-durable medical equipment interstitial continuous glucose monitoring system, one unit = 1 day supply	Y
A9277	Transmitter; external, for use with non-durable medical equipment interstitial continuous glucose monitoring system	Y
A9278	Receiver (monitor); external, for use with non-durable medical equipment interstitial continuous glucose monitoring system	Y
A9279	Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, not otherwise classified	Y
A9282	Wig, any type, each	Y
A9527	Iodine i-125, sodium iodide solution, therapeutic, per millicurie	N
A9900	Miscellaneous dme supply, accessory, and/or service component of another hcpcs code	Y
A9901	Dme delivery, set up, and/or dispensing service component of another hcpcs code	Y
A9999	Miscellaneous dme supply or accessory, not otherwise specified	Y
E0100	Cane, includes canes of all materials, adjustable or fixed, with tip	N
E0105	Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips	N
E0110	Crutches, forearm, includes crutches of various materials, adjustable or fixed, pair, complete with tips and handgrips	N
E0111	Crutch forearm, includes crutches of various materials, adjustable or fixed, each, with tip and handgrips	N
E0112	Crutches underarm, wood, adjustable or fixed, pair, with pads, tips and handgrips	N
E0113	Crutch underarm, wood, adjustable or fixed, each, with pad, tip and handgrip	N
E0114	Crutches underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips	N
E0116	Crutch, underarm, other than wood, adjustable or fixed, with pad, tip, handgrip, with or without shock absorber, each	N
E0117	Crutch, underarm, articulating, spring assisted, each	N
E0118	Crutch substitute, lower leg platform, with or without wheels, each	N
E0130	Walker, rigid (pickup), adjustable or fixed height	N
E0135	Walker, folding (pickup), adjustable or fixed height	N
E0140	Walker, with trunk support, adjustable or fixed height, any type	N
E0141	Walker, rigid, wheeled, adjustable or fixed height	N
E0143	Walker, folding, wheeled, adjustable or fixed height	N
E0144	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior seat	N
E0147	Walker, heavy duty, multiple braking system, variable wheel resistance	N
E0148	Walker, heavy duty, without wheels, rigid or folding, any type, each	N
E0149	Walker, heavy duty, wheeled, rigid or folding, any type	N
E0150	Combination wheeled walker with seat and transport chair, folding, adjustable or fixed height	Y



CPT® Code	CPT® Code Description	Requires PA
E0152	Walker, battery powered, wheeled, folding, adjustable or fixed height	Y
E0153	Platform attachment, forearm crutch, each	N
E0154	Platform attachment, walker, each	N
E0155	Wheel attachment, rigid pick-up walker, per pair	N
E0156	Seat attachment, walker	N
E0157	Crutch attachment, walker, each	N
E0158	Leg extensions for walker, per set of four (4)	N
E0159	Brake attachment for wheeled walker, replacement, each	N
E0160	Sitz type bath or equipment, portable, used with or without commode	N
E0161	Sitz type bath or equipment, portable, used with or without commode, with faucet attachment/s	N
E0162	Sitz bath chair	N
E0163	Commode chair, mobile or stationary, with fixed arms	N
E0165	Commode chair, mobile or stationary, with detachable arms	N
E0167	Pail or pan for use with commode chair, replacement only	N
E0168	Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each	N
E0170	Commode chair with integrated seat lift mechanism, electric, any type	Y
E0171	Commode chair with integrated seat lift mechanism, non-electric, any type	N
E0172	Seat lift mechanism placed over or on top of toilet, any type	Y
E0175	Foot rest, for use with commode chair, each	Y
E0181	Powered pressure reducing mattress overlay/pad, alternating, with pump, includes heavy duty	Y
E0182	Pump for alternating pressure pad, for replacement only	Y
E0183	Powered pressure reducing underlay/pad, alternating, with pump, includes heavy duty	Y
E0184	Dry pressure mattress	Y
E0185	Gel or gel-like pressure pad for mattress, standard mattress length and width	Y
E0186	Air pressure mattress	Y
E0187	Water pressure mattress	Y
E0188	Synthetic sheepskin pad	N
E0189	Lambswool sheepskin pad, any size	N
E0190	Positioning cushion/pillow/wedge, any shape or size, includes all components and accessories	Y
E0191	Heel or elbow protector, each	N
E0193	Powered air flotation bed (low air loss therapy)	Y
E0194	Air fluidized bed	Y
E0196	Gel pressure mattress	Y
E0197	Air pressure pad for mattress, standard mattress length and width	Y
E0198	Water pressure pad for mattress, standard mattress length and width	Y
E0199	Dry pressure pad for mattress, standard mattress length and width	N
E0200	Heat lamp, without stand (table model), includes bulb, or infrared element	Y
E0202	Phototherapy (bilirubin) light with photometer	N
E0203	Therapeutic lightbox, minimum 10,000 lux, table top model	Y
E0205	Heat lamp, with stand, includes bulb, or infrared element	Y
E0210	Electric heat pad, standard	N
E0215	Electric heat pad, moist	Y
E0217	Water circulating heat pad with pump	Y
E0218	Fluid circulating cold pad with pump, any type	Y
E0221	Infrared heating pad system	Y
E0225	Hydrocollator unit, includes pads	Y

CPT® Code	CPT® Code Description	Requires PA
E0231	Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wound cover	Y
E0232	Warming card for use with the non contact wound warming device and non contact wound warming wound cover	Y
E0235	Paraffin bath unit, portable (see medical supply code a4265 for paraffin)	N
E0236	Pump for water circulating pad	Y
E0239	Hydrocollator unit, portable	Y
E0240	Bath/shower chair, with or without wheels, any size	Y
E0241	Bath tub wall rail, each	Y
E0242	Bath tub rail, floor base	Y
E0243	Toilet rail, each	Y
E0244	Raised toilet seat	Y
E0245	Tub stool or bench	Y
E0246	Transfer tub rail attachment	Y
E0247	Transfer bench for tub or toilet with or without commode opening	N
E0248	Transfer bench, heavy duty, for tub or toilet with or without commode opening	N
E0249	Pad for water circulating heat unit, for replacement only	Y
E0250	Hospital bed, fixed height, with any type side rails, with mattress	Y
E0251	Hospital bed, fixed height, with any type side rails, without mattress	Y
E0255	Hospital bed, variable height, hi-lo, with any type side rails, with mattress	Y
E0256	Hospital bed, variable height, hi-lo, with any type side rails, without mattress	Y
E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress	Y
E0261	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress	Y
E0265	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress	Y
E0266	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress	Y
E0270	Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress	Y
E0271	Mattress, innerspring	Y
E0272	Mattress, foam rubber	Y
E0273	Bed board	Y
E0274	Over-bed table	Y
E0275	Bed pan, standard, metal or plastic	N
E0276	Bed pan, fracture, metal or plastic	N
E0277	Powered pressure-reducing air mattress	Y
E0280	Bed cradle, any type	Y
E0290	Hospital bed, fixed height, without side rails, with mattress	Y
E0291	Hospital bed, fixed height, without side rails, without mattress	Y
E0292	Hospital bed, variable height, hi-lo, without side rails, with mattress	Y
E0293	Hospital bed, variable height, hi-lo, without side rails, without mattress	Y
E0294	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress	Y
E0295	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress	Y
E0296	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress	Y
E0297	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress	Y
E0300	Pediatric crib, hospital grade, fully enclosed, with or without top enclosure	Y
E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress	Y
E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress	Y
E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress	Y

CPT® Code	CPT® Code Description	Requires PA
E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress	Y
E0305	Bed side rails, half length	Y
E0310	Bed side rails, full length	Y
E0315	Bed accessory: board, table, or support device, any type	Y
E0316	Safety enclosure frame/canopy for use with hospital bed, any type	Y
E0325	Urinal; male, jug-type, any material	N
E0326	Urinal; female, jug-type, any material	N
E0328	Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress	Y
E0329	Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress	Y
E0350	Control unit for electronic bowel irrigation/evacuation system	Y
E0352	Disposable pack (water reservoir bag, speculum, valving mechanism and collection bag/box) for use with the electronic bowel irrigation/evacuation system	Y
E0370	Air pressure elevator for heel	N
E0371	Nonpowered advanced pressure reducing overlay for mattress, standard mattress length and width	Y
E0372	Powered air overlay for mattress, standard mattress length and width	Y
E0373	Nonpowered advanced pressure reducing mattress	Y
E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0425	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0430	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge	Y
E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing	Y
E0435	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor	Y
E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing	Y
E0440	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0441	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit	Y
E0442	Stationary oxygen contents, liquid, 1 month's supply = 1 unit	Y
E0443	Portable oxygen contents, gaseous, 1 month's supply = 1 unit	Y
E0444	Portable oxygen contents, liquid, 1 month's supply = 1 unit	Y
E0445	Oximeter device for measuring blood oxygen levels non-invasively	Y
E0446	Topical oxygen delivery system, not otherwise specified, includes all supplies and accessories	Y
E0447	Portable oxygen contents, liquid, 1 month's supply = 1 unit, prescribed amount at rest or nighttime exceeds 4 liters per minute (lpm)	Y
E0455	Oxygen tent, excluding croup or pediatric tents	Y
E0457	Chest shell (cuirass)	Y
E0459	Chest wrap	N
E0462	Rocking bed with or without side rails	Y
E0465	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube)	Y
E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)	Y

CPT® Code	CPT® Code Description	Requires PA
E0467	Home ventilator, multi-function respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components and supplies for all functions	Y
E0468	Home ventilator, dual-function respiratory device, also performs additional function of cough stimulation, includes all accessories, components and supplies for all functions	Y
E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device)	Y
E0480	Percussor, electric or pneumatic, home model	Y
E0481	Intrapulmonary percussive ventilation system and related accessories	Y
E0482	Cough stimulating device, alternating positive and negative airway pressure	Y
E0483	High frequency chest wall oscillation system, with full anterior and/or posterior thoracic region receiving simultaneous external oscillation, includes all accessories and supplies, each	Y
E0484	Oscillatory positive expiratory pressure device, non-electric, any type, each	Y
E0485	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, prefabricated, includes fitting and adjustment	Y
E0486	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, custom fabricated, includes fitting and adjustment	Y
E0487	Spirometer, electronic, includes all accessories	Y
E0492	Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, controlled by phone application	Y
E0493	Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and control electronics unit, controlled by phone application, 90-day supply	Y
E0500	Ippb machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source	Y
E0530	Electronic positional obstructive sleep apnea treatment, with sensor, includes all components and accessories, any type	Y
E0550	Humidifier, durable for extensive supplemental humidification during ippb treatments or oxygen delivery	Y
E0555	Humidifier, durable, glass or autoclavable plastic bottle type, for use with regulator or flowmeter	Y
E0560	Humidifier, durable for supplemental humidification during ippb treatment or oxygen delivery	Y
E0561	Humidifier, non-heated, used with positive airway pressure device	Y
E0562	Humidifier, heated, used with positive airway pressure device	Y
E0565	Compressor, air power source for equipment which is not self-contained or cylinder driven	N
E0570	Nebulizer, with compressor	Y
E0572	Aerosol compressor, adjustable pressure, light duty for intermittent use	Y
E0574	Ultrasonic/electronic aerosol generator with small volume nebulizer	Y
E0575	Nebulizer, ultrasonic, large volume	Y
E0580	Nebulizer, durable, glass or autoclavable plastic, bottle type, for use with regulator or flowmeter	Y
E0585	Nebulizer, with compressor and heater	Y
E0600	Respiratory suction pump, home model, portable or stationary, electric	N
E0601	Continuous positive airway pressure (cpap) device	Y
E0602	Breast pump, manual, any type	N
E0603	Breast pump, electric (ac and/or dc), any type	N
E0604	Breast pump, hospital grade, electric (ac and / or dc), any type	N
E0605	Vaporizer, room type	N
E0606	Postural drainage board	N
E0607	Home blood glucose monitor	Y

CPT® Code	CPT® Code Description	Requires PA
E0610	Pacemaker monitor, self-contained, (checks battery depletion, includes audible and visible check systems)	Y
E0615	Pacemaker monitor, self contained, checks battery depletion and other pacemaker components, includes digital/visible check systems	Y
E0617	External defibrillator with integrated electrocardiogram analysis	Y
E0618	Apnea monitor, without recording feature	Y
E0619	Apnea monitor, with recording feature	Y
E0620	Skin piercing device for collection of capillary blood, laser, each	N
E0621	Sling or seat, patient lift, canvas or nylon	N
E0625	Patient lift, bathroom or toilet, not otherwise classified	Y
E0627	Seat lift mechanism, electric, any type	Y
E0629	Seat lift mechanism, non-electric, any type	Y
E0630	Patient lift, hydraulic or mechanical, includes any seat, sling, strap(s) or pad(s)	Y
E0635	Patient lift, electric with seat or sling	Y
E0636	Multipositional patient support system, with integrated lift, patient accessible controls	Y
E0637	Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels	Y
E0638	Standing frame/table system, one position (e.g., upright, supine or prone stander), any size including pediatric, with or without wheels	Y
E0639	Patient lift, moveable from room to room with disassembly and reassembly, includes all components/accessories	Y
E0640	Patient lift, fixed system, includes all components/accessories	Y
E0641	Standing frame/table system, multi-position (e.g., three-way stander), any size including pediatric, with or without wheels	Y
E0642	Standing frame/table system, mobile (dynamic stander), any size including pediatric	Y
E0650	Pneumatic compressor, non-segmental home model	Y
E0651	Pneumatic compressor, segmental home model without calibrated gradient pressure	Y
E0652	Pneumatic compressor, segmental home model with calibrated gradient pressure	Y
E0655	Non-segmental pneumatic appliance for use with pneumatic compressor, half arm	Y
E0656	Segmental pneumatic appliance for use with pneumatic compressor, trunk	Y
E0657	Segmental pneumatic appliance for use with pneumatic compressor, chest	Y
E0658	Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full arms and chest	Y
E0659	Segmental pneumatic appliance for use with pneumatic compressor, integrated, head, neck and chest	Y
E0660	Non-segmental pneumatic appliance for use with pneumatic compressor, full leg	Y
E0665	Non-segmental pneumatic appliance for use with pneumatic compressor, full arm	Y
E0666	Non-segmental pneumatic appliance for use with pneumatic compressor, half leg	Y
E0667	Segmental pneumatic appliance for use with pneumatic compressor, full leg	Y
E0668	Segmental pneumatic appliance for use with pneumatic compressor, full arm	Y
E0669	Segmental pneumatic appliance for use with pneumatic compressor, half leg	Y
E0670	Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk	Y
E0671	Segmental gradient pressure pneumatic appliance, full leg	Y
E0672	Segmental gradient pressure pneumatic appliance, full arm	Y
E0673	Segmental gradient pressure pneumatic appliance, half leg	Y
E0675	Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral or bilateral system)	Y
E0676	Intermittent limb compression device (includes all accessories), not otherwise specified	Y
E0677	Non-pneumatic sequential compression garment, trunk	Y
E0678	Non-pneumatic sequential compression garment, full leg	Y
E0679	Non-pneumatic sequential compression garment, half leg	Y
E0680	Non-pneumatic compression controller with sequential calibrated gradient pressure	Y
E0681	Non-pneumatic compression controller without calibrated gradient pressure	Y
E0682	Non-pneumatic sequential compression garment, full arm	Y

CPT® Code	CPT® Code Description	Requires PA
E0691	Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area 2 square feet or less	Y
E0692	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, 4 foot panel	Y
E0693	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, 6 foot panel	Y
E0694	Ultraviolet multidirectional light therapy system in 6 foot cabinet, includes bulbs/lamps, timer and eye protection	Y
E0700	Safety equipment, device or accessory, any type	Y
E0705	Transfer device, any type, each	N
E0710	Restraints, any type (body, chest, wrist or ankle)	Y
E0711	Upper extremity medical tubing/lines enclosure or covering device, restricts elbow range of motion	Y
E0720	Transcutaneous electrical nerve stimulation (tens) device, two lead, localized stimulation	Y
E0730	Transcutaneous electrical nerve stimulation (tens) device, four or more leads, for multiple nerve stimulation	Y
E0731	Form fitting conductive garment for delivery of tens or nmes (with conductive fibers separated from the patient's skin by layers of fabric)	Y
E0732	Cranial electrotherapy stimulation (ces) system, any type	Y
E0733	Transcutaneous electrical nerve stimulator for electrical stimulation of the trigeminal nerve	Y
E0734	External upper limb tremor stimulator of the peripheral nerves of the wrist	Y
E0735	Non-invasive vagus nerve stimulator	Y
E0736	Transcutaneous tibial nerve stimulator	Y
E0738	Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all components and accessories	Y
E0739	Rehab system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories, motors, microprocessors, sensors	Y
E0740	Non-implanted pelvic floor electrical stimulator, complete system	Y
E0744	Neuromuscular stimulator for scoliosis	Y
E0745	Neuromuscular stimulator, electronic shock unit	Y
E0746	Electromyography (emg), biofeedback device	Y
E0747	Osteogenesis stimulator, electrical, non-invasive, other than spinal applications	Y
E0748	Osteogenesis stimulator, electrical, non-invasive, spinal applications	Y
E0755	Electronic salivary reflex stimulator (intra-oral/non-invasive)	Y
E0760	Osteogenesis stimulator, low intensity ultrasound, non-invasive	Y
E0761	Non-thermal pulsed high frequency radiowaves, high peak power electromagnetic energy treatment device	Y
E0762	Transcutaneous electrical joint stimulation device system, includes all accessories	Y
E0764	Functional neuromuscular stimulation, transcutaneous stimulation of sequential muscle groups of ambulation with computer control, used for walking by spinal cord injured, entire system, after completion of training program	Y
E0765	Fda approved nerve stimulator, with replaceable batteries, for treatment of nausea and vomiting	Y
E0766	Electrical stimulation device used for cancer treatment, includes all accessories, any type	Y
E0769	Electrical stimulation or electromagnetic wound treatment device, not otherwise classified	Y
E0770	Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any type, complete system, not otherwise specified	Y
E0776	Iv pole	Y
E0779	Ambulatory infusion pump, mechanical, reusable, for infusion 8 hours or greater	Y
E0780	Ambulatory infusion pump, mechanical, reusable, for infusion less than 8 hours	Y
E0781	Ambulatory infusion pump, single or multiple channels, electric or battery operated, with administrative equipment, worn by patient	Y
E0784	External ambulatory infusion pump, insulin	Y
E0791	Parenteral infusion pump, stationary, single or multi-channel	Y
E0830	Ambulatory traction device, all types, each	N
E0840	Traction frame, attached to headboard, cervical traction	Y
E0849	Traction equipment, cervical, free-standing stand/frame, pneumatic, applying traction force to other than mandible	N

CPT® Code	CPT® Code Description	Requires PA
E0850	Traction stand, free standing, cervical traction	Y
E0855	Cervical traction equipment not requiring additional stand or frame	N
E0856	Cervical traction device, with inflatable air bladder(s)	N
E0860	Traction equipment, overdoor, cervical	N
E0870	Traction frame, attached to footboard, extremity traction, (e.g., buck's)	N
E0880	Traction stand, free standing, extremity traction	N
E0890	Traction frame, attached to footboard, pelvic traction	N
E0900	Traction stand, free standing, pelvic traction, (e.g., buck's)	N
E0910	Trapeze bars, a/k/a patient helper, attached to bed, with grab bar	N
E0911	Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, attached to bed, with grab bar	N
E0912	Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, free standing, complete with grab bar	N
E0920	Fracture frame, attached to bed, includes weights	Y
E0930	Fracture frame, free standing, includes weights	Y
E0935	Continuous passive motion exercise device for use on knee only	Y
E0936	Continuous passive motion exercise device for use other than knee	Y
E0940	Trapeze bar, free standing, complete with grab bar	N
E0941	Gravity assisted traction device, any type	Y
E0942	Cervical head harness/halter	N
E0944	Pelvic belt/harness/boot	N
E0945	Extremity belt/harness	N
E0946	Fracture, frame, dual with cross bars, attached to bed, (e.g., balken, 4 poster)	Y
E0947	Fracture frame, attachments for complex pelvic traction	Y
E0948	Fracture frame, attachments for complex cervical traction	Y
E0950	Wheelchair accessory, tray, each	N
E0951	Heel loop/holder, any type, with or without ankle strap, each	N
E0952	Toe loop/holder, any type, each	N
E0953	Wheelchair accessory, lateral thigh or knee support, any type including fixed mounting hardware, each	N
E0954	Wheelchair accessory, foot box, any type, includes attachment and mounting hardware, each foot	N
E0955	Wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each	N
E0956	Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each	Y
E0957	Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each	Y
E0958	Manual wheelchair accessory, one-arm drive attachment, each	N
E0959	Manual wheelchair accessory, adapter for amputee, each	N
E0960	Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware	Y
E0961	Manual wheelchair accessory, wheel lock brake extension (handle), each	Y
E0966	Manual wheelchair accessory, headrest extension, each	N
E0967	Manual wheelchair accessory, hand rim with projections, any type, replacement only, each	N
E0968	Commode seat, wheelchair	Y
E0969	Narrowing device, wheelchair	Y
E0970	No. 2 footplates, except for elevating leg rest	N
E0971	Manual wheelchair accessory, anti-tipping device, each	N
E0973	Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each	Y
E0974	Manual wheelchair accessory, anti-rollback device, each	Y
E0978	Wheelchair accessory, positioning belt/safety belt/pelvic strap, each	N
E0980	Safety vest, wheelchair	N
E0981	Wheelchair accessory, seat upholstery, replacement only, each	N
E0982	Wheelchair accessory, back upholstery, replacement only, each	N



CPT® Code	CPT® Code Description	Requires PA
E0983	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control	Y
E0984	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, tiller control	Y
E0985	Wheelchair accessory, seat lift mechanism	Y
E0986	Manual wheelchair accessory, push-rim activated power assist system	Y
E0988	Manual wheelchair accessory, lever-activated, wheel drive, pair	N
E0990	Wheelchair accessory, elevating leg rest, complete assembly, each	N
E0992	Manual wheelchair accessory, solid seat insert	N
E0994	Arm rest, each	N
E0995	Wheelchair accessory, calf rest/pad, replacement only, each	N
E1002	Wheelchair accessory, power seating system, tilt only	Y
E1003	Wheelchair accessory, power seating system, recline only, without shear reduction	Y
E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear reduction	Y
E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction	Y
E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction	Y
E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction	Y
E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction	Y
E1009	Wheelchair accessory, addition to power seating system, mechanically linked leg elevation system, including pushrod and leg rest, each	Y
E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair	Y
E1011	Modification to pediatric size wheelchair, width adjustment package (not to be dispensed with initial chair)	N
E1012	Wheelchair accessory, addition to power seating system, center mount power elevating leg rest/platform, complete system, any type, each	Y
E1014	Reclining back, addition to pediatric size wheelchair	N
E1015	Shock absorber for manual wheelchair, each	N
E1016	Shock absorber for power wheelchair, each	N
E1017	Heavy duty shock absorber for heavy duty or extra heavy duty manual wheelchair, each	Y
E1018	Heavy duty shock absorber for heavy duty or extra heavy duty power wheelchair, each	Y
E1020	Residual limb support system for wheelchair, any type	N
E1022	Wheelchair transportation securement system, any type includes all components and accessories	Y
E1023	Wheelchair transit securement system, includes all components and accessories	Y
E1028	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware, other	N
E1029	Wheelchair accessory, ventilator tray, fixed	N
E1030	Wheelchair accessory, ventilator tray, gimbaled	N
E1031	Rollabout chair, any and all types with casters 5" or greater	N
E1032	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware used with joystick or other drive control interface	Y
E1033	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for headrest, cushioned, any type	Y
E1034	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for lateral trunk or hip support, any type	Y
E1035	Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity up to and including 300 lbs	Y
E1036	Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient weight capacity greater than 300 lbs	Y
E1037	Transport chair, pediatric size	N
E1038	Transport chair, adult size, patient weight capacity up to and including 300 pounds	N
E1039	Transport chair, adult size, heavy duty, patient weight capacity greater than 300 pounds	N
E1050	Fully-reclining wheelchair, fixed full length arms, swing away detachable elevating leg rests	Y
E1060	Fully-reclining wheelchair, detachable arms, desk or full length, swing away detachable elevating legrests	Y

CPT® Code	CPT® Code Description	Requires PA
E1070	Fully-reclining wheelchair, detachable arms (desk or full length) swing away detachable footrest	Y
E1083	Hemi-wheelchair, fixed full length arms, swing away detachable elevating leg rest	Y
E1084	Hemi-wheelchair, detachable arms desk or full length arms, swing away detachable elevating leg rests	Y
E1085	Hemi-wheelchair, fixed full length arms, swing away detachable foot rests	Y
E1086	Hemi-wheelchair detachable arms desk or full length, swing away detachable footrests	Y
E1087	High strength lightweight wheelchair, fixed full length arms, swing away detachable elevating leg rests	Y
E1088	High strength lightweight wheelchair, detachable arms desk or full length, swing away detachable elevating leg rests	Y
E1089	High strength lightweight wheelchair, fixed length arms, swing away detachable footrest	Y
E1090	High strength lightweight wheelchair, detachable arms desk or full length, swing away detachable foot rests	Y
E1092	Wide heavy duty wheel chair, detachable arms (desk or full length), swing away detachable elevating leg rests	Y
E1093	Wide heavy duty wheelchair, detachable arms desk or full length arms, swing away detachable footrests	Y
E1100	Semi-reclining wheelchair, fixed full length arms, swing away detachable elevating leg rests	Y
E1110	Semi-reclining wheelchair, detachable arms (desk or full length) elevating leg rest	Y
E1130	Standard wheelchair, fixed full length arms, fixed or swing away detachable footrests	Y
E1140	Wheelchair, detachable arms, desk or full length, swing away detachable footrests	Y
E1150	Wheelchair, detachable arms, desk or full length swing away detachable elevating legrests	Y
E1160	Wheelchair, fixed full length arms, swing away detachable elevating legrests	Y
E1161	Manual adult size wheelchair, includes tilt in space	Y
E1170	Amputee wheelchair, fixed full length arms, swing away detachable elevating legrests	N
E1171	Amputee wheelchair, fixed full length arms, without footrests or legrest	N
E1172	Amputee wheelchair, detachable arms (desk or full length) without footrests or legrest	N
E1180	Amputee wheelchair, detachable arms (desk or full length) swing away detachable footrests	N
E1190	Amputee wheelchair, detachable arms (desk or full length) swing away detachable elevating legrests	N
E1195	Heavy duty wheelchair, fixed full length arms, swing away detachable elevating legrests	Y
E1200	Amputee wheelchair, fixed full length arms, swing away detachable footrest	N
E1220	Wheelchair; specially sized or constructed, (indicate brand name, model number, if any) and justification	Y
E1221	Wheelchair with fixed arm, footrests	Y
E1222	Wheelchair with fixed arm, elevating legrests	Y
E1223	Wheelchair with detachable arms, footrests	Y
E1224	Wheelchair with detachable arms, elevating legrests	Y
E1225	Wheelchair accessory, manual semi-reclining back, (recline greater than 15 degrees, but less than 80 degrees), each	Y
E1226	Wheelchair accessory, manual fully reclining back, (recline greater than 80 degrees), each	Y
E1227	Special height arms for wheelchair	Y
E1228	Special back height for wheelchair	N
E1229	Wheelchair, pediatric size, not otherwise specified	Y
E1230	Power operated vehicle (three or four wheel nonhighway) specify brand name and model number	Y
E1231	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seating system	N
E1232	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seating system	N
E1233	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system	N
E1234	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system	N
E1235	Wheelchair, pediatric size, rigid, adjustable, with seating system	N
E1236	Wheelchair, pediatric size, folding, adjustable, with seating system	N
E1237	Wheelchair, pediatric size, rigid, adjustable, without seating system	N
E1238	Wheelchair, pediatric size, folding, adjustable, without seating system	N
E1239	Power wheelchair, pediatric size, not otherwise specified	Y
E1240	Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating legrest	Y
E1250	Lightweight wheelchair, fixed full length arms, swing away detachable footrest	Y

CPT® Code	CPT® Code Description	Requires PA
E1260	Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest	Y
E1270	Lightweight wheelchair, fixed full length arms, swing away detachable elevating legrests	Y
E1280	Heavy duty wheelchair, detachable arms (desk or full length) elevating legrests	Y
E1285	Heavy duty wheelchair, fixed full length arms, swing away detachable footrest	Y
E1290	Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest	Y
E1295	Heavy duty wheelchair, fixed full length arms, elevating legrest	Y
E1296	Special wheelchair seat height from floor	Y
E1297	Special wheelchair seat depth, by upholstery	N
E1298	Special wheelchair seat depth and/or width, by construction	Y
E1300	Whirlpool, portable (overtub type)	Y
E1301	Whirlpool tub, walk-in, portable	Y
E1310	Whirlpool, non-portable (built-in type)	Y
E1352	Oxygen accessory, flow regulator capable of positive inspiratory pressure	Y
E1353	Regulator	Y
E1354	Oxygen accessory, wheeled cart for portable cylinder or portable concentrator, any type, replacement only, each	N
E1355	Stand/rack	Y
E1356	Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each	Y
E1357	Oxygen accessory, battery charger for portable concentrator, any type, replacement only, each	Y
E1358	Oxygen accessory, dc power adapter for portable concentrator, any type, replacement only, each	Y
E1372	Immersion external heater for nebulizer	Y
E1390	Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate	Y
E1391	Oxygen concentrator, dual delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate, each	Y
E1392	Portable oxygen concentrator, rental	Y
E1399	Durable medical equipment, miscellaneous	Y
E1405	Oxygen and water vapor enriching system with heated delivery	Y
E1406	Oxygen and water vapor enriching system without heated delivery	Y
E1500	Centrifuge, for dialysis	N
E1510	Kidney, dialysate delivery syst kidney machine, pump recirculating, air removal syst, flowrate meter, power off, heater and temperature control with alarm, i.v. poles, pressure gauge, concentrate container	N
E1520	Heparin infusion pump for hemodialysis	N
E1530	Air bubble detector for hemodialysis, each, replacement	N
E1540	Pressure alarm for hemodialysis, each, replacement	N
E1550	Bath conductivity meter for hemodialysis, each	N
E1560	Blood leak detector for hemodialysis, each, replacement	N
E1570	Adjustable chair, for esrd patients	N
E1575	Transducer protectors/fluid barriers, for hemodialysis, any size, per 10	N
E1580	Unipuncture control system for hemodialysis	N
E1590	Hemodialysis machine	N
E1592	Automatic intermittent peritoneal dialysis system	N
E1594	Cycler dialysis machine for peritoneal dialysis	N
E1600	Delivery and/or installation charges for hemodialysis equipment	N
E1610	Reverse osmosis water purification system, for hemodialysis	N
E1615	Deionizer water purification system, for hemodialysis	N
E1620	Blood pump for hemodialysis, replacement	N
E1625	Water softening system, for hemodialysis	N
E1630	Reciprocating peritoneal dialysis system	N

CPT® Code	CPT® Code Description	Requires PA
E1632	Wearable artificial kidney, each	N
E1634	Peritoneal dialysis clamps, each	N
E1635	Compact (portable) travel hemodialyzer system	N
E1636	Sorbent cartridges, for hemodialysis, per 10	N
E1637	Hemostats, each	N
E1639	Scale, each	N
E1699	Dialysis equipment, not otherwise specified	N
E1700	Jaw motion rehabilitation system	Y
E1701	Replacement cushions for jaw motion rehabilitation system, pkg. of 6	N
E1702	Replacement measuring scales for jaw motion rehabilitation system, pkg. of 200	N
E1800	Dynamic adjustable elbow extension/flexion device, includes soft interface material	Y
E1801	Static progressive stretch/patient actualized serial stretch elbow device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories	Y
E1802	Dynamic adjustable forearm pronation/supination device, includes soft interface material	Y
E1805	Dynamic adjustable wrist extension / flexion device, includes soft interface material	Y
E1806	Static progressive stretch wrist device, flexion and/or extension, with or without range of motion adjustment, includes all components and accessories	Y
E1810	Dynamic adjustable knee extension / flexion device, includes soft interface material	N
E1811	Static progressive stretch/patient actualized serial stretch knee device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories	N
E1812	Dynamic knee, extension/flexion device with active resistance control	N
E1815	Dynamic adjustable ankle extension/flexion device, includes soft interface material	N
E1816	Static progressive stretch/patient actualized serial stretch ankle device, flexion and/or extension, with or without range of motion adjustment, includes all components and accessories	N
E1818	Static progressive stretch/patient actualized serial stretch forearm pronation / supination device, with or without range of motion adjustment, includes all components and accessories	N
E1820	Replacement soft interface material, dynamic adjustable extension/flexion device	N
E1821	Replacement soft interface material/cuffs for bi-directional static progressive stretch device	N
E1825	Dynamic adjustable finger extension/flexion device, includes soft interface material	Y
E1830	Dynamic adjustable toe extension/flexion device, includes soft interface material	N
E1831	Static progressive stretch toe device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories	N
E1832	Static progressive stretch finger device, extension and/or flexion, with or without range of motion adjustment, includes all components and accessories	Y
E1840	Dynamic adjustable shoulder flexion / abduction / rotation device, includes soft interface material	Y
E1841	Static progressive stretch/patient actualized serial stretch shoulder device, with or without range of motion adjustment, includes all components and accessories	Y
E1902	Communication board, non-electronic augmentative or alternative communication device	N
E2000	Gastric suction pump, home model, portable or stationary, electric	Y
E2001	Suction pump, home model, portable or stationary, electric, any type, for use with external urine management system	Y
E2100	Blood glucose monitor with integrated voice synthesizer	Y
E2101	Blood glucose monitor with integrated lancing/blood sample	Y
E2102	Adjunctive, non-implanted continuous glucose monitor or receiver	Y
E2103	Non-adjunctive, non-implanted continuous glucose monitor or receiver	Y
E2104	Home blood glucose monitor for use with integrated lancing/blood sample testing cartridge	Y
E2120	Pulse generator system for tympanic treatment of inner ear endolymphatic fluid	N
E2201	Manual wheelchair accessory, nonstandard seat frame, width greater than or equal to 20 inches and less than 24 inches	Y

CPT® Code	CPT® Code Description	Requires PA
E2202	Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches	Y
E2203	Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches	Y
E2204	Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches	Y
E2205	Manual wheelchair accessory, handrim without projections (includes ergonomic or contoured), any type, replacement only, each	N
E2206	Manual wheelchair accessory, wheel lock assembly, complete, replacement only, each	Y
E2207	Wheelchair accessory, crutch and cane holder, each	N
E2208	Wheelchair accessory, cylinder tank carrier, each	N
E2209	Accessory, arm trough, with or without hand support, each	Y
E2210	Wheelchair accessory, bearings, any type, replacement only, each	N
E2211	Manual wheelchair accessory, pneumatic propulsion tire, any size, each	N
E2212	Manual wheelchair accessory, tube for pneumatic propulsion tire, any size, each	N
E2213	Manual wheelchair accessory, insert for pneumatic propulsion tire (removable), any type, any size, each	N
E2214	Manual wheelchair accessory, pneumatic caster tire, any size, each	N
E2215	Manual wheelchair accessory, tube for pneumatic caster tire, any size, each	N
E2216	Manual wheelchair accessory, foam filled propulsion tire, any size, each	N
E2217	Manual wheelchair accessory, foam filled caster tire, any size, each	N
E2218	Manual wheelchair accessory, foam propulsion tire, any size, each	N
E2219	Manual wheelchair accessory, foam caster tire, any size, each	N
E2220	Manual wheelchair accessory, solid (rubber/plastic) propulsion tire, any size, replacement only, each	N
E2221	Manual wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, replacement only, each	N
E2222	Manual wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, replacement only, each	N
E2224	Manual wheelchair accessory, propulsion wheel excludes tire, any size, replacement only, each	Y
E2225	Manual wheelchair accessory, caster wheel excludes tire, any size, replacement only, each	N
E2226	Manual wheelchair accessory, caster fork, any size, replacement only, each	N
E2227	Manual wheelchair accessory, gear reduction drive wheel, each	Y
E2228	Manual wheelchair accessory, wheel braking system and lock, complete, each	Y
E2230	Manual wheelchair accessory, manual standing system	Y
E2231	Manual wheelchair accessory, solid seat support base (replaces sling seat), includes any type mounting hardware	Y
E2291	Back, planar, for pediatric size wheelchair including fixed attaching hardware	N
E2292	Seat, planar, for pediatric size wheelchair including fixed attaching hardware	N
E2293	Back, contoured, for pediatric size wheelchair including fixed attaching hardware	N
E2294	Seat, contoured, for pediatric size wheelchair including fixed attaching hardware	N
E2295	Manual wheelchair accessory, for pediatric size wheelchair, dynamic seating frame, allows coordinated movement of multiple positioning features	N
E2298	Complex rehabilitative power wheelchair accessory, power seat elevation system, any type	Y
E2301	Wheelchair accessory, power standing system, any type	Y
E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	Y
E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	Y
E2312	Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including fixed mounting hardware	Y
E2313	Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounting hardware, each	Y
E2321	Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware	Y

CPT® Code	CPT® Code Description	Requires PA
E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware	Y
E2323	Power wheelchair accessory, specialty joystick handle for hand control interface, prefabricated	Y
E2324	Power wheelchair accessory, chin cup for chin control interface	Y
E2325	Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware	Y
E2326	Power wheelchair accessory, breath tube kit for sip and puff interface	Y
E2327	Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware	Y
E2328	Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware	Y
E2329	Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware	Y
E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware	Y
E2331	Power wheelchair accessory, attendant control, proportional, including all related electronics and fixed mounting hardware	Y
E2340	Power wheelchair accessory, nonstandard seat frame width, 20-23 inches	Y
E2341	Power wheelchair accessory, nonstandard seat frame width, 24-27 inches	Y
E2342	Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches	Y
E2343	Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches	Y
E2351	Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface	Y
E2358	Power wheelchair accessory, group 34 non-sealed lead acid battery, each	Y
E2359	Power wheelchair accessory, group 34 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)	Y
E2360	Power wheelchair accessory, 22nf non-sealed lead acid battery, each	Y
E2361	Power wheelchair accessory, 22nf sealed lead acid battery, each, (e.g., gel cell, absorbed glassmat)	Y
E2362	Power wheelchair accessory, group 24 non-sealed lead acid battery, each	Y
E2363	Power wheelchair accessory, group 24 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)	Y
E2364	Power wheelchair accessory, u-1 non-sealed lead acid battery, each	Y
E2365	Power wheelchair accessory, u-1 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)	Y
E2366	Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or non-sealed, each	Y
E2367	Power wheelchair accessory, battery charger, dual mode, for use with either battery type, sealed or non-sealed, each	Y
E2368	Power wheelchair component, drive wheel motor, replacement only	Y
E2369	Power wheelchair component, drive wheel gear box, replacement only	Y
E2370	Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only	Y
E2371	Power wheelchair accessory, group 27 sealed lead acid battery, (e.g., gel cell, absorbed glassmat), each	Y
E2372	Power wheelchair accessory, group 27 non-sealed lead acid battery, each	Y
E2373	Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware	Y
E2374	Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only	Y
E2375	Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only	Y
E2376	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only	Y
E2377	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue	Y
E2378	Power wheelchair component, actuator, replacement only	Y
E2381	Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each	Y
E2382	Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each	Y



CPT® Code	CPT® Code Description	Requires PA
E2383	Power wheelchair accessory, insert for pneumatic drive wheel tire (removable), any type, any size, replacement only, each	Y
E2384	Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each	Y
E2385	Power wheelchair accessory, tube for pneumatic caster tire, any size, replacement only, each	Y
E2386	Power wheelchair accessory, foam filled drive wheel tire, any size, replacement only, each	Y
E2387	Power wheelchair accessory, foam filled caster tire, any size, replacement only, each	Y
E2388	Power wheelchair accessory, foam drive wheel tire, any size, replacement only, each	Y
E2389	Power wheelchair accessory, foam caster tire, any size, replacement only, each	Y
E2390	Power wheelchair accessory, solid (rubber/plastic) drive wheel tire, any size, replacement only, each	Y
E2391	Power wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, replacement only, each	Y
E2392	Power wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, replacement only, each	Y
E2394	Power wheelchair accessory, drive wheel excludes tire, any size, replacement only, each	Y
E2395	Power wheelchair accessory, caster wheel excludes tire, any size, replacement only, each	Y
E2396	Power wheelchair accessory, caster fork, any size, replacement only, each	Y
E2397	Power wheelchair accessory, lithium-based battery, each	Y
E2398	Wheelchair accessory, dynamic positioning hardware for back	Y
E2402	Negative pressure wound therapy electrical pump, stationary or portable	Y
E2500	Speech generating device, digitized speech, using pre-recorded messages, less than or equal to 8 minutes recording time	Y
E2502	Speech generating device, digitized speech, using pre-recorded messages, greater than 8 minutes but less than or equal to 20 minutes recording time	Y
E2504	Speech generating device, digitized speech, using pre-recorded messages, greater than 20 minutes but less than or equal to 40 minutes recording time	Y
E2506	Speech generating device, digitized speech, using pre-recorded messages, greater than 40 minutes recording time	Y
E2508	Speech generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device	Y
E2510	Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access	Y
E2511	Speech generating software program, for personal computer or personal digital assistant	Y
E2512	Accessory for speech generating device, mounting system	Y
E2599	Accessory for speech generating device, not otherwise classified	Y
E2601	General use wheelchair seat cushion, width less than 22 inches, any depth	N
E2602	General use wheelchair seat cushion, width 22 inches or greater, any depth	N
E2603	Skin protection wheelchair seat cushion, width less than 22 inches, any depth	N
E2604	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth	N
E2605	Positioning wheelchair seat cushion, width less than 22 inches, any depth	Y
E2606	Positioning wheelchair seat cushion, width 22 inches or greater, any depth	Y
E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth	Y
E2608	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth	Y
E2609	Custom fabricated wheelchair seat cushion, any size	Y
E2610	Wheelchair seat cushion, powered	Y
E2611	General use wheelchair back cushion, width less than 22 inches, any height, including any type mounting hardware	Y
E2612	General use wheelchair back cushion, width 22 inches or greater, any height, including any type mounting hardware	Y
E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware	Y
E2614	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware	Y
E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware	Y
E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware	Y
E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware	Y
E2619	Replacement cover for wheelchair seat cushion or back cushion, each	N



CPT® Code	CPT® Code Description	Requires PA
E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware	Y
E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware	Y
E2622	Skin protection wheelchair seat cushion, adjustable, width less than 22 inches, any depth	Y
E2623	Skin protection wheelchair seat cushion, adjustable, width 22 inches or greater, any depth	Y
E2624	Skin protection and positioning wheelchair seat cushion, adjustable, width less than 22 inches, any depth	Y
E2625	Skin protection and positioning wheelchair seat cushion, adjustable, width 22 inches or greater, any depth	Y
E2626	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable	N
E2627	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type	N
E2628	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, reclining	N
E2629	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints)	N
E2630	Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support	N
E2631	Wheelchair accessory, addition to mobile arm support, elevating proximal arm	N
E2632	Wheelchair accessory, addition to mobile arm support, offset or lateral rocker arm with elastic balance control	N
E2633	Wheelchair accessory, addition to mobile arm support, supinator	N
E3000	Speech volume modulation system, any type, including all components and accessories	Y
E8000	Gait trainer, pediatric size, posterior support, includes all accessories and components	N
E8001	Gait trainer, pediatric size, upright support, includes all accessories and components	N
E8002	Gait trainer, pediatric size, anterior support, includes all accessories and components	N
K0001	Standard wheelchair	Y
K0002	Standard hemi (low seat) wheelchair	Y
K0003	Lightweight wheelchair	Y
K0004	High strength, lightweight wheelchair	Y
K0005	Ultralightweight wheelchair	Y
K0006	Heavy duty wheelchair	Y
K0007	Extra heavy duty wheelchair	Y
K0008	Custom manual wheelchair/base	Y
K0009	Other manual wheelchair/base	Y
K0010	Standard - weight frame motorized/power wheelchair	Y
K0011	Standard - weight frame motorized/power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control and braking	Y
K0012	Lightweight portable motorized/power wheelchair	Y
K0013	Custom motorized/power wheelchair base	Y
K0014	Other motorized/power wheelchair base	Y
K0015	Detachable, non-adjustable height armrest, replacement only, each	N
K0017	Detachable, adjustable height armrest, base, replacement only, each	Y
K0018	Detachable, adjustable height armrest, upper portion, replacement only, each	Y
K0019	Arm pad, replacement only, each	N
K0020	Fixed, adjustable height armrest, pair	N
K0037	High mount flip-up footrest, each	N
K0038	Leg strap, each	N
K0039	Leg strap, h style, each	N
K0040	Adjustable angle footplate, each	N
K0041	Large size footplate, each	N

CPT® Code	CPT® Code Description	Requires PA
K0042	Standard size footplate, replacement only, each	N
K0043	Footrest, lower extension tube, replacement only, each	N
K0044	Footrest, upper hanger bracket, replacement only, each	N
K0045	Footrest, complete assembly, replacement only, each	N
K0046	Elevating legrest, lower extension tube, replacement only, each	N
K0047	Elevating legrest, upper hanger bracket, replacement only, each	N
K0050	Ratchet assembly, replacement only	N
K0051	Cam release assembly, footrest or legrest, replacement only, each	Y
K0052	Swingaway, detachable footrests, replacement only, each	Y
K0053	Elevating footrests, articulating (telescoping), each	Y
K0056	Seat height less than 17" or equal to or greater than 21" for a high strength, lightweight, or ultralightweight wheelchair	N
K0065	Spoke protectors, each	N
K0069	Rear wheel assembly, complete, with solid tire, spokes or molded, replacement only, each	Y
K0070	Rear wheel assembly, complete, with pneumatic tire, spokes or molded, replacement only, each	N
K0071	Front caster assembly, complete, with pneumatic tire, replacement only, each	Y
K0072	Front caster assembly, complete, with semi-pneumatic tire, replacement only, each	Y
K0073	Caster pin lock, each	N
K0077	Front caster assembly, complete, with solid tire, replacement only, each	N
K0098	Drive belt for power wheelchair, replacement only	N
K0105	Iv hanger, each	N
K0108	Wheelchair component or accessory, not otherwise specified	Y
K0195	Elevating leg rests, pair (for use with capped rental wheelchair base)	Y
K0455	Infusion pump used for uninterrupted parenteral administration of medication, (e.g., epoprostenol or treprostinol)	Y
K0462	Temporary replacement for patient owned equipment being repaired, any type	N
K0552	Supplies for external non-insulin drug infusion pump, syringe type cartridge, sterile, each	N
K0601	Replacement battery for external infusion pump owned by patient, silver oxide, 1.5 volt, each	N
K0602	Replacement battery for external infusion pump owned by patient, silver oxide, 3 volt, each	N
K0603	Replacement battery for external infusion pump owned by patient, alkaline, 1.5 volt, each	N
K0604	Replacement battery for external infusion pump owned by patient, lithium, 3.6 volt, each	N
K0605	Replacement battery for external infusion pump owned by patient, lithium, 4.5 volt, each	N
K0606	Automatic external defibrillator, with integrated electrocardiogram analysis, garment type	Y
K0607	Replacement battery for automated external defibrillator, garment type only, each	Y
K0608	Replacement garment for use with automated external defibrillator, each	Y
K0609	Replacement electrodes for use with automated external defibrillator, garment type only, each	Y
K0669	Wheelchair accessory, wheelchair seat or back cushion, does not meet specific code criteria or no written coding verification from dme pdac	Y
K0672	Addition to lower extremity orthosis, removable soft interface, all components, replacement only, each	Y
K0730	Controlled dose inhalation drug delivery system	Y
K0733	Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)	N
K0738	Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
K0739	Repair or nonroutine service for durable medical equipment other than oxygen equipment requiring the skill of a technician, labor component, per 15 minutes	N
K0740	Repair or nonroutine service for oxygen equipment requiring the skill of a technician, labor component, per 15 minutes	N
K0744	Absorptive wound dressing for use with suction pump, home model, portable, pad size 16 square inches or less	N
K0745	Absorptive wound dressing for use with suction pump, home model, portable, pad size more than 16 square inches but less than or equal to 48 square inches	N

CPT® Code	CPT® Code Description	Requires PA
K0746	Absorptive wound dressing for use with suction pump, home model, portable, pad size greater than 48 square inches	N
K0800	Power operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds	Y
K0801	Power operated vehicle, group 1 heavy duty, patient weight capacity 301 to 450 pounds	Y
K0802	Power operated vehicle, group 1 very heavy duty, patient weight capacity 451 to 600 pounds	Y
K0806	Power operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds	Y
K0807	Power operated vehicle, group 2 heavy duty, patient weight capacity 301 to 450 pounds	Y
K0808	Power operated vehicle, group 2 very heavy duty, patient weight capacity 451 to 600 pounds	Y
K0812	Power operated vehicle, not otherwise classified	Y
K0813	Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds	Y
K0814	Power wheelchair, group 1 standard, portable, captains chair, patient weight capacity up to and including 300 pounds	Y
K0815	Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds	Y
K0816	Power wheelchair, group 1 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0820	Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0821	Power wheelchair, group 2 standard, portable, captains chair, patient weight capacity up to and including 300 pounds	Y
K0822	Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0823	Power wheelchair, group 2 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0824	Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0825	Power wheelchair, group 2 heavy duty, captains chair, patient weight capacity 301 to 450 pounds	Y
K0826	Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0827	Power wheelchair, group 2 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds	Y
K0828	Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0829	Power wheelchair, group 2 extra heavy duty, captains chair, patient weight 601 pounds or more	Y
K0830	Power wheelchair, group 2 standard, seat elevator, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0831	Power wheelchair, group 2 standard, seat elevator, captains chair, patient weight capacity up to and including 300 pounds	Y
K0835	Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0836	Power wheelchair, group 2 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0837	Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0838	Power wheelchair, group 2 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds	Y
K0839	Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0840	Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0841	Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0842	Power wheelchair, group 2 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0843	Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0848	Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0849	Power wheelchair, group 3 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0850	Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0851	Power wheelchair, group 3 heavy duty, captains chair, patient weight capacity 301 to 450 pounds	Y
K0852	Power wheelchair, group 3 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0853	Power wheelchair, group 3 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds	Y
K0854	Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0855	Power wheelchair, group 3 extra heavy duty, captains chair, patient weight capacity 601 pounds or more	Y
K0856	Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0857	Power wheelchair, group 3 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0858	Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds	Y

CPT® Code	CPT® Code Description	Requires PA
K0859	Power wheelchair, group 3 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds	Y
K0860	Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0861	Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0862	Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0863	Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0864	Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0868	Power wheelchair, group 4 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0869	Power wheelchair, group 4 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0870	Power wheelchair, group 4 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0871	Power wheelchair, group 4 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0877	Power wheelchair, group 4 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0878	Power wheelchair, group 4 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0879	Power wheelchair, group 4 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0880	Power wheelchair, group 4 very heavy duty, single power option, sling/solid seat/back, patient weight 451 to 600 pounds	Y
K0884	Power wheelchair, group 4 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0885	Power wheelchair, group 4 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0886	Power wheelchair, group 4 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0890	Power wheelchair, group 5 pediatric, single power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds	Y
K0891	Power wheelchair, group 5 pediatric, multiple power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds	Y
K0898	Power wheelchair, not otherwise classified	Y
K0899	Power mobility device, not coded by dme pdac or does not meet criteria	Y
K0900	Customized durable medical equipment, other than wheelchair	Y
K1004	Low frequency ultrasonic diathermy treatment device for home use	Y
K1027	Oral device/appliance used to reduce upper airway collapsibility, without fixed mechanical hinge, custom fabricated, includes fitting and adjustment. Effective 2/1/2022	Y
K1030	External recharging system for battery (internal) for use with implanted cardiac contractility modulation generator, replacement only	Y
K1036	Supplies and accessories (e.g., transducer) for low frequency ultrasonic diathermy treatment device, per month	Y
L0112	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated	N
L0113	Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment	Y
L0120	Cervical, flexible, non-adjustable, prefabricated, off-the-shelf (foam collar)	N
L0130	Cervical, flexible, thermoplastic collar, molded to patient	N
L0140	Cervical, semi-rigid, adjustable (plastic collar)	N
L0150	Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece)	N
L0160	Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf	N
L0170	Cervical, collar, molded to patient model	N
L0172	Cervical, collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf	N
L0174	Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension, prefabricated, off-the-shelf	N
L0180	Cervical, multiple post collar, occipital/mandibular supports, adjustable	N
L0190	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars (somi, guilford, taylor types)	N

CPT® Code	CPT® Code Description	Requires PA
L0200	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension	N
L0220	Thoracic, rib belt, custom fabricated	N
L0450	Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf	N
L0452	Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated	N
L0454	Tlso flexible, provides trunk support, extends from sacrococcygeal junction to above t-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0455	Tlso, flexible, provides trunk support, extends from sacrococcygeal junction to above t-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf	Y
L0456	Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0457	Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf	Y
L0458	Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	Y
L0460	Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0462	Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	Y
L0464	Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	Y
L0466	Tlso, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0467	Tlso, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf	Y
L0468	Tlso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y

CPT® Code	CPT® Code Description	Requires PA
L0469	Tlso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf	Y
L0470	Tlso, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	Y
L0472	Tlso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	Y
L0480	Tlso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	Y
L0482	Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	Y
L0484	Tlso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	Y
L0486	Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	Y
L0488	Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment	Y
L0490	Tlso, sagittal-coronal control, one piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the t-9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment	Y
L0491	Tlso, sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	Y
L0492	Tlso, sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	Y
L0621	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf	N



CPT® Code	CPT® Code Description	Requires PA
L0622	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated	Y
L0623	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf	N
L0624	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated	Y
L0625	Lumbar orthosis, flexible, provides lumbar support, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, off-the-shelf	Y
L0626	Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0627	Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0628	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0629	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated	Y
L0630	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0631	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0632	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	Y
L0633	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0634	Partial hand, finger, and thumb prosthesis without prosthetic digit(s)/thumb, amputation at distal to metacarpal joint, including flexible or non-flexible interface, molded to patient model, for use without external power and/or passive prosthetic digit/thumb, not including inserts described by L6692	Y
L0635	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment	Y

CPT® Code	CPT® Code Description	Requires PA
L0636	Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated	Y
L0637	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0638	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	Y
L0639	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0640	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated	Y
L0641	Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0642	Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0643	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0648	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0649	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0650	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0651	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf	Y
L0700	Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model, (minerva type)	N

CPT® Code	CPT® Code Description	Requires PA
L0710	Ctlso, anterior-posterior-lateral-control, molded to patient model, with interface material, (minerva type)	N
L0720	Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L0810	Halo procedure, cervical halo incorporated into jacket vest	N
L0820	Halo procedure, cervical halo incorporated into plaster body jacket	N
L0830	Halo procedure, cervical halo incorporated into milwaukee type orthosis	N
L0859	Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material	N
L0861	Addition to halo procedure, replacement liner/interface material	N
L0970	Tlso, corset front	N
L0972	Lso, corset front	N
L0974	Tlso, full corset	N
L0976	Lso, full corset	N
L0978	Axillary crutch extension	N
L0980	Peroneal straps, prefabricated, off-the-shelf, pair	N
L0982	Stocking supporter grips, prefabricated, off-the-shelf, set of four (4)	N
L0984	Protective body sock, prefabricated, off-the-shelf, each	Y
L0999	Addition to spinal orthosis, not otherwise specified	Y
L1000	Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model	N
L1001	Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment	N
L1005	Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment	N
L1007	Scoliosis orthosis, sagittal-coronal control provided by a rigid lateral frame, extends from axilla, to trochanter, includes all accessory pads, straps, and interface, custom fabricated	Y
L1010	Addition to cervical-thoracic-lumbar-sacral orthosis (ctlso) or scoliosis orthosis, axilla sling	N
L1020	Addition to ctlso or scoliosis orthosis, kyphosis pad	N
L1025	Addition to ctlso or scoliosis orthosis, kyphosis pad, floating	N
L1030	Addition to ctlso or scoliosis orthosis, lumbar bolster pad	N
L1040	Addition to ctlso or scoliosis orthosis, lumbar or lumbar rib pad	N
L1050	Addition to ctlso or scoliosis orthosis, sternal pad	N
L1060	Addition to ctlso or scoliosis orthosis, thoracic pad	N
L1070	Addition to ctlso or scoliosis orthosis, trapezius sling	N
L1080	Addition to ctlso or scoliosis orthosis, outrigger	N
L1085	Addition to ctlso or scoliosis orthosis, outrigger, bilateral with vertical extensions	N
L1090	Addition to ctlso or scoliosis orthosis, lumbar sling	N
L1100	Addition to ctlso or scoliosis orthosis, ring flange, plastic or leather	N
L1110	Addition to ctlso or scoliosis orthosis, ring flange, plastic or leather, molded to patient model	N
L1120	Addition to ctlso, scoliosis orthosis, cover for upright, each	N
L1200	Thoracic-lumbar-sacral-orthosis (tlso), inclusive of furnishing initial orthosis only	Y
L1210	Addition to tlso, (low profile), lateral thoracic extension	N
L1220	Addition to tlso, (low profile), anterior thoracic extension	N
L1230	Addition to tlso, (low profile), milwaukee type superstructure	N
L1240	Addition to tlso, (low profile), lumbar derotation pad	N
L1250	Addition to tlso, (low profile), anterior asis pad	N
L1260	Addition to tlso, (low profile), anterior thoracic derotation pad	N
L1270	Addition to tlso, (low profile), abdominal pad	N
L1280	Addition to tlso, (low profile), rib gusset (elastic), each	N
L1290	Addition to tlso, (low profile), lateral trochanteric pad	N
L1300	Other scoliosis procedure, body jacket molded to patient model	Y

CPT® Code	CPT® Code Description	Requires PA
L1310	Other scoliosis procedure, post-operative body jacket	Y
L1320	Thoracic, pectus carinatum orthosis, sternal compression, rigid circumferential frame with anterior and posterior rigid pads, custom fabricated	Y
L1499	Spinal orthosis, not otherwise specified	Y
L1600	Hip orthosis, abduction control of hip joints, flexible, frejka type with cover, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L1610	Hip orthosis, abduction control of hip joints, flexible, (frejka cover only), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L1620	Hip orthosis, abduction control of hip joints, flexible, (pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L1630	Hip orthosis, abduction control of hip joints, semi-flexible (von rosen type), custom fabricated	N
L1640	Hip orthosis, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated	N
L1650	Hip orthosis, abduction control of hip joints, static, adjustable, (ilfied type), prefabricated, includes fitting and adjustment	N
L1652	Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, any type	N
L1660	Hip orthosis, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment	N
L1680	Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated	N
L1681	Hip orthosis, bilateral hip joints and thigh cuffs, adjustable flexion, extension, abduction control of hip joint, postoperative hip abduction type, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1685	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated	N
L1686	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment	N
L1690	Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment	N
L1700	Legg perthes orthosis, (toronto type), custom fabricated	N
L1710	Legg perthes orthosis, (newington type), custom fabricated	N
L1720	Legg perthes orthosis, trilateral, (tachdijan type), custom fabricated	N
L1730	Legg perthes orthosis, (scottish rite type), custom fabricated	N
L1755	Legg perthes orthosis, (patten bottom type), custom fabricated	N
L1810	Knee orthosis, elastic with joints, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L1812	Knee orthosis, elastic with joints, prefabricated, off-the-shelf	Y
L1820	Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, includes fitting and adjustment	Y
L1830	Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	Y
L1831	Knee orthosis, locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment	Y
L1832	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1833	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the shelf	Y
L1834	Knee orthosis, without knee joint, rigid, custom fabricated	Y
L1836	Knee orthosis, rigid, without joint(s), includes soft interface material, prefabricated, off-the-shelf	Y
L1840	Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated	Y
L1843	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1844	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated	Y

CPT® Code	CPT® Code Description	Requires PA
L1845	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1846	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated	Y
L1847	Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1848	Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, off-the-shelf	Y
L1850	Knee orthosis, swedish type, prefabricated, off-the-shelf	Y
L1851	Knee orthosis (ko), single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf	Y
L1852	Knee orthosis (ko), double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf	Y
L1860	Knee orthosis, modification of supracondylar prosthetic socket, custom fabricated (sk)	Y
L1900	Ankle foot orthosis, spring wire, dorsiflexion assist calf band, custom fabricated	Y
L1902	Ankle orthosis, ankle gauntlet or similar, with or without joints, prefabricated, off-the-shelf	Y
L1904	Ankle orthosis, ankle gauntlet or similar, with or without joints, custom fabricated	Y
L1906	Ankle foot orthosis, multiligamentous ankle support, prefabricated, off-the-shelf	Y
L1907	Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated	Y
L1910	Ankle foot orthosis, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment	Y
L1920	Ankle foot orthosis, single upright with static or adjustable stop (phelps or perlstein type), custom fabricated	Y
L1930	Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment	Y
L1932	Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1933	Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, off-the-shelf	Y
L1940	Ankle foot orthosis, plastic or other material, custom fabricated	Y
L1945	Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated	Y
L1950	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic, custom fabricated	Y
L1951	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L1952	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, off-the-shelf	Y
L1960	Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated	Y
L1970	Ankle foot orthosis, plastic with ankle joint, custom fabricated	Y
L1971	Ankle foot orthosis, plastic or other material with ankle joint, with or without dorsiflexion assist, prefabricated, includes fitting and adjustment	Y
L1980	Ankle foot orthosis, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar 'bk' orthosis), custom fabricated	Y
L1990	Ankle foot orthosis, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar 'bk' orthosis), custom fabricated	Y
L2000	Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), custom fabricated	Y
L2005	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated	Y
L2006	Knee ankle foot device, any material, single or double upright, swing and stance phase microprocessor control with adjustability, includes all components (e.g., sensors, batteries, charger), any type activation, with or without ankle joint(s), custom fabricated	Y
L2010	Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), without knee joint, custom fabricated	Y
L2020	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'ak' orthosis), custom fabricated	Y

CPT® Code	CPT® Code Description	Requires PA
L2030	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar 'ak' orthosis), without knee joint, custom fabricated	Y
L2034	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated	Y
L2035	Knee ankle foot orthosis, full plastic, static (pediatric size), without free motion ankle, prefabricated, includes fitting and adjustment	Y
L2036	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated	Y
L2037	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated	Y
L2038	Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated	Y
L2040	Hip knee ankle foot orthosis, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated	N
L2050	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated	Y
L2060	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/ belt, custom fabricated	Y
L2070	Hip knee ankle foot orthosis, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated	N
L2080	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom fabricated	Y
L2090	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, ball bearing hip joint, pelvic band/ belt, custom fabricated	Y
L2106	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated	Y
L2108	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated	Y
L2112	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment	Y
L2114	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment	Y
L2116	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment	Y
L2126	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated	Y
L2128	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated	Y
L2132	Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment	Y
L2134	Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment	Y
L2136	Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment	Y
L2180	Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints	N
L2182	Addition to lower extremity fracture orthosis, drop lock knee joint	N
L2184	Addition to lower extremity fracture orthosis, limited motion knee joint	N
L2186	Addition to lower extremity fracture orthosis, adjustable motion knee joint, lerman type	N
L2188	Addition to lower extremity fracture orthosis, quadrilateral brim	Y
L2190	Addition to lower extremity fracture orthosis, waist belt	N
L2192	Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt	Y
L2200	Addition to lower extremity, limited ankle motion, each joint	N
L2210	Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint	N
L2220	Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint	N
L2230	Addition to lower extremity, split flat caliper stirrups and plate attachment	N
L2232	Addition to lower extremity orthosis, rocker bottom for total contact ankle foot orthosis, for custom fabricated orthosis only	N
L2240	Addition to lower extremity, round caliper and plate attachment	N
L2250	Addition to lower extremity, foot plate, molded to patient model, stirrup attachment	Y
L2260	Addition to lower extremity, reinforced solid stirrup (scott-craig type)	N
L2265	Addition to lower extremity, long tongue stirrup	N
L2270	Addition to lower extremity, varus/valgus correction ('t') strap, padded/lined or malleolus pad	N
L2275	Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined	N
L2280	Addition to lower extremity, molded inner boot	Y
L2300	Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable	Y
L2310	Addition to lower extremity, abduction bar-straight	N



CPT® Code	CPT® Code Description	Requires PA
L2320	Addition to lower extremity, non-molded lacer, for custom fabricated orthosis only	N
L2330	Addition to lower extremity, lacer molded to patient model, for custom fabricated orthosis only	Y
L2335	Addition to lower extremity, anterior swing band	N
L2340	Addition to lower extremity, pre-tibial shell, molded to patient model	Y
L2350	Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for 'ptb' 'afo' orthoses)	Y
L2360	Addition to lower extremity, extended steel shank	N
L2370	Addition to lower extremity, patten bottom	N
L2375	Addition to lower extremity, torsion control, ankle joint and half solid stirrup	N
L2380	Addition to lower extremity, torsion control, straight knee joint, each joint	N
L2385	Addition to lower extremity, straight knee joint, heavy duty, each joint	N
L2387	Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint	N
L2390	Addition to lower extremity, offset knee joint, each joint	N
L2395	Addition to lower extremity, offset knee joint, heavy duty, each joint	N
L2397	Addition to lower extremity orthosis, suspension sleeve	N
L2405	Addition to knee joint, drop lock, each	N
L2415	Addition to knee lock with integrated release mechanism (bail, cable, or equal), any material, each joint	N
L2425	Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint	N
L2430	Addition to knee joint, ratchet lock for active and progressive knee extension, each joint	N
L2492	Addition to knee joint, lift loop for drop lock ring	N
L2500	Addition to lower extremity, thigh/weight bearing, gluteal/ ischial weight bearing, ring	Y
L2510	Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, molded to patient model	Y
L2520	Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, custom fitted	Y
L2525	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim molded to patient model	Y
L2526	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted	Y
L2530	Addition to lower extremity, thigh-weight bearing, lacer, non-molded	N
L2540	Addition to lower extremity, thigh/weight bearing, lacer, molded to patient model	Y
L2550	Addition to lower extremity, thigh/weight bearing, high roll cuff	N
L2570	Addition to lower extremity, pelvic control, hip joint, clevis type two position joint, each	Y
L2580	Addition to lower extremity, pelvic control, pelvic sling	Y
L2600	Addition to lower extremity, pelvic control, hip joint, clevis type, or thrust bearing, free, each	Y
L2610	Addition to lower extremity, pelvic control, hip joint, clevis or thrust bearing, lock, each	N
L2620	Addition to lower extremity, pelvic control, hip joint, heavy duty, each	N
L2622	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each	N
L2624	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each	N
L2627	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables	Y
L2628	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables	Y
L2630	Addition to lower extremity, pelvic control, band and belt, unilateral	N
L2640	Addition to lower extremity, pelvic control, band and belt, bilateral	N
L2650	Addition to lower extremity, pelvic and thoracic control, gluteal pad, each	N
L2660	Addition to lower extremity, thoracic control, thoracic band	N
L2670	Addition to lower extremity, thoracic control, paraspinal uprights	N
L2680	Addition to lower extremity, thoracic control, lateral support uprights	N
L2750	Addition to lower extremity orthosis, plating chrome or nickel, per bar	Y
L2755	Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom fabricated orthosis only	Y
L2760	Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth)	Y
L2768	Orthotic side bar disconnect device, per bar	Y

CPT® Code	CPT® Code Description	Requires PA
L2780	Addition to lower extremity orthosis, non-corrosive finish, per bar	Y
L2785	Addition to lower extremity orthosis, drop lock retainer, each	N
L2795	Addition to lower extremity orthosis, knee control, full kneecap	N
L2800	Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only	N
L2810	Addition to lower extremity orthosis, knee control, condylar pad	N
L2820	Addition to lower extremity orthosis, soft interface for molded plastic, below knee section	N
L2830	Addition to lower extremity orthosis, soft interface for molded plastic, above knee section	N
L2840	Addition to lower extremity orthosis, tibial length sock, fracture or equal, each	Y
L2850	Addition to lower extremity orthosis, femoral length sock, fracture or equal, each	Y
L2861	Addition to lower extremity joint, knee or ankle, concentric adjustable torsion style mechanism for custom fabricated orthotics only, each	N
L2999	Lower extremity orthoses, not otherwise specified	Y
L3000	Foot, insert, removable, molded to patient model, 'ucb' type, berkeley shell, each	Y
L3001	Foot, insert, removable, molded to patient model, spenco, each	Y
L3002	Foot, insert, removable, molded to patient model, plastazote or equal, each	Y
L3003	Foot, insert, removable, molded to patient model, silicone gel, each	Y
L3010	Foot, insert, removable, molded to patient model, longitudinal arch support, each	Y
L3020	Foot, insert, removable, molded to patient model, longitudinal/ metatarsal support, each	Y
L3030	Foot, insert, removable, formed to patient foot, each	Y
L3031	Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each	Y
L3040	Foot, arch support, removable, premolded, longitudinal, each	Y
L3050	Foot, arch support, removable, premolded, metatarsal, each	Y
L3060	Foot, arch support, removable, premolded, longitudinal/ metatarsal, each	Y
L3070	Foot, arch support, non-removable attached to shoe, longitudinal, each	Y
L3080	Foot, arch support, non-removable attached to shoe, metatarsal, each	Y
L3090	Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each	Y
L3100	Hallus-valgus night dynamic splint, prefabricated, off-the-shelf	Y
L3140	Foot, abduction rotation bar, including shoes	N
L3150	Foot, abduction rotation bar, without shoes	N
L3160	Foot, adjustable shoe-styled positioning device	N
L3161	Foot, adductus positioning device, adjustable	Y
L3170	Foot, plastic, silicone or equal, heel stabilizer, prefabricated, off-the-shelf, each	N
L3201	Orthopedic shoe, oxford with supinator or pronator, infant	N
L3202	Orthopedic shoe, oxford with supinator or pronator, child	N
L3203	Orthopedic shoe, oxford with supinator or pronator, junior	Y
L3204	Orthopedic shoe, hightop with supinator or pronator, infant	N
L3206	Orthopedic shoe, hightop with supinator or pronator, child	N
L3207	Orthopedic shoe, hightop with supinator or pronator, junior	Y
L3208	Surgical boot, each, infant	N
L3209	Surgical boot, each, child	N
L3211	Surgical boot, each, junior	N
L3212	Benesch boot, pair, infant	N
L3213	Benesch boot, pair, child	N
L3214	Benesch boot, pair, junior	N
L3215	Orthopedic footwear, ladies shoe, oxford, each	Y
L3216	Orthopedic footwear, ladies shoe, depth inlay, each	Y

CPT® Code	CPT® Code Description	Requires PA
L3217	Orthopedic footwear, ladies shoe, hightop, depth inlay, each	Y
L3219	Orthopedic footwear, mens shoe, oxford, each	Y
L3221	Orthopedic footwear, mens shoe, depth inlay, each	Y
L3222	Orthopedic footwear, mens shoe, hightop, depth inlay, each	Y
L3224	Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis)	N
L3225	Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis)	N
L3230	Orthopedic footwear, custom shoe, depth inlay, each	Y
L3250	Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each	Y
L3251	Foot, shoe molded to patient model, silicone shoe, each	Y
L3252	Foot, shoe molded to patient model, plastazote (or similar), custom fabricated, each	Y
L3253	Foot, molded shoe plastazote (or similar) custom fitted, each	Y
L3254	Non-standard size or width	Y
L3255	Non-standard size or length	Y
L3257	Orthopedic footwear, additional charge for split size	Y
L3260	Surgical boot/shoe, each	N
L3265	Plastazote sandal, each	N
L3300	Lift, elevation, heel, tapered to metatarsals, per inch	N
L3310	Lift, elevation, heel and sole, neoprene, per inch	N
L3320	Lift, elevation, heel and sole, cork, per inch	N
L3330	Lift, elevation, metal extension (skate)	Y
L3332	Lift, elevation, inside shoe, tapered, up to one-half inch	N
L3334	Lift, elevation, heel, per inch	N
L3340	Heel wedge, sach	N
L3350	Heel wedge	N
L3360	Sole wedge, outside sole	N
L3370	Sole wedge, between sole	N
L3380	Clubfoot wedge	N
L3390	Outflare wedge	N
L3400	Metatarsal bar wedge, rocker	N
L3410	Metatarsal bar wedge, between sole	N
L3420	Full sole and heel wedge, between sole	N
L3430	Heel, counter, plastic reinforced	N
L3440	Heel, counter, leather reinforced	N
L3450	Heel, sach cushion type	N
L3455	Heel, new leather, standard	N
L3460	Heel, new rubber, standard	N
L3465	Heel, thomas with wedge	N
L3470	Heel, thomas extended to ball	N
L3480	Heel, pad and depression for spur	N
L3485	Heel, pad, removable for spur	N
L3500	Orthopedic shoe addition, insole, leather	N
L3510	Orthopedic shoe addition, insole, rubber	N
L3520	Orthopedic shoe addition, insole, felt covered with leather	N
L3530	Orthopedic shoe addition, sole, half	N
L3540	Orthopedic shoe addition, sole, full	N
L3550	Orthopedic shoe addition, toe tap standard	N
L3560	Orthopedic shoe addition, toe tap, horseshoe	N

CPT® Code	CPT® Code Description	Requires PA
L3570	Orthopedic shoe addition, special extension to instep (leather with eyelets)	N
L3580	Orthopedic shoe addition, convert instep to velcro closure	N
L3590	Orthopedic shoe addition, convert firm shoe counter to soft counter	N
L3595	Orthopedic shoe addition, march bar	N
L3600	Transfer of an orthosis from one shoe to another, caliper plate, existing	N
L3610	Transfer of an orthosis from one shoe to another, caliper plate, new	N
L3620	Transfer of an orthosis from one shoe to another, solid stirrup, existing	N
L3630	Transfer of an orthosis from one shoe to another, solid stirrup, new	N
L3640	Transfer of an orthosis from one shoe to another, dennis browne splint (riveton), both shoes	N
L3649	Orthopedic shoe, modification, addition or transfer, not otherwise specified	Y
L3650	Shoulder orthosis, figure of eight design abduction restrainer, prefabricated, off-the-shelf	N
L3660	Shoulder orthosis, figure of eight design abduction restrainer, canvas and webbing, prefabricated, off-the-shelf	N
L3670	Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	N
L3671	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3674	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3675	Shoulder orthosis, vest type abduction restrainer, canvas webbing type or equal, prefabricated, off-the-shelf	N
L3677	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L3678	Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, prefabricated, off-the-shelf	Y
L3702	Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3710	Elbow orthosis, elastic with metal joints, prefabricated, off-the-shelf	N
L3720	Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated	Y
L3730	Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom fabricated	Y
L3740	Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated	Y
L3760	Elbow orthosis (eo), with adjustable position locking joint(s), prefabricated, item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L3761	Elbow orthosis (eo), with adjustable position locking joint(s), prefabricated, off-the-shelf	Y
L3762	Elbow orthosis, rigid, without joints, includes soft interface material, prefabricated, off-the-shelf	N
L3763	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3764	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3765	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3766	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3806	Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, custom fabricated, includes fitting and adjustment	Y
L3807	Wrist hand finger orthosis, without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L3808	Wrist hand finger orthosis, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment	Y
L3809	Wrist hand finger orthosis, without joint(s), prefabricated, off-the-shelf, any type	Y
L3891	Addition to upper extremity joint, wrist or elbow, concentric adjustable torsion style mechanism for custom fabricated orthotics only, each	Y

CPT® Code	CPT® Code Description	Requires PA
L3900	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, wrist or finger driven, custom fabricated	Y
L3901	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, cable driven, custom fabricated	Y
L3904	Wrist hand finger orthosis, external powered, electric, custom fabricated	Y
L3905	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3906	Wrist hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	N
L3908	Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	N
L3912	Hand finger orthosis (hfo), flexion glove with elastic finger control, prefabricated, off-the-shelf	Y
L3913	Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	N
L3915	Wrist hand orthosis, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L3916	Wrist hand orthosis, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated, off-the-shelf	Y
L3917	Hand orthosis, metacarpal fracture orthosis, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L3918	Hand orthosis, metacarpal fracture orthosis, prefabricated, off-the-shelf	Y
L3919	Hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	N
L3921	Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3923	Hand finger orthosis, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L3924	Hand finger orthosis, without joints, may include soft interface, straps, prefabricated, off-the-shelf	Y
L3925	Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), non torsion joint/spring, extension/flexion, may include soft interface material, prefabricated, off-the-shelf	N
L3927	Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g., static or ring type), may include soft interface material, prefabricated, off-the-shelf	N
L3929	Hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L3930	Hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, off-the-shelf	Y
L3931	Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment	N
L3933	Finger orthosis, without joints, may include soft interface, custom fabricated, includes fitting and adjustment	N
L3935	Finger orthosis, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment	N
L3956	Addition of joint to upper extremity orthosis, any material; per joint	N
L3960	Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment	Y
L3961	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3962	Shoulder elbow wrist hand orthosis, abduction positioning, erb's palsey design, prefabricated, includes fitting and adjustment	Y
L3967	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3971	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y

CPT® Code	CPT® Code Description	Requires PA
L3973	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	Y
L3980	Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment	Y
L3981	Upper extremity fracture orthosis, humeral, prefabricated, includes shoulder cap design, with or without joints, forearm section, may include soft interface, straps, includes fitting and adjustments	Y
L3982	Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment	N
L3984	Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment	N
L3995	Addition to upper extremity orthosis, sock, fracture or equal, each	N
L3999	Upper limb orthosis, not otherwise specified	Y
L4000	Replace girdle for spinal orthosis (ctls0 or so)	N
L4002	Replacement strap, any orthosis, includes all components, any length, any type	Y
L4010	Replace trilateral socket brim	Y
L4020	Replace quadrilateral socket brim, molded to patient model	Y
L4030	Replace quadrilateral socket brim, custom fitted	Y
L4040	Replace molded thigh lacer, for custom fabricated orthosis only	Y
L4045	Replace non-molded thigh lacer, for custom fabricated orthosis only	N
L4050	Replace molded calf lacer, for custom fabricated orthosis only	N
L4055	Replace non-molded calf lacer, for custom fabricated orthosis only	N
L4060	Replace high roll cuff	N
L4070	Replace proximal and distal upright for kafo	N
L4080	Replace metal bands kafo, proximal thigh	N
L4090	Replace metal bands kafo-afo, calf or distal thigh	N
L4100	Replace leather cuff kafo, proximal thigh	N
L4110	Replace leather cuff kafo-afo, calf or distal thigh	N
L4130	Replace pretibial shell	N
L4205	Repair of orthotic device, labor component, per 15 minutes	N
L4210	Repair of orthotic device, repair or replace minor parts	N
L4350	Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, off-the-shelf	N
L4360	Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L4361	Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated, off-the-shelf	Y
L4370	Pneumatic full leg splint, prefabricated, off-the-shelf	N
L4386	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	N
L4387	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, off-the-shelf	Y
L4392	Replacement, soft interface material, static afo	N
L4394	Replace soft interface material, foot drop splint	Y



CPT® Code	CPT® Code Description	Requires PA
L4396	Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	Y
L4397	Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated, off-the-shelf	Y
L4398	Foot drop splint, recumbent positioning device, prefabricated, off-the-shelf	Y
L4631	Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated	Y
L5000	Partial foot, shoe insert with longitudinal arch, toe filler	N
L5010	Partial foot, molded socket, ankle height, with toe filler	N
L5020	Partial foot, molded socket, tibial tubercle height, with toe filler	N
L5050	Ankle, symes, molded socket, sach foot	Y
L5060	Ankle, symes, metal frame, molded leather socket, articulated ankle/foot	Y
L5100	Below knee, molded socket, shin, sach foot	Y
L5105	Below knee, plastic socket, joints and thigh lacer, sach foot	Y
L5150	Knee disarticulation (or through knee), molded socket, external knee joints, shin, sach foot	Y
L5160	Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, sach foot	Y
L5200	Above knee, molded socket, single axis constant friction knee, shin, sach foot	Y
L5210	Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks, no ankle joints, each	Y
L5220	Above knee, short prosthesis, no knee joint ('stubbies'), with articulated ankle/foot, dynamically aligned, each	Y
L5230	Above knee, for proximal femoral focal deficiency, constant friction knee, shin, sach foot	Y
L5250	Hip disarticulation, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot	Y
L5270	Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, sach foot	Y
L5280	Hemipelvectomy, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot	Y
L5301	Below knee, molded socket, shin, sach foot, endoskeletal system	Y
L5312	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, sach foot, endoskeletal system	Y
L5321	Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee	Y
L5331	Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	Y
L5341	Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	Y
L5400	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee	Y
L5410	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment	Y
L5420	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change 'ak' or knee disarticulation	Y
L5430	Immediate post surgical or early fitting, application of initial rigid dressing, incl. fitting, alignment and suspension, 'ak' or knee disarticulation, each additional cast change and realignment	Y
L5450	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, below knee	Y
L5460	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, above knee	Y
L5500	Initial, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed	Y
L5505	Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed	Y
L5510	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model	Y
L5520	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed	Y
L5530	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model	Y
L5535	Preparatory, below knee 'ptb' type socket, non-alignable system, no cover, sach foot, prefabricated, adjustable open end socket	Y
L5540	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, laminated socket, molded to model	Y

CPT® Code	CPT® Code Description	Requires PA
L5560	Preparatory, above knee- knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model	Y
L5570	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed	Y
L5580	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model	Y
L5585	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, prefabricated adjustable open end socket	Y
L5590	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, sach foot, laminated socket, molded to model	Y
L5595	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, thermoplastic or equal, molded to patient model	Y
L5600	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, laminated socket, molded to patient model	Y
L5610	Addition to lower extremity, endoskeletal system, above knee, hydracadence system	Y
L5611	Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4 bar linkage, with friction swing phase control	Y
L5613	Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control	Y
L5614	Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control	Y
L5615	Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing and stance phase control	Y
L5616	Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control	Y
L5617	Addition to lower extremity, quick change self-aligning unit, above knee or below knee, each	Y
L5618	Addition to lower extremity, test socket, symes	Y
L5620	Addition to lower extremity, test socket, below knee	Y
L5622	Addition to lower extremity, test socket, knee disarticulation	Y
L5624	Addition to lower extremity, test socket, above knee	Y
L5626	Addition to lower extremity, test socket, hip disarticulation	Y
L5628	Addition to lower extremity, test socket, hemipelvectomy	Y
L5629	Addition to lower extremity, below knee, acrylic socket	Y
L5630	Addition to lower extremity, symes type, expandable wall socket	Y
L5631	Addition to lower extremity, above knee or knee disarticulation, acrylic socket	Y
L5632	Addition to lower extremity, symes type, 'ptb' brim design socket	Y
L5634	Addition to lower extremity, symes type, posterior opening (canadian) socket	Y
L5636	Addition to lower extremity, symes type, medial opening socket	Y
L5637	Addition to lower extremity, below knee, total contact	Y
L5638	Addition to lower extremity, below knee, leather socket	Y
L5639	Addition to lower extremity, below knee, wood socket	Y
L5640	Addition to lower extremity, knee disarticulation, leather socket	Y
L5642	Addition to lower extremity, above knee, leather socket	Y
L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame	Y
L5644	Addition to lower extremity, above knee, wood socket	Y
L5645	Addition to lower extremity, below knee, flexible inner socket, external frame	Y
L5646	Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket	Y
L5647	Addition to lower extremity, below knee suction socket	Y
L5648	Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket	Y
L5649	Addition to lower extremity, ischial containment/narrow m-l socket	Y
L5650	Additions to lower extremity, total contact, above knee or knee disarticulation socket	Y
L5651	Addition to lower extremity, above knee, flexible inner socket, external frame	Y
L5652	Addition to lower extremity, suction suspension, above knee or knee disarticulation socket	Y
L5653	Addition to lower extremity, knee disarticulation, expandable wall socket	Y

CPT® Code	CPT® Code Description	Requires PA
L5654	Addition to lower extremity, socket insert, symes, (kemblo, pelite, aliplast, plastazote or equal)	Y
L5655	Addition to lower extremity, socket insert, below knee (kemblo, pelite, aliplast, plastazote or equal)	Y
L5656	Addition to lower extremity, socket insert, knee disarticulation (kemblo, pelite, aliplast, plastazote or equal)	Y
L5657	Addition to lower extremity prosthesis, manual/automated adjustable air, fluid, gel or equal socket insert for limb volume management, any materials	Y
L5658	Addition to lower extremity, socket insert, above knee (kemblo, pelite, aliplast, plastazote or equal)	Y
L5661	Addition to lower extremity, socket insert, multi-durometer symes	Y
L5665	Addition to lower extremity, socket insert, multi-durometer, below knee	Y
L5666	Addition to lower extremity, below knee, cuff suspension	Y
L5668	Addition to lower extremity, below knee, molded distal cushion	Y
L5670	Addition to lower extremity, below knee, molded supracondylar suspension ('pts' or similar)	Y
L5671	Addition to lower extremity, below knee / above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert	Y
L5672	Addition to lower extremity, below knee, removable medial brim suspension	Y
L5673	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism	Y
L5676	Additions to lower extremity, below knee, knee joints, single axis, pair	Y
L5677	Additions to lower extremity, below knee, knee joints, polycentric, pair	Y
L5678	Additions to lower extremity, below knee, joint covers, pair	Y
L5679	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism	Y
L5680	Addition to lower extremity, below knee, thigh lacer, nonmolded	Y
L5681	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679)	Y
L5682	Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded	Y
L5683	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679)	Y
L5684	Addition to lower extremity, below knee, fork strap	N
L5685	Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each	N
L5686	Addition to lower extremity, below knee, back check (extension control)	Y
L5688	Addition to lower extremity, below knee, waist belt, webbing	N
L5690	Addition to lower extremity, below knee, waist belt, padded and lined	N
L5692	Addition to lower extremity, above knee, pelvic control belt, light	Y
L5694	Addition to lower extremity, above knee, pelvic control belt, padded and lined	N
L5695	Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each	N
L5696	Addition to lower extremity, above knee or knee disarticulation, pelvic joint	Y
L5697	Addition to lower extremity, above knee or knee disarticulation, pelvic band	Y
L5698	Addition to lower extremity, above knee or knee disarticulation, silesian bandage	N
L5699	All lower extremity prostheses, shoulder harness	Y
L5700	Replacement, socket, below knee, molded to patient model	Y
L5701	Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model	Y
L5702	Replacement, socket, hip disarticulation, including hip joint, molded to patient model	Y
L5703	Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only	Y
L5704	Custom shaped protective cover, below knee	Y
L5705	Custom shaped protective cover, above knee	Y

CPT® Code	CPT® Code Description	Requires PA
L5706	Custom shaped protective cover, knee disarticulation	Y
L5707	Custom shaped protective cover, hip disarticulation	Y
L5710	Addition, exoskeletal knee-shin system, single axis, manual lock	Y
L5711	Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material	Y
L5712	Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)	Y
L5714	Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control	Y
L5716	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock	Y
L5718	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control	Y
L5722	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control	Y
L5724	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control	Y
L5726	Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control	Y
L5728	Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control	Y
L5780	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control	Y
L5781	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system	Y
L5782	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty	Y
L5783	Addition to lower extremity, user adjustable, mechanical, residual limb volume management system	Y
L5785	Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)	Y
L5790	Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)	Y
L5795	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)	Y
L5810	Addition, endoskeletal knee-shin system, single axis, manual lock	Y
L5811	Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material	Y
L5812	Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)	Y
L5814	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock	Y
L5816	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock	Y
L5818	Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control	Y
L5822	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control	Y
L5824	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control	Y
L5826	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame	Y
L5827	Endoskeletal knee-shin system, single axis, electromechanical swing and stance phase control, with or without shock absorption and stance extension damping	Y
L5828	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control	Y
L5830	Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control	Y
L5840	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control	Y
L5841	Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control	Y
L5845	Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable	Y
L5848	Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability	Y
L5850	Addition, endoskeletal system, above knee or hip disarticulation, knee extension assist	Y
L5855	Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist	Y
L5856	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type	Y
L5857	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type	Y
L5858	Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type	Y
L5859	Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)	Y
L5910	Addition, endoskeletal system, below knee, alignable system	Y

CPT® Code	CPT® Code Description	Requires PA
L5920	Addition, endoskeletal system, above knee or hip disarticulation, alignable system	Y
L5925	Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock	Y
L5926	Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type	Y
L5930	Addition, endoskeletal system, high activity knee control frame	Y
L5940	Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)	Y
L5950	Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)	Y
L5960	Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)	Y
L5961	Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control	Y
L5962	Addition, endoskeletal system, below knee, flexible protective outer surface covering system	Y
L5964	Addition, endoskeletal system, above knee, flexible protective outer surface covering system	Y
L5966	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system	Y
L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature	Y
L5969	Addition, endoskeletal ankle-foot or ankle system, power assist, includes any type motor(s)	Y
L5970	All lower extremity prostheses, foot, external keel, sach foot	Y
L5971	All lower extremity prosthesis, solid ankle cushion heel (sach) foot, replacement only	Y
L5972	All lower extremity prostheses, foot, flexible keel	Y
L5973	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source	Y
L5974	All lower extremity prostheses, foot, single axis ankle/foot	Y
L5975	All lower extremity prosthesis, combination single axis ankle and flexible keel foot	Y
L5976	All lower extremity prostheses, energy storing foot (seattle carbon copy ii or equal)	Y
L5978	All lower extremity prostheses, foot, multiaxial ankle/foot	Y
L5979	All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system	Y
L5980	All lower extremity prostheses, flex foot system	Y
L5981	All lower extremity prostheses, flex-walk system or equal	Y
L5982	All exoskeletal lower extremity prostheses, axial rotation unit	Y
L5984	All endoskeletal lower extremity prosthesis, axial rotation unit, with or without adjustability	Y
L5985	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon	Y
L5986	All lower extremity prostheses, multi-axial rotation unit ('mcp' or equal)	Y
L5987	All lower extremity prosthesis, shank foot system with vertical loading pylon	Y
L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature	Y
L5990	Addition to lower extremity prosthesis, user adjustable heel height	Y
L5991	Addition to lower extremity prostheses, osseointegrated external prosthetic connector	Y
L5999	Lower extremity prosthesis, not otherwise specified	Y
L6000	Partial hand, thumb remaining	N
L6010	Partial hand, little and/or ring finger remaining	N
L6020	Partial hand, no finger remaining	N
L6026	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device, excludes terminal device(s)	N
L6028	Partial hand including fingers, flexible or non-flexible interface, endoskeletal system, molded to patient model, for use without external power, not including inserts described by I6692	Y
L6029	Upper extremity addition, test socket/interface, partial hand including fingers	Y
L6030	Upper extremity addition, external frame, partial hand including fingers	Y
L6031	Replacement socket/interface, partial hand including fingers, molded to patient model, for use with or without external power	Y
L6032	Addition to upper extremity prosthesis, partial hand including fingers, ultralight material (titanium, carbon fiber or equal)	Y

CPT® Code	CPT® Code Description	Requires PA
L6033	Addition to upper extremity prosthesis, partial hand including fingers, acrylic material	Y
L6034	Partial hand, finger, and thumb prosthesis without prosthetic digit(s)/thumb, amputation at transmetacarpal level, including flexible or non-flexible interface, molded to patient model, for use without external power and/or passive prosthetic digit/thumb, not including inserts described by I6692	Y
L6035	Single prosthetic digit, mechanical, can include metacarpophalangeal (mcp), proximal interphalangeal (pip), and/or distal interphalangeal (dip) joint(s), with or without locking mechanism, can include flexion or extension assist, any material, attachment, initial issue or replacement	Y
L6036	Prosthetic thumb, mechanical, can include metacarpophalangeal (mcp), interphalangeal (ip) joint(s), with or without locking mechanism, can include flexion or extension assist, any material, attachment, initial issue or replacement	Y
L6037	Immediate post-surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, partial hand including fingers	Y
L6038	Addition to single prosthetic digit or thumb, mechanical, attachment, multiaxial and/or internal/external rotation/abduction/adduction mechanism, with or without locking feature, any material	Y
L6039	Passive prosthetic digit or thumb prosthesis not including hand restoration partial hand, full or partial, custom made, any material, initial or replacement, per single passive prosthetic digit or thumb	Y
L6050	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad	N
L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad	N
L6100	Below elbow, molded socket, flexible elbow hinge, triceps pad	N
L6110	Below elbow, molded socket, (muenster or northwestern suspension types)	N
L6120	Below elbow, molded double wall split socket, step-up hinges, half cuff	N
L6130	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff	N
L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm	N
L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm	N
L6250	Above elbow, molded double wall socket, internal locking elbow, forearm	N
L6300	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm	N
L6310	Shoulder disarticulation, passive restoration (complete prosthesis)	N
L6320	Shoulder disarticulation, passive restoration (shoulder cap only)	N
L6350	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm	N
L6360	Interscapular thoracic, passive restoration (complete prosthesis)	N
L6370	Interscapular thoracic, passive restoration (shoulder cap only)	N
L6380	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow	N
L6382	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow	N
L6384	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic	N
L6386	Immediate post surgical or early fitting, each additional cast change and realignment	N
L6388	Immediate post surgical or early fitting, application of rigid dressing only	N
L6400	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping	N
L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping	N
L6500	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping	N
L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping	N
L6570	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping	N
L6580	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, molded to patient model	N
L6582	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, direct formed	N



CPT® Code	CPT® Code Description	Requires PA
L6584	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, molded to patient model	N
L6586	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, direct formed	N
L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, molded to patient model	N
L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, direct formed	N
L6600	Upper extremity additions, polycentric hinge, pair	N
L6605	Upper extremity additions, single pivot hinge, pair	N
L6610	Upper extremity additions, flexible metal hinge, pair	N
L6611	Addition to upper extremity prosthesis, external powered, additional switch, any type	N
L6615	Upper extremity addition, disconnect locking wrist unit	N
L6616	Upper extremity addition, additional disconnect insert for locking wrist unit, each	N
L6620	Upper extremity addition, flexion/extension wrist unit, with or without friction	N
L6621	Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device	N
L6623	Upper extremity addition, spring assisted rotational wrist unit with latch release	N
L6624	Upper extremity addition, flexion/extension and rotation wrist unit	N
L6625	Upper extremity addition, rotation wrist unit with cable lock	N
L6628	Upper extremity addition, quick disconnect hook adapter, otto bock or equal	N
L6629	Upper extremity addition, quick disconnect lamination collar with coupling piece, otto bock or equal	N
L6630	Upper extremity addition, stainless steel, any wrist	N
L6632	Upper extremity addition, latex suspension sleeve, each	N
L6635	Upper extremity addition, lift assist for elbow	N
L6637	Upper extremity addition, nudge control elbow lock	N
L6638	Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow	N
L6640	Upper extremity additions, shoulder abduction joint, pair	N
L6641	Upper extremity addition, excursion amplifier, pulley type	N
L6642	Upper extremity addition, excursion amplifier, lever type	N
L6645	Upper extremity addition, shoulder flexion-abduction joint, each	N
L6646	Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system	N
L6647	Upper extremity addition, shoulder lock mechanism, body powered actuator	N
L6648	Upper extremity addition, shoulder lock mechanism, external powered actuator	N
L6650	Upper extremity addition, shoulder universal joint, each	N
L6655	Upper extremity addition, standard control cable, extra	N
L6660	Upper extremity addition, heavy duty control cable	N
L6665	Upper extremity addition, teflon, or equal, cable lining	N
L6670	Upper extremity addition, hook to hand, cable adapter	N
L6672	Upper extremity addition, harness, chest or shoulder, saddle type	N
L6675	Upper extremity addition, harness, (e.g., figure of eight type), single cable design	N
L6676	Upper extremity addition, harness, (e.g., figure of eight type), dual cable design	N
L6677	Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow	N
L6680	Upper extremity addition, test socket, wrist disarticulation or below elbow	N
L6682	Upper extremity addition, test socket, elbow disarticulation or above elbow	N
L6684	Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic	N
L6686	Upper extremity addition, suction socket	N

CPT® Code	CPT® Code Description	Requires PA
L6687	Upper extremity addition, frame type socket, below elbow or wrist disarticulation	N
L6688	Upper extremity addition, frame type socket, above elbow or elbow disarticulation	N
L6689	Upper extremity addition, frame type socket, shoulder disarticulation	N
L6690	Upper extremity addition, frame type socket, interscapular-thoracic	N
L6691	Upper extremity addition, removable insert, each	N
L6692	Upper extremity addition, silicone gel insert or equal, with or without locking mechanism, each	N
L6693	Upper extremity addition, locking elbow, forearm counterbalance	N
L6694	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism	N
L6695	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism	N
L6696	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I6694 or I6695)	N
L6697	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I6694 or I6695)	N
L6698	Addition to upper extremity prosthesis, lock mechanism, excludes socket insert	N
L6700	Upper extremity addition, external powered feature, myoelectronic control module, additional emg inputs, pattern-recognition decoding intent movement	Y
L6703	Terminal device, passive hand/mitt, any material, any size	N
L6704	Terminal device, sport/recreational/work attachment, any material, any size	N
L6706	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined	N
L6707	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined	N
L6708	Terminal device, hand, mechanical, voluntary opening, any material, any size	N
L6709	Terminal device, hand, mechanical, voluntary closing, any material, any size	N
L6711	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric	N
L6712	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric	N
L6713	Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric	N
L6714	Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric	N
L6715	Terminal device, multiple articulating digit, includes motor(s), initial issue or replacement	N
L6721	Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any material, any size, lined or unlined	N
L6722	Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any material, any size, lined or unlined	N
L6805	Addition to terminal device, modifier wrist unit	N
L6810	Addition to terminal device, precision pinch device	N
L6880	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)	Y
L6881	Automatic grasp feature, addition to upper limb electric prosthetic terminal device	Y
L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device	Y
L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power	N
L6884	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power	N
L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power	N
L6890	Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment	N
L6895	Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated	N
L6900	Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining	N
L6905	Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining	N
L6910	Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining	N

CPT® Code	CPT® Code Description	Requires PA
L6915	Hand restoration (shading, and measurements included), replacement glove for above	N
L6920	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal, switch, cables, two batteries and one charger, switch control of terminal device	N
L6925	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6930	Below elbow, external power, self-suspended inner socket, removable forearm shell, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	N
L6935	Below elbow, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6940	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	N
L6945	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6950	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	N
L6955	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6960	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	N
L6965	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6970	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	N
L6975	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L7007	Electric hand, switch or myoelectric controlled, adult	Y
L7008	Electric hand, switch or myoelectric, controlled, pediatric	Y
L7009	Electric hook, switch or myoelectric controlled, adult	Y
L7040	Prehensile actuator, switch controlled	Y
L7045	Electric hook, switch or myoelectric controlled, pediatric	Y
L7170	Electronic elbow, hosmer or equal, switch controlled	Y
L7180	Electronic elbow, microprocessor sequential control of elbow and terminal device	Y
L7181	Electronic elbow, microprocessor simultaneous control of elbow and terminal device	Y
L7185	Electronic elbow, adolescent, variety village or equal, switch controlled	Y
L7186	Electronic elbow, child, variety village or equal, switch controlled	Y
L7190	Electronic elbow, adolescent, variety village or equal, myoelectronically controlled	Y
L7191	Electronic elbow, child, variety village or equal, myoelectronically controlled	Y
L7259	Electronic wrist rotator, any type	Y
L7360	Six volt battery, each	Y
L7362	Battery charger, six volt, each	N
L7364	Twelve volt battery, each	Y
L7366	Battery charger, twelve volt, each	Y
L7367	Lithium ion battery, rechargeable, replacement	Y
L7368	Lithium ion battery charger, replacement only	Y
L7400	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber or equal)	N

CPT® Code	CPT® Code Description	Requires PA
L7401	Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equal)	N
L7402	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber or equal)	N
L7403	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material	N
L7404	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material	Y
L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material	N
L7406	Addition to upper extremity, user adjustable, mechanical, residual limb volume management system	Y
L7499	Upper extremity prosthesis, not otherwise specified	Y
L7510	Repair of prosthetic device, repair or replace minor parts	N
L7520	Repair prosthetic device, labor component, per 15 minutes	N
L7600	Prosthetic donning sleeve, any material, each	Y
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each	Y
L7900	Male vacuum erection system	Y
L7902	Tension ring, for vacuum erection device, any type, replacement only, each	Y
L8000	Breast prosthesis, mastectomy bra, without integrated breast prosthesis form, any size, any type	N
L8001	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral, any size, any type	N
L8002	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	N
L8010	Breast prosthesis, mastectomy sleeve	N
L8015	External breast prosthesis garment, with mastectomy form, post mastectomy	N
L8020	Breast prosthesis, mastectomy form	N
L8030	Breast prosthesis, silicone or equal, without integral adhesive	N
L8031	Breast prosthesis, silicone or equal, with integral adhesive	N
L8032	Nipple prosthesis, prefabricated, reusable, any type, each	N
L8033	Nipple prosthesis, custom fabricated, reusable, any material, any type, each	Y
L8035	Custom breast prosthesis, post mastectomy, molded to patient model	Y
L8039	Breast prosthesis, not otherwise specified	Y
L8040	Nasal prosthesis, provided by a non-physician	Y
L8041	Midfacial prosthesis, provided by a non-physician	Y
L8042	Orbital prosthesis, provided by a non-physician	Y
L8043	Upper facial prosthesis, provided by a non-physician	Y
L8044	Hemi-facial prosthesis, provided by a non-physician	Y
L8045	Auricular prosthesis, provided by a non-physician	Y
L8046	Partial facial prosthesis, provided by a non-physician	Y
L8047	Nasal septal prosthesis, provided by a non-physician	Y
L8048	Unspecified maxillofacial prosthesis, by report, provided by a non-physician	Y
L8049	Repair or modification of maxillofacial prosthesis, labor component, 15 minute increments, provided by a non-physician	N
L8300	Truss, single with standard pad	N
L8310	Truss, double with standard pads	N
L8320	Truss, addition to standard pad, water pad	N
L8330	Truss, addition to standard pad, scrotal pad	N
L8400	Prosthetic sheath, below knee, each	N
L8410	Prosthetic sheath, above knee, each	N
L8415	Prosthetic sheath, upper limb, each	N
L8417	Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each	N
L8420	Prosthetic sock, multiple ply, below knee, each	N
L8430	Prosthetic sock, multiple ply, above knee, each	N
L8435	Prosthetic sock, multiple ply, upper limb, each	N

CPT® Code	CPT® Code Description	Requires PA
L8440	Prosthetic shrinker, below knee, each	N
L8460	Prosthetic shrinker, above knee, each	N
L8465	Prosthetic shrinker, upper limb, each	N
L8470	Prosthetic sock, single ply, fitting, below knee, each	N
L8480	Prosthetic sock, single ply, fitting, above knee, each	N
L8485	Prosthetic sock, single ply, fitting, upper limb, each	N
L8499	Unlisted procedure for miscellaneous prosthetic services	Y
L8500	Artificial larynx, any type	Y
L8501	Tracheostomy speaking valve	N
L8505	Artificial larynx replacement battery / accessory, any type	N
L8507	Tracheo-esophageal voice prosthesis, patient inserted, any type, each	N
L8509	Tracheo-esophageal voice prosthesis, inserted by a licensed health care provider, any type	N
L8510	Voice amplifier	N
L8511	Insert for indwelling tracheoesophageal prosthesis, with or without valve, replacement only, each	N
L8512	Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis, replacement only, per 10	N
L8513	Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal, replacement only, each	N
L8514	Tracheoesophageal puncture dilator, replacement only, each	N
L8515	Gelatin capsule, application device for use with tracheoesophageal voice prosthesis, each	N
L8658	Interphalangeal joint spacer, silicone or equal, each	N
L8695	External recharging system for battery (external) for use with implantable neurostimulator, replacement only	N
L8696	Antenna (external) for use with implantable diaphragmatic/phrenic nerve stimulation device, replacement, each	N
L8701	Powered upper extremity range of motion assist device, elbow, wrist, hand with single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	Y
L8702	Powered upper extremity range of motion assist device, elbow, wrist, hand, finger, single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	Y
L9900	Orthotic and prosthetic supply, accessory, and/or service component of another hcpcs "I" code	Y

CPT copyright 2026 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.