

**Arkansas Blue Cross and Blue Shield  
Durable Medical Equipment (DME) Covered Services Code List**

CPT® Code	CPT® Code Description	Requires PA
A7025	High frequency chest wall oscillation system vest, replacement for use with patient owned equipment, each	Y
A9527	Iodine i-125, sodium iodide solution, therapeutic, per millicurie	N
E0152	Walker, battery powered, wheeled, folding, adjustable or fixed height	Y
E0186	Air pressure mattress	Y
E0187	Water pressure mattress	Y
E0190	Positioning cushion/pillow/wedge, any shape or size, includes all components and accessories	Y
E0193	Powered air flotation bed (low air loss therapy)	Y
E0194	Air fluidized bed	Y
E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress	Y
E0261	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress	Y
E0265	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress	Y
E0266	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress	Y
E0270	Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress	Y
E0277	Powered pressure-reducing air mattress	Y
E0294	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress	Y
E0295	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress	Y
E0296	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress	Y
E0297	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress	Y
E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress	Y
E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress	Y
E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress	Y
E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress	Y
E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0425	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0430	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge	Y
E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing	Y
E0435	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor	Y
E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing	Y

CPT® Code	CPT® Code Description	Requires PA
E0440	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing	Y
E0441	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit	Y
E0442	Stationary oxygen contents, liquid, 1 month's supply = 1 unit	Y
E0443	Portable oxygen contents, gaseous, 1 month's supply = 1 unit	Y
E0444	Portable oxygen contents, liquid, 1 month's supply = 1 unit	Y
E0447	Portable oxygen contents, liquid, 1 month's supply = 1 unit, prescribed amount at rest or nighttime exceeds 4 liters per minute (lpm)	Y
E0465	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube)	Y
E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)	Y
E0467	Home ventilator, multi-function respiratory device, also performs any or all of the additional functions of oxygen concentration, drug nebulization, aspiration, and cough stimulation, includes all accessories, components and supplies for all functions	Y
E0468	Home ventilator, dual-function respiratory device, also performs additional function of cough stimulation, includes all accessories, components and supplies for all functions	Y
E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	Y
E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device)	Y
E0483	High frequency chest wall oscillation system, with full anterior and/or posterior thoracic region receiving simultaneous external oscillation, includes all accessories and supplies, each	Y
E0484	Oscillatory positive expiratory pressure device, non-electric, any type, each	Y
E0485	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, prefabricated, includes fitting and adjustment	Y
E0486	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, custom fabricated, includes fitting and adjustment	Y
E0492	Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, controlled by phone application	Y
E0493	Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and control electronics unit, controlled by phone application, 90-day supply	Y
E0500	Ippb machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source	Y
E0530	Electronic positional obstructive sleep apnea treatment, with sensor, includes all components and accessories, any type	Y
E0550	Humidifier, durable for extensive supplemental humidification during IPPB treatments or oxygen delivery	Y
E0555	Humidifier, durable, glass or autoclavable plastic bottle type, for use with regulator or flowmeter	Y
E0560	Humidifier, durable for supplemental humidification during IPPB treatment or oxygen delivery	Y
E0601	Continuous positive airway pressure (CPAP) device	Y
E0610	Pacemaker monitor, self-contained, (checks battery depletion, includes audible and visible check systems)	Y
E0615	Pacemaker monitor, self contained, checks battery depletion and other pacemaker components, includes digital/visible check systems	Y
E0617	External defibrillator with integrated electrocardiogram analysis	Y
E0618	Apnea monitor, without recording feature	Y
E0619	Apnea monitor, with recording feature	Y
E0625	Patient lift, bathroom or toilet, not otherwise classified	Y
E0627	Seat lift mechanism, electric, any type	Y
E0629	Seat lift mechanism, non-electric, any type	Y
E0630	Patient lift, hydraulic or mechanical, includes any seat, sling, strap(s) or pad(s)	Y
E0635	Patient lift, electric with seat or sling	Y
E0636	Multipositional patient support system, with integrated lift, patient accessible controls	Y
E0637	Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels	Y

CPT® Code	CPT® Code Description	Requires PA
E0638	Standing frame/table system, one position (e.g., upright, supine or prone stander), any size including pediatric, with or without wheels	Y
E0639	Patient lift, moveable from room to room with disassembly and reassembly, includes all components/accessories	Y
E0640	Patient lift, fixed system, includes all components/accessories	Y
E0641	Standing frame/table system, multi-position (e.g., three-way stander), any size including pediatric, with or without wheels	Y
E0642	Standing frame/table system, mobile (dynamic stander), any size including pediatric	Y
E0650	Pneumatic compressor, non-segmental home model	Y
E0651	Pneumatic compressor, segmental home model without calibrated gradient pressure	Y
E0652	Pneumatic compressor, segmental home model with calibrated gradient pressure	Y
E0675	Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency (unilateral or bilateral system)	Y
E0676	Intermittent limb compression device (includes all accessories), not otherwise specified	Y
E0736	Transcutaneous tibial nerve stimulator	Y
E0738	Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all components and accessories	Y
E0739	Rehab system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories, motors, microprocessors, sensors	Y
E0747	Osteogenesis stimulator, electrical, non-invasive, other than spinal applications	Y
E0748	Osteogenesis stimulator, electrical, non-invasive, spinal applications	Y
E0760	Osteogenesis stimulator, low intensity ultrasound, non-invasive	Y
E0764	Functional neuromuscular stimulation, transcutaneous stimulation of sequential muscle groups of ambulation with computer control, used for walking by spinal cord injured, entire system, after completion of training program	Y
E0766	Electrical stimulation device used for cancer treatment, includes all accessories, any type	Y
E0770	Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any type, complete system, not otherwise specified	Y
E0779	Ambulatory infusion pump, mechanical, reusable, for infusion 8 hours or greater	Y
E0780	Ambulatory infusion pump, mechanical, reusable, for infusion less than 8 hours	Y
E0781	Ambulatory infusion pump, single or multiple channels, electric or battery operated, with administrative equipment, worn by patient	Y
E0791	Parenteral infusion pump, stationary, single or multi-channel	Y
E0935	Continuous passive motion exercise device for use on knee only	Y
E0936	Continuous passive motion exercise device for use other than knee	Y
E0983	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control	Y
E0984	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, tiller control	Y
E0986	Manual wheelchair accessory, push-rim activated power assist system	Y
E1035	Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity up to and including 300 lbs	Y
E1036	Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient weight capacity greater than 300 lbs	Y
E1229	Wheelchair, pediatric size, not otherwise specified	Y
E1390	Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate	Y
E1391	Oxygen concentrator, dual delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate, each	Y
E1392	Portable oxygen concentrator, rental	Y
E2298	Complex rehabilitative power wheelchair accessory, power seat elevation system, any type	Y
E2402	Negative pressure wound therapy electrical pump, stationary or portable	Y
E2502	Speech generating device, digitized speech, using pre-recorded messages, greater than 8 minutes but less than or equal to 20 minutes recording time	Y
E2504	Speech generating device, digitized speech, using pre-recorded messages, greater than 20 minutes but less than or equal to 40 minutes recording time	Y
E2506	Speech generating device, digitized speech, using pre-recorded messages, greater than 40 minutes recording time	Y
E2508	Speech generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device	Y

CPT® Code	CPT® Code Description	Requires PA
E2510	Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access	Y
E8000	Gait trainer, pediatric size, posterior support, includes all accessories and components	N
K0005	Ultralightweight wheelchair	Y
K0007	Extra heavy duty wheelchair	Y
K0008	Custom manual wheelchair/base	Y
K0009	Other manual wheelchair/base	Y
K0010	Standard - weight frame motorized/power wheelchair	Y
K0011	Standard - weight frame motorized/power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control and braking	Y
K0012	Lightweight portable motorized/power wheelchair	Y
K0013	Custom motorized/power wheelchair base	Y
K0014	Other motorized/power wheelchair base	Y
K0606	Automatic external defibrillator, with integrated electrocardiogram analysis, garment type	Y
K0608	Replacement garment for use with automated external defibrillator, each	Y
K0609	Replacement electrodes for use with automated external defibrillator, garment type only, each	Y
K0738	Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing	Y
K0800	Power operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds	Y
K0801	Power operated vehicle, group 1 heavy duty, patient weight capacity 301 to 450 pounds	Y
K0802	Power operated vehicle, group 1 very heavy duty, patient weight capacity 451 to 600 pounds	Y
K0806	Power operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds	Y
K0807	Power operated vehicle, group 2 heavy duty, patient weight capacity 301 to 450 pounds	Y
K0808	Power operated vehicle, group 2 very heavy duty, patient weight capacity 451 to 600 pounds	Y
K0812	Power operated vehicle, not otherwise classified	Y
K0813	Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds	Y
K0814	Power wheelchair, group 1 standard, portable, captains chair, patient weight capacity up to and including 300 pounds	Y
K0815	Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds	Y
K0816	Power wheelchair, group 1 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0820	Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0821	Power wheelchair, group 2 standard, portable, captains chair, patient weight capacity up to and including 300 pounds	Y
K0822	Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0823	Power wheelchair, group 2 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0824	Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0825	Power wheelchair, group 2 heavy duty, captains chair, patient weight capacity 301 to 450 pounds	Y
K0826	Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0827	Power wheelchair, group 2 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds	Y
K0828	Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0829	Power wheelchair, group 2 extra heavy duty, captains chair, patient weight 601 pounds or more	Y
K0830	Power wheelchair, group 2 standard, seat elevator, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0831	Power wheelchair, group 2 standard, seat elevator, captains chair, patient weight capacity up to and including 300 pounds	Y
K0835	Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0836	Power wheelchair, group 2 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0837	Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0838	Power wheelchair, group 2 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds	Y
K0839	Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0840	Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more	Y

CPT® Code	CPT® Code Description	Requires PA
K0841	Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0842	Power wheelchair, group 2 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0843	Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0848	Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0849	Power wheelchair, group 3 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0850	Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0851	Power wheelchair, group 3 heavy duty, captains chair, patient weight capacity 301 to 450 pounds	Y
K0852	Power wheelchair, group 3 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0853	Power wheelchair, group 3 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds	Y
K0854	Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0855	Power wheelchair, group 3 extra heavy duty, captains chair, patient weight capacity 601 pounds or more	Y
K0856	Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0857	Power wheelchair, group 3 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0858	Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds	Y
K0859	Power wheelchair, group 3 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds	Y
K0860	Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0861	Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0862	Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0863	Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0864	Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more	Y
K0868	Power wheelchair, group 4 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0869	Power wheelchair, group 4 standard, captains chair, patient weight capacity up to and including 300 pounds	Y
K0870	Power wheelchair, group 4 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0871	Power wheelchair, group 4 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds	Y
K0877	Power wheelchair, group 4 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0878	Power wheelchair, group 4 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0879	Power wheelchair, group 4 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0880	Power wheelchair, group 4 very heavy duty, single power option, sling/solid seat/back, patient weight 451 to 600 pounds	Y
K0884	Power wheelchair, group 4 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds	Y
K0885	Power wheelchair, group 4 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds	Y
K0886	Power wheelchair, group 4 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds	Y
K0890	Power wheelchair, group 5 pediatric, single power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds	Y
K0891	Power wheelchair, group 5 pediatric, multiple power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds	Y
K0898	Power wheelchair, not otherwise classified	Y
L2006	Knee ankle foot device, any material, single or double upright, swing and stance phase microprocessor control with adjustability, includes all components (e.g., sensors, batteries, charger), any type activation, with or without ankle joint(s), custom fabricated	Y
L5610	Addition to lower extremity, endoskeletal system, above knee, hydracadence system	Y
L5613	Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control	Y
L5614	Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control	Y
L5615	Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing and stance phase control	Y
L5616	Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control	Y
L5628	Addition to lower extremity, test socket, hemipelvectomy	Y
L5780	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control	Y
L5826	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame	Y

CPT® Code	CPT® Code Description	Requires PA
L5830	Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control	Y
L5840	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control	Y
L5841	Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control	Y
L5848	Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability	Y
L5856	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type	Y
L5857	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type	Y
L5858	Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type	Y
L5859	Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)	Y
L5930	Addition, endoskeletal system, high activity knee control frame	Y
L5961	Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control	Y
L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature	Y
L5969	Addition, endoskeletal ankle-foot or ankle system, power assist, includes any type motor(s)	Y
L5973	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source	Y
L5976	All lower extremity prostheses, energy storing foot (seattle carbon copy ii or equal)	Y
L5979	All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system	Y
L5980	All lower extremity prostheses, flex foot system	Y
L5981	All lower extremity prostheses, flex-walk system or equal	Y
L5987	All lower extremity prosthesis, shank foot system with vertical loading pylon	Y
L5999	Lower extremity prosthesis, not otherwise specified	Y
L6880	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)	Y
L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device	Y
L6925	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6935	Below elbow, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6945	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6955	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6965	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L6975	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	Y
L7007	Electric hand, switch or myoelectric controlled, adult	Y
L7008	Electric hand, switch or myoelectric, controlled, pediatric	Y
L7009	Electric hook, switch or myoelectric controlled, adult	Y
L7045	Electric hook, switch or myoelectric controlled, pediatric	Y
L7170	Electronic elbow, hosmer or equal, switch controlled	Y
L7180	Electronic elbow, microprocessor sequential control of elbow and terminal device	Y
L7181	Electronic elbow, microprocessor simultaneous control of elbow and terminal device	Y
L7185	Electronic elbow, adolescent, variety village or equal, switch controlled	Y

CPT® Code	CPT® Code Description	Requires PA
L7186	Electronic elbow, child, variety village or equal, switch controlled	Y
L7190	Electronic elbow, adolescent, variety village or equal, myoelectronically controlled	Y
L7191	Electronic elbow, child, variety village or equal, myoelectronically controlled	Y
L8010	Breast prosthesis, mastectomy sleeve	N
L8701	Powered upper extremity range of motion assist device, elbow, wrist, hand with single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	Y
L8702	Powered upper extremity range of motion assist device, elbow, wrist, hand, finger, single or double upright(s), includes microprocessor, sensors, all components and accessories, custom fabricated	Y

CPT copyright 2026 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.