

Vaya Health
Prior Authorization Procedure List: DME

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | A4253 | Blood glucose test or reagent strips for home blood glucose monitor, per 50 strips |
| DME | A4256 | Normal, low and high calibrator solution / chips |
| DME | A4258 | Spring-powered device for lancet, each |
| DME | A4259 | Lancets, per box of 100 |
| DME | A4271 | Integrated lancing and blood sample testing cartridges for home blood glucose monitor, per month |
| DME | A4335 | Incontinence supply; miscellaneous |
| DME | A4421 | Ostomy supply; miscellaneous |
| DME | A4543 | Supplies for transcutaneous electrical nerve stimulator, for nerves in the auricular region, per month |
| DME | A4544 | Electrode for external lower extremity nerve stimulator for restless legs syndrome |
| DME | A4545 | Supplies and accessories for external tibial nerve stimulator (e.g., socks, gel pads, electrodes, etc.), needed for one month |
| DME | A4593 | Neuromodulation stimulator system, adjunct to rehabilitation therapy regime |
| DME | A4594 | Neuromodulation stimulator system, adjunct to rehabilitation therapy regime, mouthpiece each |
| DME | A4604 | Tubing with integrated heating element for use with positive airway pressure device |
| DME | A4649 | Surgical supply; miscellaneous |
| DME | A5500 | For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe |
| DME | A5501 | For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe |
| DME | A5503 | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe |
| DME | A5504 | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe |
| DME | A5505 | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | A5506 | For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe |
| DME | A5507 | For diabetics only, not otherwise specified modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe |
| DME | A5512 | For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer (or higher), prefabricated, each |
| DME | A5513 | For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer (or higher), includes arch filler and other shaping material, custom fabricated, each |
| DME | A6261 | Wound filler, gel/paste, per fluid ounce, not otherwise specified |
| DME | A6262 | Wound filler, dry form, per gram, not otherwise specified |
| DME | A6512 | Compression burn garment, not otherwise classified |
| DME | A6549 | Gradient compression garment, not otherwise specified, for daytime use, each |
| DME | A7021 | Supplies and accessories for lung expansion airway clearance, continuous high frequency oscillation, and nebulization device (e.g., handset, nebulizer kit, biofilter) |
| DME | A7025 | High frequency chest wall oscillation system vest, replacement for use with patient owned equipment, each |
| DME | A7026 | High frequency chest wall oscillation system hose, replacement for use with patient owned equipment, each |
| DME | A7027 | Combination oral/nasal mask, used with continuous positive airway pressure device, each |
| DME | A7030 | Full face mask used with positive airway pressure device, each |
| DME | A7034 | Nasal interface (mask or cannula type) used with positive airway pressure device, with or without head strap |
| DME | A7037 | Tubing used with positive airway pressure device |
| DME | A7038 | Filter, disposable, used with positive airway pressure device |
| DME | A7039 | Filter, non disposable, used with positive airway pressure device |
| DME | A7044 | PAP Oral Interface |
| DME | A8002 | Helmet, protective, soft, custom fabricated, includes all components and accessories |
| DME | A8003 | Helmet, protective, hard, custom fabricated, includes all components and accessories |
| DME | A8004 | Soft interface for helmet, replacement only |
| DME | A9279 | Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, not otherwise classified |
| DME | A9900 | Miscellaneous dme supply, accessory, and/or service component of another hcpcs code |
| DME | A9999 | Miscellaneous dme supply or accessory, not otherwise specified |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | E0118 | Crutch substitute, lower leg platform, with or without wheels, each |
| DME | E0152 | Walker, battery powered, wheeled, folding, adjustable or fixed height |
| DME | E0193 | Powered air flotation bed (low air loss therapy) |
| DME | E0194 | Air fluidized bed |
| DME | E0202 | Phototherapy (bilirubin) light with photometer |
| DME | E0250 | Hospital bed, fixed height, with any type side rails, with mattress |
| DME | E0255 | Hospital bed, variable height, hi-lo, with any type side rails, with mattress |
| DME | E0260 | Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress |
| DME | E0265 | Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress |
| DME | E0277 | Powered pressure-reducing air mattress |
| DME | E0300 | Pediatric crib, hospital grade, fully enclosed, with or without top enclosure |
| DME | E0303 | Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress |
| DME | E0304 | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress |
| DME | E0316 | Safety enclosure frame/canopy for use with hospital bed, any type |
| DME | E0328 | Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress |
| DME | E0329 | Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches above the spring, includes mattress |
| DME | E0371 | Nonpowered advanced pressure reducing overlay for mattress, standard mattress length and width |
| DME | E0372 | Powered air overlay for mattress, standard mattress length and width |
| DME | E0373 | Nonpowered advanced pressure reducing mattress |
| DME | E0424 | Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing |
| DME | E0431 | Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing |
| DME | E0433 | Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge |
| DME | E0434 | Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing |
| DME | E0439 | Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing |
| DME | E0445 | Oximeter device for measuring blood oxygen levels non-invasively |
| DME | E0446 | Topical oxygen delivery system, not otherwise specified, includes all supplies and accessories |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | E0465 | Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) |
| DME | E0466 | Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell) |
| DME | E0468 | Home ventilator, dual-function respiratory device, also performs additional function of cough stimulation, includes all accessories, components and supplies for all functions |
| DME | E0469 | Lung expansion airway clearance, continuous high frequency oscillation, and nebulization device |
| DME | E0470 | Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) |
| DME | E0471 | Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) |
| DME | E0480 | Percussor, electric or pneumatic, home model |
| DME | E0482 | Cough stimulating device, alternating positive and negative airway pressure |
| DME | E0483 | High frequency chest wall oscillation system, with full anterior and/or posterior thoracic region receiving simultaneous external oscillation, includes all accessories and supplies, each |
| DME | E0500 | Ippb machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source |
| DME | E0561 | Humidifier, non-heated, used with positive airway pressure device |
| DME | E0562 | Humidifier, heated, used with positive airway pressure device |
| DME | E0565 | Compressor, air power source for equipment which is not self-contained or cylinder driven |
| DME | E0601 | Continuous positive airway pressure (cpap) device |
| DME | E0603 | Breast pump, electric (ac and/or dc), any type |
| DME | E0604 | Breast pump, hospital grade, electric (ac and / or dc), any type |
| DME | E0619 | Apnea monitor, with recording feature |
| DME | E0625 | Patient lift, bathroom or toilet, not otherwise classified |
| DME | E0630 | Patient lift, hydraulic or mechanical, includes any seat, sling, strap(s) or pad(s) |
| DME | E0637 | Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels |
| DME | E0638 | Standing frame/table system, one position (e.g., upright, supine or prone stander), any size including pediatric, with or without wheels |
| DME | E0641 | Standing frame/table system, multi-position (e.g., three-way stander), any size including pediatric, with or without wheels |
| DME | E0642 | Standing frame/table system, mobile (dynamic stander), any size including pediatric |
| DME | E0650 | Pneumatic compressor, non-segmental home model |
| DME | E0651 | Pneumatic compressor, segmental home model without calibrated gradient pressure |
| DME | E0652 | Pneumatic compressor, segmental home model with calibrated gradient pressure |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | E0655 | Non-segmental pneumatic appliance for use with pneumatic compressor, half arm |
| DME | E0660 | Non-segmental pneumatic appliance for use with pneumatic compressor, full leg |
| DME | E0665 | Non-segmental pneumatic appliance for use with pneumatic compressor, full arm |
| DME | E0666 | Non-segmental pneumatic appliance for use with pneumatic compressor, half leg |
| DME | E0667 | Segmental pneumatic appliance for use with pneumatic compressor, full leg |
| DME | E0668 | Segmental pneumatic appliance for use with pneumatic compressor, full arm |
| DME | E0669 | Segmental pneumatic appliance for use with pneumatic compressor, half leg |
| DME | E0670 | Segmental pneumatic appliance for use with pneumatic compressor, integrated, 2 full legs and trunk |
| DME | E0671 | Segmental gradient pressure pneumatic appliance, full leg |
| DME | E0672 | Segmental gradient pressure pneumatic appliance, full arm |
| DME | E0673 | Segmental gradient pressure pneumatic appliance, half leg |
| DME | E0676 | Intermittent limb compression device (includes all accessories), not otherwise specified |
| DME | E0683 | Non-pneumatic, non-sequential, peristaltic wave compression pump |
| DME | E0691 | Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area 2 square feet or less |
| DME | E0692 | Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, 4 foot panel |
| DME | E0700 | Safety equipment, device or accessory, any type |
| DME | E0705 | Transfer device, any type, each |
| DME | E0720 | Transcutaneous electrical nerve stimulation (tens) device, two lead, localized stimulation |
| DME | E0721 | Transcutaneous electrical nerve stimulatory, stimulates nerves in the auricular region |
| DME | E0730 | Transcutaneous electrical nerve stimulation (tens) device, four or more leads, for multiple nerve stimulation |
| DME | E0736 | Transcutaneous tibial nerve stimulator |
| DME | E0738 | Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all components and accessories |
| DME | E0739 | Rehab system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories, motors, microprocessors, sensors |
| DME | E0743 | External lower extremity nerve stimulator for restless legs syndrome, each |
| DME | E0747 | Osteogenesis stimulator, electrical, non-invasive, other than spinal applications |
| DME | E0748 | Osteogenesis stimulator, electrical, non-invasive, spinal applications |
| DME | E0760 | Osteogenesis stimulator, low intensity ultrasound, non-invasive |
| DME | E0767 | Intrabuccal, systemic delivery of amplitude-modulated, radiofrequency electromagnetic field device, for cancer treatment, includes all accessories |
| DME | E0769 | Electrical stimulation or electromagnetic wound treatment device, not otherwise classified |
| DME | E0770 | Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any type, complete system, not otherwise specified |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | E0784 | External ambulatory infusion pump, insulin |
| DME | E0911 | Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, attached to bed, with grab bar |
| DME | E0912 | Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, free standing, complete with grab bar |
| DME | E0956 | Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each |
| DME | E0957 | Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each |
| DME | E0960 | Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware |
| DME | E0973 | Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each |
| DME | E1002 | Wheelchair accessory, power seating system, tilt only |
| DME | E1003 | Wheelchair accessory, power seating system, recline only, without shear reduction |
| DME | E1004 | Wheelchair accessory, power seating system, recline only, with mechanical shear reduction |
| DME | E1005 | Wheelchair accessory, power seating system, recline only, with power shear reduction |
| DME | E1006 | Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction |
| DME | E1007 | Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction |
| DME | E1008 | Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction |
| DME | E1037 | Transport chair, pediatric size |
| DME | E1038 | Transport chair, adult size, patient weight capacity up to and including 300 pounds |
| DME | E1039 | Transport chair, adult size, heavy duty, patient weight capacity greater than 300 pounds |
| DME | E1161 | Manual adult size wheelchair, includes tilt in space |
| DME | E1226 | Wheelchair accessory, manual fully reclining back, (recline greater than 80 degrees), each |
| DME | E1229 | Wheelchair, pediatric size, not otherwise specified |
| DME | E1231 | Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seating system |
| DME | E1232 | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seating system |
| DME | E1233 | Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system |
| DME | E1234 | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system |
| DME | E1235 | Wheelchair, pediatric size, rigid, adjustable, with seating system |
| DME | E1236 | Wheelchair, pediatric size, folding, adjustable, with seating system |
| DME | E1237 | Wheelchair, pediatric size, rigid, adjustable, without seating system |
| DME | E1238 | Wheelchair, pediatric size, folding, adjustable, without seating system |
| DME | E1239 | Power wheelchair, pediatric size, not otherwise specified |
| DME | E1354 | Oxygen accessory, wheeled cart for portable cylinder or portable concentrator, any type, replacement only, each |
| DME | E1356 | Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each |
| DME | E1357 | Oxygen accessory, battery charger for portable concentrator, any type, replacement only, each |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | E1358 | Oxygen accessory, dc power adapter for portable concentrator, any type, replacement only, each |
| DME | E1390 | Oxygen concentrator, single delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate |
| DME | E1392 | Portable oxygen concentrator, rental |
| DME | E1399 | Durable medical equipment, miscellaneous |
| DME | E1699 | Dialysis equipment, not otherwise specified |
| DME | E1803 | Dynamic adjustable elbow extension only device, includes soft interface material |
| DME | E1804 | Dynamic adjustable elbow flexion only device, includes soft interface material |
| DME | E1807 | Dynamic adjustable wrist extension only device, includes soft interface material |
| DME | E1808 | Dynamic adjustable wrist flexion only device, includes soft interface material |
| DME | E1813 | Dynamic adjustable knee extension only device, includes soft interface material |
| DME | E1814 | Dynamic adjustable knee flexion only device, includes soft interface material |
| DME | E1822 | Dynamic adjustable ankle extension only device, includes soft interface material |
| DME | E1823 | Dynamic adjustable ankle flexion only device, includes soft interface material |
| DME | E1826 | Dynamic adjustable finger extension only device, includes soft interface material |
| DME | E1827 | Dynamic adjustable finger flexion only device, includes soft interface material |
| DME | E1828 | Dynamic adjustable toe extension only device, includes soft interface material |
| DME | E1829 | Dynamic adjustable toe flexion only device, includes soft interface material |
| DME | E2104 | Home blood glucose monitor for use with integrated lancing/blood sample testing cartridge |
| DME | E2201 | Manual wheelchair accessory, nonstandard seat frame, width greater than or equal to 20 inches and less than 24 inches |
| DME | E2202 | Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches |
| DME | E2203 | Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches |
| DME | E2204 | Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches |
| DME | E2227 | Manual wheelchair accessory, gear reduction drive wheel, each |
| DME | E2228 | Manual wheelchair accessory, wheel braking system and lock, complete, each |
| DME | E2231 | Manual wheelchair accessory, solid seat support base (replaces sling seat), includes any type mounting hardware |
| DME | E2291 | Back, planar, for pediatric size wheelchair including fixed attaching hardware |
| DME | E2292 | Seat, planar, for pediatric size wheelchair including fixed attaching hardware |
| DME | E2293 | Back, contoured, for pediatric size wheelchair including fixed attaching hardware |
| DME | E2294 | Seat, contoured, for pediatric size wheelchair including fixed attaching hardware |
| DME | E2295 | Manual wheelchair accessory, for pediatric size wheelchair, dynamic seating frame, allows coordinated movement of multiple positioning features |
| DME | E2298 | Complex rehabilitative power wheelchair accessory, power seat elevation system, any type |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | E2310 | Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware |
| DME | E2311 | Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware |
| DME | E2312 | Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including fixed mounting hardware |
| DME | E2313 | Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounting hardware, each |
| DME | E2321 | Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware |
| DME | E2322 | Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware |
| DME | E2325 | Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware |
| DME | E2327 | Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware |
| DME | E2328 | Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware |
| DME | E2329 | Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware |
| DME | E2330 | Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware |
| DME | E2340 | Power wheelchair accessory, nonstandard seat frame width, 20-23 inches |
| DME | E2341 | Power wheelchair accessory, nonstandard seat frame width, 24-27 inches |
| DME | E2342 | Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches |
| DME | E2343 | Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches |
| DME | E2366 | Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or non-sealed, each |
| DME | E2367 | Power wheelchair accessory, battery charger, dual mode, for use with either battery type, sealed or non-sealed, each |
| DME | E2368 | Power wheelchair component, drive wheel motor, replacement only |
| DME | E2369 | Power wheelchair component, drive wheel gear box, replacement only |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | E2370 | Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only |
| DME | E2371 | Power wheelchair accessory, group 27 sealed lead acid battery, (e.g., gel cell, absorbed glassmat), each |
| DME | E2372 | Power wheelchair accessory, group 27 non-sealed lead acid battery, each |
| DME | E2373 | Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware |
| DME | E2374 | Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only |
| DME | E2375 | Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacement only |
| DME | E2376 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only |
| DME | E2377 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue |
| DME | E2378 | Power wheelchair component, actuator, replacement only |
| DME | E2402 | Negative pressure wound therapy electrical pump, stationary or portable |
| DME | E2508 | Speech generating device, synthesized speech, requiring message formulation by spelling and access by physical contact with the device |
| DME | E2510 | Speech generating device, synthesized speech, permitting multiple methods of message formulation and multiple methods of device access |
| DME | E2511 | Speech generating software program, for personal computer or personal digital assistant |
| DME | E2512 | Accessory for speech generating device, mounting system |
| DME | E2513 | Accessory for speech generating device, electromyographic sensor |
| DME | E2599 | Accessory for speech generating device, not otherwise classified |
| DME | E2603 | Skin protection wheelchair seat cushion, width less than 22 inches, any depth |
| DME | E2604 | Skin protection wheelchair seat cushion, width 22 inches or greater, any depth |
| DME | E2605 | Positioning wheelchair seat cushion, width less than 22 inches, any depth |
| DME | E2606 | Positioning wheelchair seat cushion, width 22 inches or greater, any depth |
| DME | E2607 | Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth |
| DME | E2608 | Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth |
| DME | E2609 | Custom fabricated wheelchair seat cushion, any size |
| DME | E2613 | Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware |
| DME | E2614 | Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | E2615 | Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware |
| DME | E2616 | Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware |
| DME | E2617 | Custom fabricated wheelchair back cushion, any size, including any type mounting hardware |
| DME | E2620 | Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware |
| DME | E2621 | Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware |
| DME | E2626 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable |
| DME | E2627 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type |
| DME | E2628 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, reclining |
| DME | E2629 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints) |
| DME | E2630 | Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support |
| DME | E2631 | Wheelchair accessory, addition to mobile arm support, elevating proximal arm |
| DME | E2632 | Wheelchair accessory, addition to mobile arm support, offset or lateral rocker arm with elastic balance control |
| DME | E2633 | Wheelchair accessory, addition to mobile arm support, supinator |
| DME | E3200 | Gait modulation system, rhythmic auditory stimulation, including restricted therapy software, all components and accessories, prescription only |
| DME | E8000 | Gait trainer, pediatric size, posterior support, includes all accessories and components |
| DME | E8001 | Gait trainer, pediatric size, upright support, includes all accessories and components |
| DME | E8002 | Gait trainer, pediatric size, anterior support, includes all accessories and components |
| DME | K0001 | Standard wheelchair |
| DME | K0002 | Standard hemi (low seat) wheelchair |
| DME | K0003 | Lightweight wheelchair |
| DME | K0004 | High strength, lightweight wheelchair |
| DME | K0005 | Ultralightweight wheelchair |
| DME | K0006 | Heavy duty wheelchair |
| DME | K0007 | Extra heavy duty wheelchair |
| DME | K0015 | Detachable, non-adjustable height armrest, replacement only, each |
| DME | K0017 | Detachable, adjustable height armrest, base, replacement only, each |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | K0018 | Detachable, adjustable height armrest, upper portion, replacement only, each |
| DME | K0020 | Fixed, adjustable height armrest, pair |
| DME | K0037 | High mount flip-up footrest, each |
| DME | K0053 | Elevating footrests, articulating (telescoping), each |
| DME | K0108 | Wheelchair component or accessory, not otherwise specified |
| DME | K0195 | Elevating leg rests, pair (for use with capped rental wheelchair base) |
| DME | K0606 | Automatic external defibrillator, with integrated electrocardiogram analysis, garment type |
| DME | K0733 | Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each (e.g., gel cell, absorbed glassmat) |
| DME | K0738 | Portable gaseous oxygen system, rental; home compressor used to fill portable oxygen cylinders; includes portable containers, regulator, flowmeter, humidifier, cannula or mask, and tubing |
| DME | K0739 | Repair or nonroutine service for durable medical equipment other than oxygen equipment requiring the skill of a technician, labor component, per 15 minutes |
| DME | K0812 | Power operated vehicle, not otherwise classified |
| DME | K0813 | Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds |
| DME | K0814 | Power wheelchair, group 1 standard, portable, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0815 | Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds |
| DME | K0816 | Power wheelchair, group 1 standard, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0820 | Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0821 | Power wheelchair, group 2 standard, portable, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0822 | Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0823 | Power wheelchair, group 2 standard, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0824 | Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0825 | Power wheelchair, group 2 heavy duty, captains chair, patient weight capacity 301 to 450 pounds |
| DME | K0826 | Power wheelchair, group 2 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0827 | Power wheelchair, group 2 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | K0828 | Power wheelchair, group 2 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more |
| DME | K0829 | Power wheelchair, group 2 extra heavy duty, captains chair, patient weight 601 pounds or more |
| DME | K0830 | Power wheelchair, group 2 standard, seat elevator, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0831 | Power wheelchair, group 2 standard, seat elevator, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0835 | Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0836 | Power wheelchair, group 2 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0837 | Power wheelchair, group 2 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0838 | Power wheelchair, group 2 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds |
| DME | K0839 | Power wheelchair, group 2 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0840 | Power wheelchair, group 2 extra heavy duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more |
| DME | K0841 | Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0842 | Power wheelchair, group 2 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0843 | Power wheelchair, group 2 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0848 | Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0849 | Power wheelchair, group 3 standard, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0850 | Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0851 | Power wheelchair, group 3 heavy duty, captains chair, patient weight capacity 301 to 450 pounds |
| DME | K0852 | Power wheelchair, group 3 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0853 | Power wheelchair, group 3 very heavy duty, captains chair, patient weight capacity 451 to 600 pounds |
| DME | K0854 | Power wheelchair, group 3 extra heavy duty, sling/solid seat/back, patient weight capacity 601 pounds or more |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | K0855 | Power wheelchair, group 3 extra heavy duty, captains chair, patient weight capacity 601 pounds or more |
| DME | K0856 | Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0857 | Power wheelchair, group 3 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0858 | Power wheelchair, group 3 heavy duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds |
| DME | K0859 | Power wheelchair, group 3 heavy duty, single power option, captains chair, patient weight capacity 301 to 450 pounds |
| DME | K0860 | Power wheelchair, group 3 very heavy duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0861 | Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0862 | Power wheelchair, group 3 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0863 | Power wheelchair, group 3 very heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0864 | Power wheelchair, group 3 extra heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more |
| DME | K0868 | Power wheelchair, group 4 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0869 | Power wheelchair, group 4 standard, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0870 | Power wheelchair, group 4 heavy duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0871 | Power wheelchair, group 4 very heavy duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds |
| DME | K0877 | Power wheelchair, group 4 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0878 | Power wheelchair, group 4 standard, single power option, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0879 | Power wheelchair, group 4 heavy duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0880 | Power wheelchair, group 4 very heavy duty, single power option, sling/solid seat/back, patient weight 451 to 600 pounds |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | K0884 | Power wheelchair, group 4 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds |
| DME | K0885 | Power wheelchair, group 4 standard, multiple power option, captains chair, patient weight capacity up to and including 300 pounds |
| DME | K0886 | Power wheelchair, group 4 heavy duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds |
| DME | K0890 | Power wheelchair, group 5 pediatric, single power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds |
| DME | K0891 | Power wheelchair, group 5 pediatric, multiple power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds |
| DME | K0898 | Power wheelchair, not otherwise classified |
| DME | L0112 | Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated |
| DME | L0113 | Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment |
| DME | L0170 | Cervical, collar, molded to patient model |
| DME | L0456 | Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L0457 | Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf |
| DME | L0458 | Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| DME | L0460 | Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L0462 | Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| DME | L0464 | Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment |
| DME | L0470 | Tlso, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment |
| DME | L0480 | Tlso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| DME | L0482 | Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| DME | L0484 | Tlso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |
| DME | L0486 | Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L0488 | Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment |
| DME | L0631 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L0632 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated |
| DME | L0635 | Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment |
| DME | L0636 | Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated |
| DME | L0637 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L0638 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L0639 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L0640 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated |
| DME | L0648 | Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| DME | L0650 | Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf |
| DME | L0651 | Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf |
| DME | L0700 | Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model, (minerva type) |
| DME | L0710 | Ctlso, anterior-posterior-lateral-control, molded to patient model, with interface material, (minerva type) |
| DME | L0810 | Halo procedure, cervical halo incorporated into jacket vest |
| DME | L0820 | Halo procedure, cervical halo incorporated into plaster body jacket |
| DME | L0830 | Halo procedure, cervical halo incorporated into milwaukee type orthosis |
| DME | L0859 | Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material |
| DME | L0999 | Addition to spinal orthosis, not otherwise specified |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L1000 | Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model |
| DME | L1001 | Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment |
| DME | L1005 | Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment |
| DME | L1006 | Scoliosis orthosis, sagittal-coronal control provided by a rigid lateral frame, extends from axilla to trochanter, includes all accessory pads, straps and interface, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1200 | Thoracic-lumbar-sacral-orthosis (tlso), inclusive of furnishing initial orthosis only |
| DME | L1300 | Other scoliosis procedure, body jacket molded to patient model |
| DME | L1310 | Other scoliosis procedure, post-operative body jacket |
| DME | L1320 | Thoracic, pectus carinatum orthosis, sternal compression, rigid circumferential frame with anterior and posterior rigid pads, custom fabricated |
| DME | L1499 | Spinal orthosis, not otherwise specified |
| DME | L1653 | Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, off the shelf |
| DME | L1680 | Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated |
| DME | L1685 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated |
| DME | L1686 | Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment |
| DME | L1690 | Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment |
| DME | L1700 | Legg perthes orthosis, (toronto type), custom fabricated |
| DME | L1710 | Legg perthes orthosis, (newington type), custom fabricated |
| DME | L1720 | Legg perthes orthosis, trilateral, (tachdijan type), custom fabricated |
| DME | L1730 | Legg perthes orthosis, (scottish rite type), custom fabricated |
| DME | L1755 | Legg perthes orthosis, (patten bottom type), custom fabricated |
| DME | L1821 | Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, off the shelf |
| DME | L1832 | Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1833 | Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the shelf |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L1834 | Knee orthosis, without knee joint, rigid, custom fabricated |
| DME | L1840 | Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated |
| DME | L1843 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1844 | Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated |
| DME | L1845 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1846 | Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated |
| DME | L1860 | Knee orthosis, modification of supracondylar prosthetic socket, custom fabricated (sk) |
| DME | L1932 | Ankle foot orthosis, rigid anterior tibial section, total carbon fiber or equal material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1945 | Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated |
| DME | L1950 | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic, custom fabricated |
| DME | L1951 | Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L1970 | Ankle foot orthosis, plastic with ankle joint, custom fabricated |
| DME | L2000 | Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), custom fabricated |
| DME | L2005 | Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated |
| DME | L2010 | Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), without knee joint, custom fabricated |
| DME | L2020 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'ak' orthosis), custom fabricated |
| DME | L2030 | Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar 'ak' orthosis), without knee joint, custom fabricated |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L2034 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated |
| DME | L2036 | Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated |
| DME | L2037 | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated |
| DME | L2038 | Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated |
| DME | L2106 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated |
| DME | L2108 | Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated |
| DME | L2116 | Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment |
| DME | L2126 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated |
| DME | L2128 | Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated |
| DME | L2132 | Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment |
| DME | L2134 | Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment |
| DME | L2136 | Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment |
| DME | L2350 | Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for 'ptb' 'afo' orthoses) |
| DME | L2510 | Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, molded to patient model |
| DME | L2525 | Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim molded to patient model |
| DME | L2526 | Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted |
| DME | L2627 | Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables |
| DME | L2628 | Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables |
| DME | L2999 | Lower extremity orthoses, not otherwise specified |
| DME | L3000 | Foot, insert, removable, molded to patient model, 'ucb' type, berkeley shell, each |
| DME | L3001 | Foot, insert, removable, molded to patient model, spenco, each |
| DME | L3002 | Foot, insert, removable, molded to patient model, plastazote or equal, each |
| DME | L3003 | Foot, insert, removable, molded to patient model, silicone gel, each |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L3010 | Foot, insert, removable, molded to patient model, longitudinal arch support, each |
| DME | L3020 | Foot, insert, removable, molded to patient model, longitudinal/ metatarsal support, each |
| DME | L3030 | Foot, insert, removable, formed to patient foot, each |
| DME | L3040 | Foot, arch support, removable, premolded, longitudinal, each |
| DME | L3050 | Foot, arch support, removable, premolded, metatarsal, each |
| DME | L3060 | Foot, arch support, removable, premolded, longitudinal/ metatarsal, each |
| DME | L3070 | Foot, arch support, non-removable attached to shoe, longitudinal, each |
| DME | L3080 | Foot, arch support, non-removable attached to shoe, metatarsal, each |
| DME | L3090 | Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each |
| DME | L3100 | Hallus-valgus night dynamic splint, prefabricated, off-the-shelf |
| DME | L3140 | Foot, abduction rotation bar, including shoes |
| DME | L3150 | Foot, abduction rotation bar, without shoes |
| DME | L3160 | Foot, adjustable shoe-styled positioning device |
| DME | L3215 | Orthopedic footwear, ladies shoe, oxford, each |
| DME | L3216 | Orthopedic footwear, ladies shoe, depth inlay, each |
| DME | L3217 | Orthopedic footwear, ladies shoe, hightop, depth inlay, each |
| DME | L3219 | Orthopedic footwear, mens shoe, oxford, each |
| DME | L3221 | Orthopedic footwear, mens shoe, depth inlay, each |
| DME | L3222 | Orthopedic footwear, mens shoe, hightop, depth inlay, each |
| DME | L3224 | Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis) |
| DME | L3225 | Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis) |
| DME | L3250 | Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each |
| DME | L3251 | Foot, shoe molded to patient model, silicone shoe, each |
| DME | L3252 | Foot, shoe molded to patient model, plastazote (or similar), custom fabricated, each |
| DME | L3253 | Foot, molded shoe plastazote (or similar) custom fitted, each |
| DME | L3254 | Non-standard size or width |
| DME | L3255 | Non-standard size or length |
| DME | L3257 | Orthopedic footwear, additional charge for split size |
| DME | L3260 | Surgical boot/shoe, each |
| DME | L3265 | Plastazote sandal, each |
| DME | L3300 | Lift, elevation, heel, tapered to metatarsals, per inch |
| DME | L3310 | Lift, elevation, heel and sole, neoprene, per inch |
| DME | L3320 | Lift, elevation, heel and sole, cork, per inch |
| DME | L3330 | Lift, elevation, metal extension (skate) |
| DME | L3332 | Lift, elevation, inside shoe, tapered, up to one-half inch |
| DME | L3334 | Lift, elevation, heel, per inch |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L3340 | Heel wedge, sach |
| DME | L3350 | Heel wedge |
| DME | L3360 | Sole wedge, outside sole |
| DME | L3370 | Sole wedge, between sole |
| DME | L3380 | Clubfoot wedge |
| DME | L3390 | Outflare wedge |
| DME | L3400 | Metatarsal bar wedge, rocker |
| DME | L3410 | Metatarsal bar wedge, between sole |
| DME | L3420 | Full sole and heel wedge, between sole |
| DME | L3430 | Heel, counter, plastic reinforced |
| DME | L3440 | Heel, counter, leather reinforced |
| DME | L3450 | Heel, sach cushion type |
| DME | L3455 | Heel, new leather, standard |
| DME | L3460 | Heel, new rubber, standard |
| DME | L3465 | Heel, thomas with wedge |
| DME | L3470 | Heel, thomas extended to ball |
| DME | L3480 | Heel, pad and depression for spur |
| DME | L3485 | Heel, pad, removable for spur |
| DME | L3500 | Orthopedic shoe addition, insole, leather |
| DME | L3510 | Orthopedic shoe addition, insole, rubber |
| DME | L3520 | Orthopedic shoe addition, insole, felt covered with leather |
| DME | L3530 | Orthopedic shoe addition, sole, half |
| DME | L3540 | Orthopedic shoe addition, sole, full |
| DME | L3550 | Orthopedic shoe addition, toe tap standard |
| DME | L3560 | Orthopedic shoe addition, toe tap, horseshoe |
| DME | L3570 | Orthopedic shoe addition, special extension to instep (leather with eyelets) |
| DME | L3580 | Orthopedic shoe addition, convert instep to velcro closure |
| DME | L3590 | Orthopedic shoe addition, convert firm shoe counter to soft counter |
| DME | L3595 | Orthopedic shoe addition, march bar |
| DME | L3600 | Transfer of an orthosis from one shoe to another, caliper plate, existing |
| DME | L3610 | Transfer of an orthosis from one shoe to another, caliper plate, new |
| DME | L3620 | Transfer of an orthosis from one shoe to another, solid stirrup, existing |
| DME | L3630 | Transfer of an orthosis from one shoe to another, solid stirrup, new |
| DME | L3649 | Orthopedic shoe, modification, addition or transfer, not otherwise specified |
| DME | L3671 | Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L3674 | Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3677 | Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise |
| DME | L3720 | Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated |
| DME | L3730 | Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom fabricated |
| DME | L3740 | Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated |
| DME | L3763 | Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3764 | Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3765 | Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3766 | Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3900 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, wrist or finger driven, custom fabricated |
| DME | L3901 | Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, cable driven, custom fabricated |
| DME | L3904 | Wrist hand finger orthosis, external powered, electric, custom fabricated |
| DME | L3905 | Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3927 | Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g., static or ring type), may include soft interface material, prefabricated, off-the-shelf |
| DME | L3956 | Addition of joint to upper extremity orthosis, any material; per joint |
| DME | L3960 | Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment |
| DME | L3961 | Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3962 | Shoulder elbow wrist hand orthosis, abduction positioning, erb's palsey design, prefabricated, includes fitting and adjustment |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L3967 | Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3971 | Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3973 | Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3975 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3976 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3977 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3978 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment |
| DME | L3999 | Upper limb orthosis, not otherwise specified |
| DME | L4000 | Replace girdle for spinal orthosis (ctiso or so) |
| DME | L4002 | Replacement strap, any orthosis, includes all components, any length, any type |
| DME | L4010 | Replace trilateral socket brim |
| DME | L4020 | Replace quadrilateral socket brim, molded to patient model |
| DME | L4205 | Repair of orthotic device, labor component, per 15 minutes |
| DME | L4210 | Repair of orthotic device, repair or replace minor parts |
| DME | L4631 | Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated |
| DME | L5010 | Partial foot, molded socket, ankle height, with toe filler |
| DME | L5020 | Partial foot, molded socket, tibial tubercle height, with toe filler |
| DME | L5050 | Ankle, symes, molded socket, sach foot |
| DME | L5060 | Ankle, symes, metal frame, molded leather socket, articulated ankle/foot |
| DME | L5100 | Below knee, molded socket, shin, sach foot |
| DME | L5105 | Below knee, plastic socket, joints and thigh lacer, sach foot |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L5150 | Knee disarticulation (or through knee), molded socket, external knee joints, shin, sach foot |
| DME | L5160 | Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, sach foot |
| DME | L5200 | Above knee, molded socket, single axis constant friction knee, shin, sach foot |
| DME | L5210 | Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks, no ankle joints, each |
| DME | L5220 | Above knee, short prosthesis, no knee joint ('stubbies'), with articulated ankle/foot, dynamically aligned, each |
| DME | L5230 | Above knee, for proximal femoral focal deficiency, constant friction knee, shin, sach foot |
| DME | L5250 | Hip disarticulation, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot |
| DME | L5270 | Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, sach foot |
| DME | L5280 | Hemipelvectomy, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot |
| DME | L5301 | Below knee, molded socket, shin, sach foot, endoskeletal system |
| DME | L5312 | Knee disarticulation (or through knee), molded socket, single axis knee, pylon, sach foot, endoskeletal system |
| DME | L5321 | Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee |
| DME | L5331 | Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot |
| DME | L5341 | Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot |
| DME | L5400 | Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee |
| DME | L5420 | Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change 'ak' or knee disarticulation |
| DME | L5500 | Initial, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed |
| DME | L5505 | Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed |
| DME | L5510 | Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model |
| DME | L5520 | Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed |
| DME | L5530 | Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L5535 | Preparatory, below knee 'ptb' type socket, non-alignable system, no cover, sach foot, prefabricated, adjustable open end socket |
| DME | L5540 | Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, laminated socket, molded to model |
| DME | L5560 | Preparatory, above knee- knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model |
| DME | L5570 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed |
| DME | L5580 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model |
| DME | L5585 | Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, prefabricated adjustable open end socket |
| DME | L5590 | Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, sach foot, laminated socket, molded to model |
| DME | L5595 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, thermoplastic or equal, molded to patient model |
| DME | L5600 | Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, laminated socket, molded to patient model |
| DME | L5610 | Addition to lower extremity, endoskeletal system, above knee, hydracandence system |
| DME | L5611 | Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4 bar linkage, with friction swing phase control |
| DME | L5613 | Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control |
| DME | L5614 | Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control |
| DME | L5616 | Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control |
| DME | L5639 | Addition to lower extremity, below knee, wood socket |
| DME | L5640 | Addition to lower extremity, knee disarticulation, leather socket |
| DME | L5642 | Addition to lower extremity, above knee, leather socket |
| DME | L5643 | Addition to lower extremity, hip disarticulation, flexible inner socket, external frame |
| DME | L5645 | Addition to lower extremity, below knee, flexible inner socket, external frame |
| DME | L5647 | Addition to lower extremity, below knee suction socket |
| DME | L5648 | Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket |
| DME | L5649 | Addition to lower extremity, ischial containment/narrow m-l socket |
| DME | L5651 | Addition to lower extremity, above knee, flexible inner socket, external frame |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L5652 | Addition to lower extremity, suction suspension, above knee or knee disarticulation socket |
| DME | L5673 | Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |
| DME | L5681 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679) |
| DME | L5682 | Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded |
| DME | L5683 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679) |
| DME | L5700 | Replacement, socket, below knee, molded to patient model |
| DME | L5701 | Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model |
| DME | L5702 | Replacement, socket, hip disarticulation, including hip joint, molded to patient model |
| DME | L5703 | Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only |
| DME | L5705 | Custom shaped protective cover, above knee |
| DME | L5706 | Custom shaped protective cover, knee disarticulation |
| DME | L5707 | Custom shaped protective cover, hip disarticulation |
| DME | L5716 | Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| DME | L5718 | Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control |
| DME | L5722 | Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| DME | L5724 | Addition, exoskeletal knee-shin system, single axis, fluid swing phase control |
| DME | L5726 | Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control |
| DME | L5728 | Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| DME | L5780 | Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control |
| DME | L5781 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system |
| DME | L5782 | Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty |
| DME | L5783 | Addition to lower extremity, user adjustable, mechanical, residual limb volume management system |
| DME | L5785 | Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal) |
| DME | L5790 | Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal) |
| DME | L5795 | Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| DME | L5811 | Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L5814 | Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock |
| DME | L5816 | Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| DME | L5818 | Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control |
| DME | L5822 | Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| DME | L5824 | Addition, endoskeletal knee-shin system, single axis, fluid swing phase control |
| DME | L5826 | Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame |
| DME | L5828 | Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| DME | L5830 | Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control |
| DME | L5840 | Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control |
| DME | L5841 | Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control |
| DME | L5845 | Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable |
| DME | L5848 | Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability |
| DME | L5930 | Addition, endoskeletal system, high activity knee control frame |
| DME | L5950 | Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal) |
| DME | L5960 | Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| DME | L5961 | Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control |
| DME | L5962 | Addition, endoskeletal system, below knee, flexible protective outer surface covering system |
| DME | L5964 | Addition, endoskeletal system, above knee, flexible protective outer surface covering system |
| DME | L5966 | Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system |
| DME | L5968 | Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature |
| DME | L5979 | All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system |
| DME | L5980 | All lower extremity prostheses, flex foot system |
| DME | L5981 | All lower extremity prostheses, flex-walk system or equal |
| DME | L5986 | All lower extremity prostheses, multi-axial rotation unit ('mcp' or equal) |
| DME | L5987 | All lower extremity prosthesis, shank foot system with vertical loading pylon |
| DME | L5988 | Addition to lower limb prosthesis, vertical shock reducing pylon feature |
| DME | L5999 | Lower extremity prosthesis, not otherwise specified |
| DME | L6000 | Partial hand, thumb remaining |
| DME | L6010 | Partial hand, little and/or ring finger remaining |
| DME | L6020 | Partial hand, no finger remaining |
| DME | L6050 | Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad |
| DME | L6055 | Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L6100 | Below elbow, molded socket, flexible elbow hinge, triceps pad |
| DME | L6110 | Below elbow, molded socket, (muenster or northwestern suspension types) |
| DME | L6120 | Below elbow, molded double wall split socket, step-up hinges, half cuff |
| DME | L6130 | Below elbow, molded double wall split socket, stump activated locking hinge, half cuff |
| DME | L6200 | Elbow disarticulation, molded socket, outside locking hinge, forearm |
| DME | L6205 | Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm |
| DME | L6250 | Above elbow, molded double wall socket, internal locking elbow, forearm |
| DME | L6300 | Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm |
| DME | L6310 | Shoulder disarticulation, passive restoration (complete prosthesis) |
| DME | L6320 | Shoulder disarticulation, passive restoration (shoulder cap only) |
| DME | L6350 | Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm |
| DME | L6360 | Interscapular thoracic, passive restoration (complete prosthesis) |
| DME | L6370 | Interscapular thoracic, passive restoration (shoulder cap only) |
| DME | L6380 | Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow |
| DME | L6382 | Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow |
| DME | L6384 | Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic |
| DME | L6388 | Immediate post surgical or early fitting, application of rigid dressing only |
| DME | L6400 | Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| DME | L6450 | Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| DME | L6500 | Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| DME | L6550 | Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| DME | L6570 | Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| DME | L6580 | Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, molded to patient model |
| DME | L6582 | Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, direct formed |
| DME | L6584 | Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, molded to patient model |

| Program | CPT Code | CPT Code Description |
|---------|----------|---|
| DME | L6586 | Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, direct formed |
| DME | L6588 | Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, molded to patient model |
| DME | L6590 | Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, direct formed |
| DME | L6623 | Upper extremity addition, spring assisted rotational wrist unit with latch release |
| DME | L6624 | Upper extremity addition, flexion/extension and rotation wrist unit |
| DME | L6638 | Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow |
| DME | L6646 | Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system |
| DME | L6686 | Upper extremity addition, suction socket |
| DME | L6689 | Upper extremity addition, frame type socket, shoulder disarticulation |
| DME | L6690 | Upper extremity addition, frame type socket, interscapular-thoracic |
| DME | L6693 | Upper extremity addition, locking elbow, forearm counterbalance |
| DME | L6694 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |
| DME | L6695 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism |
| DME | L6696 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) |
| DME | L6697 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) |
| DME | L6698 | Addition to upper extremity prosthesis, lock mechanism, excludes socket insert |
| DME | L6707 | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined |
| DME | L6708 | Terminal device, hand, mechanical, voluntary opening, any material, any size |
| DME | L6709 | Terminal device, hand, mechanical, voluntary closing, any material, any size |
| DME | L6711 | Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric |
| DME | L6712 | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | L6713 | Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric |
| DME | L6714 | Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric |
| DME | L6721 | Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any material, any size, lined or unlined |
| DME | L6722 | Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any material, any size, lined or unlined |
| DME | L6883 | Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power |
| DME | L6884 | Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power |
| DME | L6885 | Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power |
| DME | L6900 | Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining |
| DME | L6905 | Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining |
| DME | L6910 | Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining |
| DME | L6915 | Hand restoration (shading, and measurements included), replacement glove for above |
| DME | L7405 | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material |
| DME | L7499 | Upper extremity prosthesis, not otherwise specified |
| DME | L7510 | Repair of prosthetic device, repair or replace minor parts |
| DME | L7520 | Repair prosthetic device, labor component, per 15 minutes |
| DME | L8039 | Breast prosthesis, not otherwise specified |
| DME | L8499 | Unlisted procedure for miscellaneous prosthetic services |
| DME | L8720 | External lower extremity sensory prosthesis, cutaneous stimulation of mechanoreceptors proximal to the ankle, per leg |
| DME | L8721 | Receptor sole for use with L8720, replacement, each |
| DME | W4001 | CO/2 SATURATION MONITOR WITH ACCESSORIES, PROBES |
| DME | W4002 | MANUAL VENTILATION BAG (e.g. AMBU BAG) |
| DME | W4016 | BATH SEAT, PEDIATRIC (e.g. TLC) |
| DME | W4047 | MISCELLANEOUS FOR DME |
| DME | W4117 | WHEELCHAIR SEAT WIDTH, GREATER THAN 27" |
| DME | W4118 | WHEELCHAIR SEAT DEPTH, GREATER THAN 25" |
| DME | W4119 | WHEELCHAIR SEAT HEIGHT, COST ADDED OPTION FROM MANUFACTURER |
| DME | W4120 | DISPOSABLE BAGS FOR INSPIREASE INHALER SYSTEM, set of 3, EACH |

| Program | CPT Code | CPT Code Description |
|---------|----------|--|
| DME | W4130 | CONTOURED OR 3-PIECE HEAD/NECK SUPPORTS WITH HARDWARE, EACH |
| DME | W4131 | BASIC HEAD/NECK SUPPORT WITH HARDWARE, EACH |
| DME | W4132 | CONTOURED OR 3-PIECE HEAD/NECK SUPPORT WITH MULTI-ADJUSTABLE HARDWARE ,EACH |
| DME | W4133 | BASIC HEAD/NECK SUPPORT WITH MULTI-ADJUSTABLE HARDWARE , EACH |
| DME | W4139 | SUB-ASIS BARS WITH HARDWARE, EACH |
| DME | W4140 | ABDUCTOR PADS WITH HARDWARE , PAIR |
| DME | W4141 | KNEE BLOCKS WITH HARDWARE , PAIR |
| DME | W4143 | SHOE HOLDERS WITH HARDWARE , PAIR |
| DME | W4144 | FOOT/LEGREST CRADLE , EACH |
| DME | W4145 | MANUAL TILT-IN-SPACE OPTION , EACH |
| DME | W4150 | MULTI-ADJUSTABLE TRAY , EACH |
| DME | W4152 | GROWTH KIT, EACH |
| DME | W4153 | TRACHEOSTOMY TIES, TWILL, EACH |
| DME | W4155 | ADDUCTOR PADS WITH HARDWARE, PAIR |
| DME | W4670 | STERILE SALINE, 3 CC VIAL, EACH |
| DME | W4678 | REPLACEMENT BATTERY FOR PORTABLE SUCTION PUMP ADAPTIC AND TRANSPARENT TYPE SUCH AS TEGADERM OR OPSITE for use with external insulin pump, EACH |
| DME | W4688 | SINGLE POINT CANE FOR WEIGHTS 251# TO 500# |
| DME | W4689 | QUAD CANE FOR WEIGHTS 251# TO 500# |
| DME | W4690 | UNDERARM CRUTCHES FOR WEIGHTS 251# TO 500# |
| DME | W4691 | FIXED-HEIGHT FOREARM CRUTCHES FOR WEIGHTS TO 600# |
| DME | W4695 | GLIDES/SKIS FOR USE WITH WALKER |
| DME | W4713 | OVERSIZED FOOTPLATES FOR WEIGHTS 301# AND GREATER, PAIR |
| DME | W4714 | SWINGAWAY SPECIAL CONSTRUCTION FOOTRESTS FOR WEIGHTS 401# AND GREATER, PAIR |
| DME | W4715 | SWINGAWAY REINFORCED LEGREST, ELEVATING, FOR WEIGHTS 301# TO 400#, PAIR |
| DME | W4716 | SWINGAWAY SPECIAL CONSTRUCTION LEGRESTS, ELEVATING, FOR WEIGHTS 401# AND GREATER, PAIR |
| DME | W4717 | OVERSIZED CALF PADS, PAIR |
| DME | W4718 | OVERSIZED SOLID SEAT |
| DME | W4719 | OVERSIZED SOLID BACK |
| DME | W4722 | OVERSIZED FULL SUPPORT FOOTBOARD |
| DME | W4723 | OVERSIZED FULL SUPPORT CALFBOARD |
| DME | W4733 | REPLACEMENT OVERSIZED INNERSPRING MATTRESS FOR HOSPITAL BED W/ WIDTH TO 39" |

CPT copyright 2025 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.

Effective 01/01/2025